

COLOR KEY

GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	12/9/2016
WELL INPUTS	
Well Name	Wardell 40-29
API #	05-123-26229
WINS #	93179
Gyro Date:	Directional Survey
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
OH Excess Factor	60
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	729
Prod csg (size/wt)	5-1/2", 17#
Tubing OD (in)	2-3/8"
Tubing Set Depth (ft)	7261
Collar Above CIBP (ft)	6952
Collar Below CIBP (ft)	6994
Niobrara CIBP / BOC (ft)	6975
Niobrara TOC (ft)	6575
Niobrara Cement Vol (sx)	35
SUSX/SH BOC (ft)	4680
SUSX/SH TOC (ft)	4125
SUSX/SH Cement Vol (sx)	50
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	1355
Cut Casing Depth (ft)	1255
Stub Plug TOC Form6 (ft)	679
Stub Plug TOC Calc (ft)	530
Stub Plug Cement Vol (sx)	250
GEOLOGY INPUTS	
FHM (ft)	1155
Sussex Top (ft)	4325
Sussex Base (ft)	4630
Shannon Base (ft)	Absent
Niobrara Top (ft)	7024
QUESTIONS?	
Who Drilled Well?	Kerr McGee
Straight or Deviated Hole?	Deviated
Age of well (yr)	8
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	NONE
SUSX/SH Productive? (Y/N)	Y
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

*If No Integrity Issues, Put "NONE"

