

FORM  
2A

Rev  
08/13

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

401077707

Date Received:

11/10/2016

Oil and Gas Location Assessment

New Location     Refile     Amend Existing Location    Location#: \_\_\_\_\_

This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

**448780**

Expiration Date:

**12/17/2019**

This location assessment is included as part of a permit application.

CONSULTATION

This location is included in a Comprehensive Drilling Plan. CDP # \_\_\_\_\_

This location is in a sensitive wildlife habitat area.

This location is in a wildlife restricted surface occupancy area.

This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 10071

Name: BARRETT CORPORATION\* BILL

Address: 1099 18TH ST STE 2300

City: DENVER    State: CO    Zip: 80202

Contact Information

Name: Matt Barber

Phone: (303) 312-8188

Fax: (303) 291-9100

email: mbarber@billbarrettcorp.com

RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20040060     Gas Facility Surety ID: \_\_\_\_\_

Waste Management Surety ID: \_\_\_\_\_

LOCATION IDENTIFICATION

Name: Will Trust

Number: 6-62-10\_11 CW2

County: WELD

Quarter: SWNW    Section: 10    Township: 6N    Range: 62W    Meridian: 6    Ground Elevation: 4791

Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1941 feet FNL from North or South section line

280 feet FWL from East or West section line

Latitude: 40.503603    Longitude: -104.316958

PDOP Reading: 1.5    Date of Measurement: 10/28/2016

Instrument Operator's Name: Darren Shanks

## RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:

LOCATION ID # FORM 2A DOC #



## FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells	<u>5</u>	Oil Tanks*	<u>8</u>	Condensate Tanks*	<u>      </u>	Water Tanks*	<u>4</u>	Buried Produced Water Vaults*	<u>      </u>
Drilling Pits	<u>      </u>	Production Pits*	<u>      </u>	Special Purpose Pits	<u>      </u>	Multi-Well Pits*	<u>      </u>	Modular Large Volume Tanks	<u>      </u>
Pump Jacks	<u>5</u>	Separators*	<u>9</u>	Injection Pumps*	<u>      </u>	Cavity Pumps*	<u>      </u>	Gas Compressors*	<u>      </u>
Gas or Diesel Motors*	<u>      </u>	Electric Motors	<u>      </u>	Electric Generators*	<u>      </u>	Fuel Tanks*	<u>      </u>	LACT Unit*	<u>1</u>
Dehydrator Units*	<u>      </u>	Vapor Recovery Unit*	<u>4</u>	VOC Combustor*	<u>6</u>	Flare*	<u>      </u>	Pigging Station*	<u>      </u>

## OTHER FACILITIES\*

### Other Facility Type

### Number

<u>Other Facility Type</u>	<u>Number</u>
4" Water Flowline	1
4" Injection Line	1
Gas Generator	1
2" Swabline	1
Treaters (Horizontal)	2
Automation System	1
2" Flowlines	5
6" Gas Gathering Line	1
Combustor Drip POT	2
6" Oil Flowline	1
Sumps	8

\*Those facilities indicated by an asterisk (\*) shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

See pipeline and flowline counts above. When possible temporary water pipelines will carry water from storage tanks or water sources to well completion sites. Pipes will be made of flexible and rigid materials (plastic, aluminum and steel) generally 8" to 12" in diameter. The length will be determined by the distance to the well site to be serviced for the fracing operation. This will greatly minimize the number of truck trips required for the well completion.

This location will have up to 120-500 bbl frac tanks. Frac tanks located on this pad may service completion operations being conducted on an adjacent pad location. A sundry would be submitted in the event this situation occurs. Surface owner approval would be obtained where necessary. This location will also have up to 15-300 bbl temporary tanks for drilling operations.

## CONSTRUCTION

Date planned to commence construction: 01/01/2017 Size of disturbed area during construction in acres: 7.24  
Estimated date that interim reclamation will begin: 08/01/2017 Size of location after interim reclamation in acres: 3.06  
Estimated post-construction ground elevation: 4789

## DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: Yes

Is H<sub>2</sub>S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? No

Will oil based drilling fluids be used? No

## DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Method: Land application

Cutting Disposal: OFFSITE Cuttings Disposal Method: Beneficial reuse

Other Disposal Description:

Beneficial reuse or land application plan submitted? Yes

Reuse Facility ID: 441079 or Document Number: \_\_\_\_\_

Centralized E&P Waste Management Facility ID, if applicable: \_\_\_\_\_

## SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: Will Trust

Phone: \_\_\_\_\_

Address: 312 Clover Lane

Fax: \_\_\_\_\_

Address: \_\_\_\_\_

Email: \_\_\_\_\_

City: Fort Collins State: CO Zip: 80521

Surface Owner:  Fee  State  Federal  Indian

Check all that apply. The Surface Owner:  is the mineral owner

is committed to an oil and Gas Lease

has signed the Oil and Gas Lease

is the applicant

The Mineral Owner beneath this Oil and Gas Location is:  Fee  State  Federal  Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: Surface Use Agreement

Surface damage assurance if no agreement is in place: \_\_\_\_\_ Surface Surety ID: \_\_\_\_\_

Date of Rule 306 surface owner consultation \_\_\_\_\_

## CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP

Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_

Subdivided:  Industrial  Commercial  Residential

Future Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP

Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_

Subdivided:  Industrial  Commercial  Residential

CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

Table with 3 columns: Feature, From WELL, From PRODUCTION FACILITY. Rows include Building, Building Unit, High Occupancy Building Unit, Designated Outside Activity Area, Public Road, Above Ground Utility, Railroad, and Property Line.

INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.
- For measurement purposes only, Production Facilities should only include those items with an asterisk(\*) on the Facilities Tab.

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a:

- Buffer Zone
 Exception Zone
 Urban Mitigation Area

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: \_\_\_\_\_
Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: \_\_\_\_\_

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.
- Large UMA Facility - as defined in 100-Series Rules.

FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

- Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (on or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit.
 By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at http://soildatamart.nrcs.usda.org/ or from the COGCC web site GIS Online map page found at http://colorado.gov/cogcc. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 74 - Vona loamy sand, 5 to 9 percent slope

NRCS Map Unit Name: \_\_\_\_\_

NRCS Map Unit Name: \_\_\_\_\_

**PLANT COMMUNITY:**

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes  No

Plant species from:  NRCS or,  field observation Date of observation: 03/02/2016

List individual species:

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): \_\_\_\_\_

## WATER RESOURCES

Is this a sensitive area:  No  Yes

Distance to nearest

downgradient surface water feature: 1335 Feet

water well: 799 Feet

Estimated depth to ground water at Oil and Gas Location 76 Feet

Basis for depth to groundwater and sensitive area determination:

The static water level of the nearby water well, permit #297419A, is not found. The depth to ground water is based on static water level of the next nearby water well, permit #297419B, which is from data pulled from the Department of Water Quality Resources on September 2016.

Is the location in a riparian area:  No  Yes

Was an Army Corps of Engineers Section 404 permit filed  No  Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer No zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: \_\_\_\_\_

Is the Location within a Floodplain?  No  Yes Floodplain Data Sources Reviewed (check all that apply)

Federal (FEMA)

State

County

Local

Other

## GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 318A

## DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- Rule 604.a.(1)A. Exception Zone (within 500' of a Building Unit) and is in an Urban Mitigation Area
- Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

## RULE 502.b VARIANCE REQUEST

- Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number \_\_\_\_\_

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

## OPERATOR COMMENTS AND SUBMITTAL

Comments

The surface owner has signed a Rule 318A.a Surface Location Exception & 318A.c Twinning Location Exception waiver (attached).

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.  
Signed: \_\_\_\_\_ Date: 11/10/2016 Email: mbarber@billbarrettcorp.com

Print Name: Matt Barber Title: Sr. Permit Analyst

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Matthew Lee Director of COGCC Date: 12/18/2016

### Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

<u>COA Type</u>	<u>Description</u>

### Best Management Practices

<b>No</b>	<b>BMP/COA Type</b>	<b>Description</b>
1	Storm Water/Erosion Control	<p><b>STORM WATER AND SPILL CONTROL PRACTICES</b></p> <p><b>GENERAL</b></p> <ul style="list-style-type: none"> <li>· Utilize diking and other forms of containment and diversions around tanks, drums, chemicals, liquids, pits, impoundments, or well pads. Alternatively secondary containment may be provided around the entire perimeter of the location when containment structures are not feasible in immediate vicinity of storage vessels.</li> <li>· Use drip pans, sumps, or liners where appropriate</li> <li>· Limit the amount of land disturbed during construction of pad, access road, and facilities</li> <li>· Employ spill response plan (SPCC) for all facilities</li> <li>· Dispose properly offsite any wastes fluids and other materials</li> </ul> <p><b>MATERIAL HANDLING, ACTIVITIES, PRACTICES AND STORM WATER DIVERSION</b></p> <ul style="list-style-type: none"> <li>· Secondary containment of tanks, drums, and storage areas is mandatory to prohibit discharges to surface waters. A minimum of 110% capacity required of largest storage tank within a containment area</li> <li>· Material handling and spill prevention procedures and practices will be followed to help prohibit discharges to surface waters</li> <li>· Proper loading, and transportation procedures to be followed for all materials to and from locations</li> </ul> <p><b>EROSION CONTROL</b></p> <ul style="list-style-type: none"> <li>· Pad and access road to be designed to minimize erosion</li> <li>· Pad and access road to implement appropriate erosion control devices where necessary to minimize erosion</li> <li>· Routine inspections of sites and controls to be implemented with additions, repairs, and optimization to occur as necessary to minimize erosion</li> </ul> <p><b>SELF INSPECTION, MAINTENANCE, AND HOUSEKEEPING</b></p> <ul style="list-style-type: none"> <li>· All employees are trained in spill response, good housekeeping, material management practices, and procedures for equipment and container washing annually</li> <li>· Conduct internal storm water inspections per applicable stormwater regulations</li> <li>· Conduct routine informal inspections of all tanks and storage facilities at least weekly</li> <li>· All containment areas are to be inspected weekly or following a heavy rain event.</li> <li>· Any excessive precipitation accumulation within containment should be removed as appropriate and disposed of properly</li> <li>· All structural berms, dikes, and containment will be inspected periodically to ensure they are operating correctly</li> </ul> <p><b>SPILL RESPONSE</b></p> <p>Spill response procedures as per the BBC field SPCC Plan</p>

2	Drilling/Completion Operations	<p>BBC GENERAL PRACTICES NOTIFICATIONS</p> <ul style="list-style-type: none"> <li>Proper notifications required by COGCC regulations or policy memos will be adhered to</li> </ul> <p>TRENCHES/PITS/TEMPORARY FRAC TANKS</p> <ul style="list-style-type: none"> <li>Unlined pits will not be constructed.</li> <li>Drill cuttings will be hauled to an approved spread field. Disposal methods will comply with COGCC regulations.</li> <li>Flowback and stimulation fluids from the wells being completed will be sent to tanks and/or filters to allow the sand to settle out before the fluids are hauled to a state approved disposal facility.</li> <li>Temporary frac tanks installed on location will have proper secondary containment according to SPCC regulations such as either putting a perimeter berm around location or around the frac tanks.</li> </ul> <p>VEHICLE &amp; LOCATION PROCEDURES</p> <ul style="list-style-type: none"> <li>Vehicles entering location are to be free of chemical, oil, mud, weeds, trash, and debris</li> <li>Location to be treated to kill weeds and bladed when necessary</li> </ul>
---	--------------------------------	--

Total: 2 comment(s)

### Attachment Check List

<b>Att Doc Num</b>	<b>Name</b>
1696698	SURFACE AGRMT/SURETY
401077707	FORM 2A SUBMITTED
401078041	NRCS MAP UNIT DESC
401078051	WASTE MANAGEMENT PLAN
401147579	EXCEPTION LOC WAIVERS
401147581	EXCEPTION LOC REQUEST
401147601	HYDROLOGY MAP
401147602	LOCATION DRAWING
401147603	REFERENCE AREA PICTURES
401147604	LOCATION PICTURES
401147605	ACCESS ROAD MAP
401147614	REFERENCE AREA MAP
401147621	MULTI-WELL PLAN

Total Attach: 13 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Final Review Completed.	12/12/2016
OGLA	With Operator concurrence, also removed Operator Comment indicating Right to Construct is granted by Bond. OGLA review complete and task passed.	12/06/2016
Permit	Attached signed SUA. Changed Right to construct to SUA and removed bond info. Permitting Review Complete.	12/06/2016
LGD	This proposed oil and gas facility is located in unincorporated Weld County. Oil and Gas Exploration and Production activities are currently considered a Use by Right in the Agricultural Zoned District and no land use permitting is required by the County. A building permit is required for the production facilities (tank battery, separators, pump jacks, compressors, generators, etc.) from the Department of Planning Services. Access points from a County road require an Access Permits from the Department of Public Works, which includes any necessary traffic control plans and Improvement Agreements. The use of a right-of-way requires a Right-Of-Way Permit from the Department of Public Works. Troy Swain, Weld Oil/Gas Liaison and LGD (970) 400-3579.	11/29/2016
Permit	Passed completeness.	11/15/2016

Total: 5 comment(s)