

GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	12/22/2016
WELL INPUTS	
Well Name	UPRC 33-6J5
API #	05-123-17699
WINS #	23809
Gyro Date:	Jan 2015
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
OH Excess Factor	60
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	736
Prod csg (size/wt)	3-1/2", 7.7#
Tubing OD (in)	2-1/16"
Tubing Set Depth (ft)	7167
Collar Above CIBP (ft)	6832
Collar Below CIBP (ft)	6874
Niobrara CIBP / BOC (ft)	6860
Niobrara TOC (ft)	6460
Niobrara Cement Vol (sx)	15
SUSX/SH BOC (ft)	4585
SUSX/SH TOC (ft)	4070
SUSX/SH Cement Vol (sx)	20
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	1375
Cut Casing Depth (ft)	1275
Stub Plug TOC Form6 (ft)	686
Stub Plug TOC Calc (ft)	535
Stub Plug Cement Vol (sx)	250
GEOLOGY INPUTS	
FHM (ft)	1174
Sussex Top (ft)	4271
Sussex Base (ft)	4534
Shannon Base (ft)	Absent
Niobrara Top (ft)	6923
QUESTIONS?	
Who Drilled Well?	Snyder Oil Corp
Straight or Deviated Hole?	Straight
Age of well (yr)	22
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	NONE
SUSX/SH Productive? (Y/N)	Y
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

COLOR KEY



*If No Integrity Issues, Put "NONE"

