



September 30th, 2016

Matt Lepore
 Director, Colorado Oil and Gas Conservation Commission
 The Chancery Building
 1120 Lincoln Street,
 Suite 801 Denver, CO
 80203
 Re: Request for Exception to Rule
 317.p

Ag 26-32 Pad

1. Ag 32N-31C-L: SHL 1037' FNL, 599' FEL Sec 32-T6N-66W Doc# 401115865
2. Ag 32C-31-L: SHL 1022' FNL, 585' FEL Sec 32-T6N-66W Doc# 401115862
3. Ag 5N-31A-L: SHL 1008' FNL, 572' FEL Sec 32-T6N-66W Doc# 401115850
4. Ag 5C-31-L: SHL 994' FNL, 558' FEL Sec 32-T6N-66W Doc# 401115849
5. Ag 31N-31B-L: SHL 979' FNL, 545' FEL Sec 32-T6N-66W Doc# 401115852
6. Ag 31C-31-L: SHL 965' FNL, 531' FEL Sec 32-T6N-66W Doc# 401115856
7. Ag 31N-31C-L: SHL 951' FNL, 517' FEL Sec 32-T6N-66W Doc# 401115860
8. Ag 4C-31-L: SHL 936' FNL, 504' FEL Sec 32-T6N-66W Doc# 401115838
9. Ag 4N-31B-L: SHL 922' FNL, 490' FEL Sec 32-T6N-66W Doc# 401115843
10. Ag 4N-31C-L: SHL 908' FNL, 477' FEL Sec 32-T6N-66W Doc# 401115845
11. Ag 30C-31-L: SHL 894' FNL, 463' FEL Sec 32-T6N-66W Doc# 401115851
12. Ag 30N-31B-L SHL 879' FNL, 449' FEL Sec 32-T6N-66W Doc# 401115852
 NENE Section 32, Township 6 North, Range 66 West
 Weld County,
 Colorado

Dear Director Lepore:

Synergy Resources Corporation (SRC) respectfully requests approval for an Open Hole Logging Exception to Rule 317.p. The above-named wells are requested to be exempt from this requirement due to the proximity of existing well(s) with acceptable petrophysical logs that adequately describes the stratigraphy of the wellbore, adequately verifies surface casing setting depth, and adequately verifies any aquifer coverage. The existing wells listed in the table below have log(s) which meet the offsetting well surface-hole distance and bearing requirements.

Well Name	Well Number	API Number	Distance From Well(s)	Azimuth (Degrees)	Log Type/Types	Log Type Document Number
Ag	#32-32D	05.123.31345	504'	317°	Triple Combo Logs	2545819

One of the first wells drilled on this multi-well location will be logged with a cased-hole pulsed neutron, gamma ray, and cement bond log from kick-off point into the surface casing. The other wells on this multi-well location will be logged with only a cement bond and cased-hole gamma ray log from the kick-off point into the surface casing. The Drilling Completion Report (Form 5) submitted for each well will indicate that no open-hole logs were run. Should you have any question, please feel to contact me at (720) 616-4319.

Erin Ekblad

Sincerely,

Erin Ekblad
Synergy Resources Corporation
1625 Broadway; Suite 500
Denver, CO 80202
Direct: 720.616.4319

