

STATE OF
COLORADO

Santovena - DNR, Crystal <

API #: 067-08194
Document #: 2225675
Date: 12/27/2016**Fwd: Elm Ridge CA extension**

1 message

Roy - DNR, Catherine <catherine.roy@state.co.us>
To: Crystal Santovena - DNR <crystal.santovena@state.co.us>

Tue, Dec 27, 2016 at 2:42 PM

Hi Crystal,

Could you upload the following email correspondence to the well file for the 067-08194 API Number and location?

Could we label this as: "**Corrective Action Extension**"?

Here is the information from the card:

Name and Date: Catherine Roy/December 27, 2016

Projects: **Elm Ridge 067-08194**

Facilities: Well Location

Other:

Enter in Database? Yes

Needs Scanning? No

Index Doc? I'm not sure

Return to Office: No

File in Public Room? No

Thank you very much!

----- Forwarded message -----

From: **Denise Arthur - DNR** <denise.arthur@state.co.us>

Date: Fri, Dec 23, 2016 at 3:37 PM

Subject: Elm Ridge CA extension

To: Amy Archuleta <aarchuleta@elmrIDGE.net>

Cc: margaret.ash@state.co.us, catherine.roy@state.co.us

Dear Ms. Archuleta,

Staff, including the Reclamation Specialist, the Reclamation Supervisor and the Field Inspection Unit Manager, has reviewed your request and the decision is as follows. COGCC in the future will likely not extend corrective actions (CA) dates when the application was made on the day the CA was due. In general staff needs to receive the request no less than one to two weeks before the CA due date. We understand there may have been some weather delays, and with the holiday this might have added additional complications. Staff would like to encourage your company to begin working on the required Stormwater CAs as soon as they have been issued to potentially avoid weather related issues. Staff will allow a onetime CA date (Original Date 12/16/2016) extension to one month beyond when the CA was due, for both stormwater related CAs on the inspection (Berm CA is 12/30/2016) because of possible weather constraints. The new corrective action date for both corrective actions is now 1/13/2016.

Regards, Denise

Catherine,

Please upload this e-mail to the well file.

----- Forwarded message -----

From: **Amy Archuleta** <aarchuleta@elmridge.net>

Date: Fri, Dec 16, 2016 at 9:04 AM

Subject: FW: COGCC FIELD INSPECTION REPORT [Doc#680601074, Loc Id: 312027 Name: HARMON A-N33N8W 17NWSE] SUBMITTED NOTICE

To: "catherine.roy@state.co.us" <catherine.roy@state.co.us>

Cc: Terry Lindeman <TLindeman@elmridge.net>

Hi Catherine,

The corrective action for storm water control on this inspection is due today. We are requesting an extension due to some scheduling errors and weather delays.

We are requesting a 30 day extension to insure us enough time to complete the work.

Thank you

Amy Archuleta

Elm Ridge Exploration Co LLC

--

Catherine Roy
Southwest Reclamation Specialist



C 970.946.9107

1120 Lincoln Street, Suite 801, Denver, CO 80203 catherine.roy@state.co.us | www.colorado.gov/cogcc