



**COLOR KEY**


GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	12/31/2016
WELL INPUTS	
Well Name	HSR-Eggler 11-29
API #	05-123-19166
WINS #	76937
Gyro Date:	Oct 2011
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	536
Prod csg (size/wt)	3-1/2", 7.7#
Tubing OD (in)	2-1/16"
Tubing Set Depth (ft)	7204
Collar Above CIBP (ft)	6846
Collar Below CIBP (ft)	6890
Niobrara CIBP / BOC (ft)	6870
Niobrara TOC (ft)	6470
Niobrara Cement Vol (sx)	15
SUSX/SH Bot Sq Holes (ft)	3950
SUSX/SH Top Sq Holes (ft)	3550
SUSX/SH Cmt Above CICR (bbls)	3
SUSX/SH TOC in Casing (ft)	3387
SUSX/SH OH Excess Factor (%)	60
SUSX/SH Cement Vol (sx)	150
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	1280
Cut Casing Depth (ft)	1280
Stub Plug TOC Form6 (ft)	622
Stub Plug TOC Calc (ft)	470
Stub Plug Cement Vol (sx)	270
Stub OH Excess Factor (%)	60
GEOLOGY INPUTS	
FHM (ft)	1178
Sussex Top (ft)	4275
Sussex Base (ft)	4580
Shannon Base (ft)	Absent
Niobrara Top (ft)	6951
QUESTIONS?	
Who Drilled Well?	HS Resources
Straight or Deviated Hole?	Straight
Age of well (yr)	20
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	NONE
SUSX/SH Productive? (Y/N)	Y
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

\*If No Integrity Issues, P

'ut "NONE".