

GENERAL INPUTS	
Name	David Hasz
Cell Phone Number	970-371-8820
Date	1/4/2017
WELL INPUTS	
Well Name	HEIN W 19-6
API #	05-123-16905
WINS #	H6422
Gyro Date:	
Surface Hole Size (in)	12-1/4
Prod Hole Size (in)	7-7/8
OH Excess Factor	100
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	611
Prod csg (size/wt)	3-1/2", 7.7#
Tubing OD (in)	2-1/16"
Tubing Set Depth (ft)	7381
Collar Above CIBP (ft)	7298
Hyd. Set	Collar Below CIBP (ft)
N	Niobrara CIBP / BOC (ft)
	Niobrara TOC (ft)
	Niobrara Cement Vol (sx)
	SUSX/SH BOC (ft)
	SUSX/SH TOC (ft)
	SUSX/SH Cement Vol (sx)
	Bradenhead Issues? (Y/N)
	Stub Plug BOC (ft)
	Cut Casing Depth (ft)
	Stub Plug TOC Form6 (ft)
	Stub Plug TOC Calc (ft)
	Stub Plug Cement Vol (sx)
GEOLOGY INPUTS	
	FHM (ft)
	Sussex Top (ft)
	Sussex Base (ft)
	Shannon Base (ft)
	Niobrara Top (ft)
QUESTIONS?	
	Who Drilled Well?
	Straight or Deviated Hole?
	Age of well (yr)
	Any squeeze holes? (Y/N)
	Details of Integrity Issues?
	SUSX Productive? (Y/N)
	SH Productive? (Y/N)
	Gyro Found (Y/N)
	CBL Found (Y/N)
	Packer Downhole? (Y/N)
	Packer Depth (ft)

Tubular	ID	Wt.
Surf. Csg.	8.625	24
Prod. Csg.	3.5	7.7
Prod. Hole	7.88	

Recommended Volume (sx)
20.8

Recommended Volume (sx)
17.3

*Round up

Recommended Volume (sx)	
390	
Flush 1 (bbl)	129
Flush 2 (bbl)	129

*Limited to

COLOR KEY



*No end punctuation

*If No Integrity Issues, Put "NONE".

*Packer depth below is ignored if "N"

an extra 5 sx

› 100 bbl in Prog