


API:	05-123-21077	ELEVATION:	4945	QTR-QTR:	SE SW
WELL NAME:	Baja 14-35A	GROUND LEVEL:	4935	SECTION:	35
COUNTY:	WELD	MD:	8145	TOWNSHIP:	2N
LATITUDE:	40.08984	PBMD:	8117	RANGE:	67W
LONGITUDE:	-104.86002	CREATED BY:	S.RIEBE		
		DATE:	1/20/2017		



GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	1/20/2017
WELL INPUTS	
Well Name	Baja 14-35A
API #	05-123-21077
WINS #	74519
Gyro Date:	May 2013
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
OH Excess Factor	60
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	807
Prod csg (size/wt)	4.5", 11.6#
Tubing OD (in)	2-3/8"
Tubing Set Depth (ft)	7512
Collar Above CIBP (ft)	7232
Collar Below CIBP (ft)	7264
Niobrara CIBP / BOC (ft)	7250
Niobrara TOC (ft)	6850
Niobrara Cement Vol (sx)	25
SUSX/SH BOC (ft)	4765
SUSX/SH TOC (ft)	4280
SUSX/SH Cement Vol (sx)	35
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	1445
Cut Casing Depth (ft)	1345
Stub Plug TOC Form6 (ft)	757
Stub Plug TOC Calc (ft)	600
Stub Plug Cement Vol (sx)	300
GEOLOGY INPUTS	
FHM (ft)	1242
Sussex Top (ft)	4482
Sussex Base (ft)	4713
Shannon Base (ft)	Absent
Niobrara Top (ft)	7253
QUESTIONS?	
Who Drilled Well?	Kerr McGee
Straight or Deviated Hole?	Straight
Age of well (yr)	20
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	DV Tool @ 5015'
SUSX/SH Productive? (Y/N)	Y
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

COLOR KEY



*If No Integrity Issues, Put "NONE"

