


API:	05-123-23295	ELEVATION:	5043	QTR-QTR:	SWSE
WELL NAME:	VRANJES 34-25	GROUND LEVEL:	5029	SECTION:	25
COUNTY:	WELD	MD:	7572	TOWNSHIP:	4N
LATITUDE:	40.278638	PBMD:	7436'	RANGE:	68W
LONGITUDE:	-104.949575	CREATED BY:	S.RIEBE		
		DATE:	1/20/2017		



COLOR KEY


GENERAL INPUTS	
Name	Savanna Riebe
Cell Phone Number	970-714-0288
Date	1/20/2017
WELL INPUTS	
Well Name	Vranjes 34-25
API #	05-123-23295
WINS #	69877
Gyro Date:	Nov 2014
Surface Hole Size (in)	12.25
Prod Hole Size (in)	7.88
OH Excess Factor	60
Surface Casing (size/wt)	8-5/8", 24#
Surface Casing Shoe (ft)	444
Prod csg (size/wt)	4.5", 11.6#
Tubing OD (in)	2-3/8"
Tubing Set Depth (ft)	7356
Collar Above CIBP (ft)	7294
Collar Below CIBP (ft)	7322
Niobrara CIBP / BOC (ft)	7300
Niobrara TOC (ft)	6675
Niobrara Cement Vol (sx)	40
SUSX/SH BOC (ft)	4340
SUSX/SH TOC (ft)	3940
SUSX/SH Cement Vol (sx)	30
Bradenhead Issues? (Y/N)	N
Stub Plug BOC (ft)	960
Cut Casing Depth (ft)	860
Stub Plug TOC Form6 (ft)	394
Stub Plug TOC Calc (ft)	245
Stub Plug Cement Vol (sx)	250
GEOLOGY INPUTS	
FHM (ft)	756
Sussex Top (ft)	4137
Sussex Base (ft)	4353
Shannon Base (ft)	4770
Niobrara Top (ft)	7075
QUESTIONS?	
Who Drilled Well?	nited States Exploration
Straight or Deviated Hole?	Straight
Age of well (yr)	20
Any squeeze holes? (Y/N)	N
Details of Integrity Issues?	NONE
SUSX/SH Productive? (Y/N)	N
Gyro Found (Y/N)	Y
CBL Found (Y/N)	Y
Packer Downhole? (Y/N)	N
Packer Depth (ft)	7500

*If No Integrity Issues, Put "NONE"

