

## Adams County Area, Parts of Adams and Denver Counties, Colorado

### AsB—Ascalon sandy loam, 0 to 3 percent slopes

#### Map Unit Setting

*National map unit symbol:* 2swl3

*Elevation:* 3,870 to 5,960 feet

*Mean annual precipitation:* 12 to 16 inches

*Mean annual air temperature:* 46 to 57 degrees F

*Frost-free period:* 135 to 160 days

*Farmland classification:* Prime farmland if irrigated and the product of I (soil erodibility) x C (climate factor) does not exceed 60

#### Map Unit Composition

*Ascalon and similar soils:* 85 percent

*Minor components:* 15 percent

*Estimates are based on observations, descriptions, and transects of the mapunit.*

#### Description of Ascalon

##### Setting

*Landform:* Interfluves

*Landform position (two-dimensional):* Summit

*Down-slope shape:* Linear

*Across-slope shape:* Linear

*Parent material:* Wind-reworked alluvium and/or calcareous sandy eolian deposits

##### Typical profile

*Ap - 0 to 6 inches:* sandy loam

*Bt1 - 6 to 12 inches:* sandy clay loam

*Bt2 - 12 to 19 inches:* sandy clay loam

*Bk - 19 to 35 inches:* sandy clay loam

*C - 35 to 80 inches:* sandy loam

##### Properties and qualities

*Slope:* 0 to 3 percent

*Depth to restrictive feature:* More than 80 inches

*Natural drainage class:* Well drained

*Runoff class:* Low

*Capacity of the most limiting layer to transmit water (Ksat):*

Moderately high to high (0.60 to 2.00 in/hr)

*Depth to water table:* More than 80 inches

*Frequency of flooding:* None

*Frequency of ponding:* None

*Calcium carbonate, maximum in profile:* 10 percent

*Salinity, maximum in profile:* Nonsaline to very slightly saline (0.1 to 2.0 mmhos/cm)

*Sodium adsorption ratio, maximum in profile:* 1.0

*Available water storage in profile:* Moderate (about 7.7 inches)

**Interpretive groups**

*Land capability classification (irrigated):* 3e

*Land capability classification (nonirrigated):* 4c

*Hydrologic Soil Group:* B

*Ecological site:* Sandy Plains (R067BY024CO)

*Hydric soil rating:* No

**Minor Components**

**Olnešt**

*Percent of map unit:* 10 percent

*Landform:* Interfluves

*Landform position (two-dimensional):* Summit

*Landform position (three-dimensional):* Tread

*Down-slope shape:* Linear

*Across-slope shape:* Linear

*Ecological site:* Sandy Plains (R067BY024CO)

*Hydric soil rating:* No

**Vona**

*Percent of map unit:* 5 percent

*Landform:* Interfluves

*Landform position (two-dimensional):* Summit

*Down-slope shape:* Linear

*Across-slope shape:* Linear

*Ecological site:* Sandy Plains (R067BY024CO)

*Hydric soil rating:* No

## Data Source Information

Soil Survey Area: Adams County Area, Parts of Adams and Denver Counties, Colorado

Survey Area Data: Version 13, Sep 22, 2016

Map unit symbol and soil name	Ecological Site, Plant Association, or Habitat Type	Total dry-weight production			Characteristic rangeland or forest understory vegetation	
AsB—Ascalon sandy loam, 0 to 3 percent slopes		Favorable Yr	Normal Yr.	Unfav. Yr.		Rangeland
Ascalon	Sandy Plains (R067BY024CO)	2,200	1,650	800	prairie sandreed	20
					little bluestem	15
					needleandthread	15
					sideoats grama	15
					sand bluestem	5
					blue grama	—
					sand dropseed	—
					western wheatgrass	—