

**FORM**  
**5A**  
Rev  
06/12

**State of Colorado**  
**Oil and Gas Conservation Commission**  
1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:  
401150566

Date Received:

**COMPLETED INTERVAL REPORT**

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: <u>69175</u>	4. Contact Name: <u>Ally Gale</u>
2. Name of Operator: <u>PDC ENERGY INC</u>	Phone: <u>(303) 831-3931</u>
3. Address: <u>1775 SHERMAN STREET - STE 3000</u>	Fax: <u>(303) 860-5838</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80203</u>	Email: <u>alexandria.gale@pdce.com</u>

5. API Number <u>05-123-42324-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>Spaur</u>	Well Number: <u>10i-201</u>
8. Location: QtrQtr: <u>SESW</u> Section: <u>10</u> Township: <u>4N</u> Range: <u>67W</u> Meridian: <u>6</u>	
9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	

### Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 07/10/2016 End Date: 07/19/2016 Date of First Production this formation: 08/02/2016  
Perforations Top: 7534 Bottom: 11547 No. Holes: 684 Hole size: 42/100

Provide a brief summary of the formation treatment: Open Hole:

20 Stage Plug and Perf, Perf'd from 7534-11307, 3 Toe Sleeves from 11450-11547  
Total Fluid: 67,168 bbls  
Gel Fluid: 40,154 bbls  
Slickwater Fluid: 26,507 bbls  
15% HCl Acid: 507 bbls  
Total Proppant: 3,799,400 lbs  
Silica Proppant: 3,799,400 lbs  
Method for determining flowback volume: measuring flowback tank volumes

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 67168 Max pressure during treatment (psi): 4355  
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.34  
Type of gas used in treatment: Min frac gradient (psi/ft): 0.97  
Total acid used in treatment (bbl): 507 Number of staged intervals: 20  
Recycled water used in treatment (bbl): Flowback volume recovered (bbl): 4643  
Fresh water used in treatment (bbl): 66661 Disposition method for flowback: DISPOSAL  
Total proppant used (lbs): 3799400 Rule 805 green completion techniques were utilized:   
Reason why green completion not utilized:

**Fracture stimulations must be reported on FracFocus.org**

#### Test Information:

Date: 08/11/2016 Hours: 24 Bbl oil: 236 Mcf Gas: 412 Bbl H2O: 353  
Calculated 24 hour rate: Bbl oil: 236 Mcf Gas: 412 Bbl H2O: 353 GOR: 1745  
Test Method: Flowing Casing PSI: 2334 Tubing PSI: 1759 Choke Size: 16/64  
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1277 API Gravity Oil: 50  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7231 Tbg setting date: 07/29/2016 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze:  Yes  No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Ally Gale  
Title: Regulatory Tech Date: Email: alexandria.gale@pdce.com

### Attachment Check List

Att Doc Num	Name
401204738	WELLBORE DIAGRAM

Total Attach: 1 Files

**General Comments**

**User Group**

**Comment**

**Comment Date**

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)