

ConocoPhillips RBU Gold Data_Niobrara

Niobrara - CO Central Zone

Prosper Farms

Prosper Farms 4-65 2-1 4AH

Prosper Farms 4-65 2-1 4AH

Plan: Prosper Farms 4-65 2-1 4AH

Standard Planning Report

09 February, 2017

ConocoPhillips

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well Prosper Farms 4-65 2-1 4AH
Company:	ConocoPhillips RBU Gold Data_Niobrara	TVD Reference:	24' RKB @ 5656.40ft
Project:	Niobrara - CO Central Zone	MD Reference:	24' RKB @ 5656.40ft
Site:	Prosper Farms	North Reference:	True
Well:	Prosper Farms 4-65 2-1 4AH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Prosper Farms 4-65 2-1 4AH		
Design:	Prosper Farms 4-65 2-1 4AH		

Project	Niobrara - CO Central Zone, Arapahoe, Douglas, Elbert County - Colorado, Definitive (Gold) Database		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		Using Well Reference Point
Map Zone:	Colorado Central Zone		Using geodetic scale factor

Site		Prosper Farms			
Site Position:		Northing:	1,695,525.074 usft	Latitude:	39° 44' 23.579 N
From:	Lat/Long	Easting:	3,241,656.328 usft	Longitude:	104° 38' 26.452 W
Position Uncertainty:	0.00 ft	Slot Radius:	13-3/16 "	Grid Convergence:	0.54 °

Well	Prosper Farms 4-65 2-1 4AH					
Well Position	+N/-S	-4,018.99 ft	Northing:	1,691,511.371 usft	Latitude:	39° 43' 43.860 N
	+E/-W	538.44 ft	Easting:	3,242,232.757 usft	Longitude:	104° 38' 19.560 W
Position Uncertainty		2.00 ft	Wellhead Elevation:	0.00 ft	Ground Level:	5,632.40 ft

Wellbore	Prosper Farms 4-65 2-1 4AH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	BGGM2016	2/9/2017	8.30	66.41	52,098

Design	Prosper Farms 4-65 2-1 4AH			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)
	0.00	0.00	0.00	90.35

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,500.00	0.00	0.00	5,500.00	0.00	0.00	0.00	0.00	0.00	0.00	
5,925.61	6.38	80.78	5,924.73	3.79	23.38	1.50	1.50	0.00	80.78	
7,366.71	6.38	80.78	7,356.90	29.47	181.56	0.00	0.00	0.00	0.00	
8,202.73	89.89	90.69	7,867.00	32.40	750.05	10.00	9.99	1.19	9.97	Prosper Farms 4-65 2
14,486.45	89.89	90.69	7,879.00	-43.55	7,033.29	0.00	0.00	0.00	0.00	Prosper Farms 4-65 2

ConocoPhillips

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well Prosper Farms 4-65 2-1 4AH
Company:	ConocoPhillips RBU Gold Data_Niobrara	TVD Reference:	24' RKB @ 5656.40ft
Project:	Niobrara - CO Central Zone	MD Reference:	24' RKB @ 5656.40ft
Site:	Prosper Farms	North Reference:	True
Well:	Prosper Farms 4-65 2-1 4AH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Prosper Farms 4-65 2-1 4AH		
Design:	Prosper Farms 4-65 2-1 4AH		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	0.00	0.00	500.00	0.00	0.00	0.00	0.00	0.00	0.00
600.00	0.00	0.00	600.00	0.00	0.00	0.00	0.00	0.00	0.00
700.00	0.00	0.00	700.00	0.00	0.00	0.00	0.00	0.00	0.00
800.00	0.00	0.00	800.00	0.00	0.00	0.00	0.00	0.00	0.00
900.00	0.00	0.00	900.00	0.00	0.00	0.00	0.00	0.00	0.00
1,000.00	0.00	0.00	1,000.00	0.00	0.00	0.00	0.00	0.00	0.00
1,100.00	0.00	0.00	1,100.00	0.00	0.00	0.00	0.00	0.00	0.00
1,200.00	0.00	0.00	1,200.00	0.00	0.00	0.00	0.00	0.00	0.00
1,300.00	0.00	0.00	1,300.00	0.00	0.00	0.00	0.00	0.00	0.00
1,400.00	0.00	0.00	1,400.00	0.00	0.00	0.00	0.00	0.00	0.00
1,500.00	0.00	0.00	1,500.00	0.00	0.00	0.00	0.00	0.00	0.00
1,600.00	0.00	0.00	1,600.00	0.00	0.00	0.00	0.00	0.00	0.00
1,700.00	0.00	0.00	1,700.00	0.00	0.00	0.00	0.00	0.00	0.00
1,800.00	0.00	0.00	1,800.00	0.00	0.00	0.00	0.00	0.00	0.00
1,900.00	0.00	0.00	1,900.00	0.00	0.00	0.00	0.00	0.00	0.00
2,000.00	0.00	0.00	2,000.00	0.00	0.00	0.00	0.00	0.00	0.00
2,100.00	0.00	0.00	2,100.00	0.00	0.00	0.00	0.00	0.00	0.00
2,142.00	0.00	0.00	2,142.00	0.00	0.00	0.00	0.00	0.00	0.00
Surface									
2,200.00	0.00	0.00	2,200.00	0.00	0.00	0.00	0.00	0.00	0.00
2,300.00	0.00	0.00	2,300.00	0.00	0.00	0.00	0.00	0.00	0.00
2,400.00	0.00	0.00	2,400.00	0.00	0.00	0.00	0.00	0.00	0.00
2,500.00	0.00	0.00	2,500.00	0.00	0.00	0.00	0.00	0.00	0.00
2,600.00	0.00	0.00	2,600.00	0.00	0.00	0.00	0.00	0.00	0.00
2,700.00	0.00	0.00	2,700.00	0.00	0.00	0.00	0.00	0.00	0.00
2,800.00	0.00	0.00	2,800.00	0.00	0.00	0.00	0.00	0.00	0.00
2,900.00	0.00	0.00	2,900.00	0.00	0.00	0.00	0.00	0.00	0.00
3,000.00	0.00	0.00	3,000.00	0.00	0.00	0.00	0.00	0.00	0.00
3,100.00	0.00	0.00	3,100.00	0.00	0.00	0.00	0.00	0.00	0.00
3,200.00	0.00	0.00	3,200.00	0.00	0.00	0.00	0.00	0.00	0.00
3,300.00	0.00	0.00	3,300.00	0.00	0.00	0.00	0.00	0.00	0.00
3,400.00	0.00	0.00	3,400.00	0.00	0.00	0.00	0.00	0.00	0.00
3,500.00	0.00	0.00	3,500.00	0.00	0.00	0.00	0.00	0.00	0.00
3,600.00	0.00	0.00	3,600.00	0.00	0.00	0.00	0.00	0.00	0.00
3,700.00	0.00	0.00	3,700.00	0.00	0.00	0.00	0.00	0.00	0.00
3,800.00	0.00	0.00	3,800.00	0.00	0.00	0.00	0.00	0.00	0.00
3,900.00	0.00	0.00	3,900.00	0.00	0.00	0.00	0.00	0.00	0.00
4,000.00	0.00	0.00	4,000.00	0.00	0.00	0.00	0.00	0.00	0.00
4,100.00	0.00	0.00	4,100.00	0.00	0.00	0.00	0.00	0.00	0.00
4,200.00	0.00	0.00	4,200.00	0.00	0.00	0.00	0.00	0.00	0.00
4,300.00	0.00	0.00	4,300.00	0.00	0.00	0.00	0.00	0.00	0.00
4,400.00	0.00	0.00	4,400.00	0.00	0.00	0.00	0.00	0.00	0.00
4,500.00	0.00	0.00	4,500.00	0.00	0.00	0.00	0.00	0.00	0.00
4,600.00	0.00	0.00	4,600.00	0.00	0.00	0.00	0.00	0.00	0.00
4,700.00	0.00	0.00	4,700.00	0.00	0.00	0.00	0.00	0.00	0.00
4,800.00	0.00	0.00	4,800.00	0.00	0.00	0.00	0.00	0.00	0.00
4,900.00	0.00	0.00	4,900.00	0.00	0.00	0.00	0.00	0.00	0.00
5,000.00	0.00	0.00	5,000.00	0.00	0.00	0.00	0.00	0.00	0.00
5,100.00	0.00	0.00	5,100.00	0.00	0.00	0.00	0.00	0.00	0.00

ConocoPhillips

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well Prosper Farms 4-65 2-1 4AH
Company:	ConocoPhillips RBU Gold Data_Niobrara	TVD Reference:	24' RKB @ 5656.40ft
Project:	Niobrara - CO Central Zone	MD Reference:	24' RKB @ 5656.40ft
Site:	Prosper Farms	North Reference:	True
Well:	Prosper Farms 4-65 2-1 4AH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Prosper Farms 4-65 2-1 4AH		
Design:	Prosper Farms 4-65 2-1 4AH		

Planned Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
5,200.00	0.00	0.00	5,200.00	0.00	0.00	0.00	0.00	0.00	0.00
5,300.00	0.00	0.00	5,300.00	0.00	0.00	0.00	0.00	0.00	0.00
5,400.00	0.00	0.00	5,400.00	0.00	0.00	0.00	0.00	0.00	0.00
5,500.00	0.00	0.00	5,500.00	0.00	0.00	0.00	0.00	0.00	0.00
5,600.00	1.50	80.78	5,599.99	0.21	1.29	1.29	1.50	1.50	0.00
5,700.00	3.00	80.78	5,699.91	0.84	5.17	5.16	1.50	1.50	0.00
5,800.00	4.50	80.78	5,799.69	1.89	11.62	11.61	1.50	1.50	0.00
5,900.00	6.00	80.78	5,899.27	3.35	20.65	20.63	1.50	1.50	0.00
5,925.61	6.38	80.78	5,924.73	3.79	23.38	23.36	1.50	1.50	0.00
6,000.00	6.38	80.78	5,998.66	5.12	31.55	31.51	0.00	0.00	0.00
6,100.00	6.38	80.78	6,098.04	6.90	42.52	42.48	0.00	0.00	0.00
6,200.00	6.38	80.78	6,197.42	8.68	53.50	53.44	0.00	0.00	0.00
6,300.00	6.38	80.78	6,296.80	10.46	64.47	64.41	0.00	0.00	0.00
6,400.00	6.38	80.78	6,396.18	12.24	75.45	75.37	0.00	0.00	0.00
6,500.00	6.38	80.78	6,495.56	14.03	86.43	86.34	0.00	0.00	0.00
6,600.00	6.38	80.78	6,594.94	15.81	97.40	97.30	0.00	0.00	0.00
6,700.00	6.38	80.78	6,694.32	17.59	108.38	108.27	0.00	0.00	0.00
6,800.00	6.38	80.78	6,793.70	19.37	119.35	119.23	0.00	0.00	0.00
6,900.00	6.38	80.78	6,893.08	21.15	130.33	130.20	0.00	0.00	0.00
7,000.00	6.38	80.78	6,992.46	22.93	141.31	141.16	0.00	0.00	0.00
7,100.00	6.38	80.78	7,091.84	24.71	152.28	152.13	0.00	0.00	0.00
7,200.00	6.38	80.78	7,191.22	26.50	163.26	163.09	0.00	0.00	0.00
7,300.00	6.38	80.78	7,290.60	28.28	174.23	174.05	0.00	0.00	0.00
7,366.71	6.38	80.78	7,356.90	29.47	181.56	181.37	0.00	0.00	0.00
7,400.00	9.68	84.21	7,389.85	30.04	186.17	185.98	10.00	9.90	10.30
7,450.00	14.66	86.47	7,438.71	30.86	196.67	196.48	10.00	9.96	4.52
7,500.00	19.65	87.60	7,486.48	31.60	211.39	211.19	10.00	9.98	2.26
7,550.00	24.64	88.29	7,532.77	32.26	230.22	230.02	10.00	9.99	1.37
7,600.00	29.64	88.75	7,577.25	32.84	253.01	252.80	10.00	9.99	0.93
7,650.00	34.63	89.10	7,619.58	33.34	279.59	279.38	10.00	9.99	0.68
7,700.00	39.63	89.36	7,659.43	33.74	309.76	309.55	10.00	9.99	0.53
7,750.00	44.63	89.58	7,696.50	34.05	343.29	343.08	10.00	10.00	0.43
7,800.00	49.63	89.76	7,730.51	34.26	379.92	379.70	10.00	10.00	0.36
7,850.00	54.62	89.91	7,761.20	34.37	419.38	419.16	10.00	10.00	0.31
7,900.00	59.62	90.05	7,788.33	34.38	461.36	461.14	10.00	10.00	0.27
7,950.00	64.62	90.17	7,811.70	34.30	505.54	505.32	10.00	10.00	0.25
8,000.00	69.62	90.28	7,831.13	34.11	551.59	551.37	10.00	10.00	0.23
8,050.00	74.62	90.39	7,846.48	33.83	599.16	598.94	10.00	10.00	0.21
8,100.00	79.62	90.49	7,857.62	33.46	647.89	647.67	10.00	10.00	0.20
8,150.00	84.62	90.59	7,864.47	32.99	697.40	697.18	10.00	10.00	0.20
8,202.73	89.89	90.69	7,867.00	32.40	750.05	749.83	10.00	10.00	0.19
8,300.00	89.89	90.69	7,867.19	31.22	847.31	847.10	0.00	0.00	0.00
8,400.00	89.89	90.69	7,867.38	30.02	947.30	947.10	0.00	0.00	0.00
8,500.00	89.89	90.69	7,867.57	28.81	1,047.29	1,047.09	0.00	0.00	0.00
8,600.00	89.89	90.69	7,867.76	27.60	1,147.28	1,147.09	0.00	0.00	0.00
8,700.00	89.89	90.69	7,867.95	26.39	1,247.28	1,247.09	0.00	0.00	0.00
8,800.00	89.89	90.69	7,868.14	25.18	1,347.27	1,347.09	0.00	0.00	0.00
8,900.00	89.89	90.69	7,868.33	23.97	1,447.26	1,447.09	0.00	0.00	0.00
9,000.00	89.89	90.69	7,868.52	22.76	1,547.25	1,547.08	0.00	0.00	0.00
9,100.00	89.89	90.69	7,868.71	21.55	1,647.25	1,647.08	0.00	0.00	0.00
9,200.00	89.89	90.69	7,868.90	20.35	1,747.24	1,747.08	0.00	0.00	0.00
9,300.00	89.89	90.69	7,869.10	19.14	1,847.23	1,847.08	0.00	0.00	0.00
9,400.00	89.89	90.69	7,869.29	17.93	1,947.22	1,947.08	0.00	0.00	0.00
9,500.00	89.89	90.69	7,869.48	16.72	2,047.22	2,047.07	0.00	0.00	0.00

ConocoPhillips

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well Prosper Farms 4-65 2-1 4AH
Company:	ConocoPhillips RBU Gold Data_Niobrara	TVD Reference:	24' RKB @ 5656.40ft
Project:	Niobrara - CO Central Zone	MD Reference:	24' RKB @ 5656.40ft
Site:	Prosper Farms	North Reference:	True
Well:	Prosper Farms 4-65 2-1 4AH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Prosper Farms 4-65 2-1 4AH		
Design:	Prosper Farms 4-65 2-1 4AH		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
9,600.00	89.89	90.69	7,869.67	15.51	2,147.21	2,147.07	0.00	0.00	0.00	
9,700.00	89.89	90.69	7,869.86	14.30	2,247.20	2,247.07	0.00	0.00	0.00	
9,800.00	89.89	90.69	7,870.05	13.09	2,347.19	2,347.07	0.00	0.00	0.00	
9,900.00	89.89	90.69	7,870.24	11.89	2,447.19	2,447.07	0.00	0.00	0.00	
10,000.00	89.89	90.69	7,870.43	10.68	2,547.18	2,547.06	0.00	0.00	0.00	
10,100.00	89.89	90.69	7,870.62	9.47	2,647.17	2,647.06	0.00	0.00	0.00	
10,200.00	89.89	90.69	7,870.81	8.26	2,747.16	2,747.06	0.00	0.00	0.00	
10,300.00	89.89	90.69	7,871.01	7.05	2,847.16	2,847.06	0.00	0.00	0.00	
10,400.00	89.89	90.69	7,871.20	5.84	2,947.15	2,947.06	0.00	0.00	0.00	
10,500.00	89.89	90.69	7,871.39	4.63	3,047.14	3,047.06	0.00	0.00	0.00	
10,600.00	89.89	90.69	7,871.58	3.43	3,147.13	3,147.05	0.00	0.00	0.00	
10,700.00	89.89	90.69	7,871.77	2.22	3,247.13	3,247.05	0.00	0.00	0.00	
10,800.00	89.89	90.69	7,871.96	1.01	3,347.12	3,347.05	0.00	0.00	0.00	
10,900.00	89.89	90.69	7,872.15	-0.20	3,447.11	3,447.05	0.00	0.00	0.00	
11,000.00	89.89	90.69	7,872.34	-1.41	3,547.10	3,547.05	0.00	0.00	0.00	
11,100.00	89.89	90.69	7,872.53	-2.62	3,647.10	3,647.04	0.00	0.00	0.00	
11,200.00	89.89	90.69	7,872.72	-3.83	3,747.09	3,747.04	0.00	0.00	0.00	
11,300.00	89.89	90.69	7,872.92	-5.03	3,847.08	3,847.04	0.00	0.00	0.00	
11,400.00	89.89	90.69	7,873.11	-6.24	3,947.08	3,947.04	0.00	0.00	0.00	
11,500.00	89.89	90.69	7,873.30	-7.45	4,047.07	4,047.04	0.00	0.00	0.00	
11,600.00	89.89	90.69	7,873.49	-8.66	4,147.06	4,147.03	0.00	0.00	0.00	
11,700.00	89.89	90.69	7,873.68	-9.87	4,247.05	4,247.03	0.00	0.00	0.00	
11,800.00	89.89	90.69	7,873.87	-11.08	4,347.05	4,347.03	0.00	0.00	0.00	
11,900.00	89.89	90.69	7,874.06	-12.29	4,447.04	4,447.03	0.00	0.00	0.00	
12,000.00	89.89	90.69	7,874.25	-13.49	4,547.03	4,547.03	0.00	0.00	0.00	
12,100.00	89.89	90.69	7,874.44	-14.70	4,647.02	4,647.02	0.00	0.00	0.00	
12,200.00	89.89	90.69	7,874.63	-15.91	4,747.02	4,747.02	0.00	0.00	0.00	
12,300.00	89.89	90.69	7,874.82	-17.12	4,847.01	4,847.02	0.00	0.00	0.00	
12,400.00	89.89	90.69	7,875.02	-18.33	4,947.00	4,947.02	0.00	0.00	0.00	
12,500.00	89.89	90.69	7,875.21	-19.54	5,046.99	5,047.02	0.00	0.00	0.00	
12,600.00	89.89	90.69	7,875.40	-20.75	5,146.99	5,147.02	0.00	0.00	0.00	
12,700.00	89.89	90.69	7,875.59	-21.95	5,246.98	5,247.01	0.00	0.00	0.00	
12,800.00	89.89	90.69	7,875.78	-23.16	5,346.97	5,347.01	0.00	0.00	0.00	
12,900.00	89.89	90.69	7,875.97	-24.37	5,446.96	5,447.01	0.00	0.00	0.00	
13,000.00	89.89	90.69	7,876.16	-25.58	5,546.96	5,547.01	0.00	0.00	0.00	
13,100.00	89.89	90.69	7,876.35	-26.79	5,646.95	5,647.01	0.00	0.00	0.00	
13,200.00	89.89	90.69	7,876.54	-28.00	5,746.94	5,747.00	0.00	0.00	0.00	
13,300.00	89.89	90.69	7,876.73	-29.21	5,846.93	5,847.00	0.00	0.00	0.00	
13,400.00	89.89	90.69	7,876.93	-30.41	5,946.93	5,947.00	0.00	0.00	0.00	
13,500.00	89.89	90.69	7,877.12	-31.62	6,046.92	6,047.00	0.00	0.00	0.00	
13,600.00	89.89	90.69	7,877.31	-32.83	6,146.91	6,147.00	0.00	0.00	0.00	
13,700.00	89.89	90.69	7,877.50	-34.04	6,246.90	6,246.99	0.00	0.00	0.00	
13,800.00	89.89	90.69	7,877.69	-35.25	6,346.90	6,346.99	0.00	0.00	0.00	
13,900.00	89.89	90.69	7,877.88	-36.46	6,446.89	6,446.99	0.00	0.00	0.00	
14,000.00	89.89	90.69	7,878.07	-37.67	6,546.88	6,546.99	0.00	0.00	0.00	
14,100.00	89.89	90.69	7,878.26	-38.87	6,646.87	6,646.99	0.00	0.00	0.00	
14,200.00	89.89	90.69	7,878.45	-40.08	6,746.87	6,746.98	0.00	0.00	0.00	
14,300.00	89.89	90.69	7,878.64	-41.29	6,846.86	6,846.98	0.00	0.00	0.00	
14,400.00	89.89	90.69	7,878.84	-42.50	6,946.85	6,946.98	0.00	0.00	0.00	
14,486.45	89.89	90.69	7,879.00	-43.55	7,033.29	7,033.42	0.00	0.00	0.00	

ConocoPhillips

Planning Report

Database:	EDM Central Planning	Local Co-ordinate Reference:	Well Prosper Farms 4-65 2-1 4AH
Company:	ConocoPhillips RBU Gold Data_Niobrara	TVD Reference:	24' RKB @ 5656.40ft
Project:	Niobrara - CO Central Zone	MD Reference:	24' RKB @ 5656.40ft
Site:	Prosper Farms	North Reference:	True
Well:	Prosper Farms 4-65 2-1 4AH	Survey Calculation Method:	Minimum Curvature
Wellbore:	Prosper Farms 4-65 2-1 4AH		
Design:	Prosper Farms 4-65 2-1 4AH		

Design Targets									
Target Name	Dip Angle	Dip Dir.	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude
- hit/miss target	(°)	(°)	(ft)	(ft)	(ft)	(usft)	(usft)		
- Shape									
Prosper Farms 4-65 2-1	0.00	0.00	7,867.00	32.40	750.05	1,691,550.879	3,242,982.460	39° 43' 44.180 N	104° 38' 9.960 W
- plan hits target center									
- Point									
Prosper Farms 4-65 2-1	0.00	0.00	7,879.00	-43.55	7,033.29	1,691,534.503	3,249,266.100	39° 43' 43.420 N	104° 36' 49.540 W
- plan hits target center									
- Point									

Casing Points					
Measured Depth	Vertical Depth	Name		Casing Diameter	Hole Diameter
(ft)	(ft)			(")	(")
2,142.00	2,142.00	Surface		9-5/8	12-1/4
14,486.45	7,879.00	Production		5-1/2	8-3/4



ConocoPhillips

Arapahoe County, Colorado

Prosper Farms 4-65 2-1 4AH

Ground Level: 5632.40
Surface Location Latitude: 39° 43' 43.860 N
Surface Location Longitude: 104° 38' 19.560 W
North Reference: True
24' RKB @ 5656.40ft

Well Profile Data

MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	VSect
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
5500.00	0.00	0.00	5500.00	0.00	0.00	0.00	0.00
5925.61	6.38	80.78	5924.73	3.79	23.38	1.50	23.36
7366.71	6.38	80.78	7356.90	29.47	181.56	0.00	181.37
8202.73	89.89	90.69	7867.00	32.40	750.05	10.00	749.83
14486.45	89.89	90.69	7879.00	-43.55	7033.29	0.00	7033.42

