

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203

Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>401215747</div>			
Date Received: <div>02/21/2017</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number:	96850	Contact Name	Jessie Pahler
Name of Operator:	TEP ROCKY MOUNTAIN LLC	Phone:	(970) 242-0170
Address:	PO BOX 370	Fax:	()
City:	PARACHUTE	State:	CO
Zip:	81635	Email:	jpahler@westernwaterandland.com

API Number :	05-	045	22645	00	OGCC Facility ID Number:	439918
Well/Facility Name:	Federal GM				Well/Facility Number:	431-9
Location	QtrQtr:	SWSE	Section:	4	Township:	7S
					Range:	96W
					Meridian:	6
County:	GARFIELD		Field Name:	GRAND VALLEY		
Federal, Indian or State Lease Number:	COC24603					

Complete the Attachment
Checklist

OP OGCC

Survey Plat		
Directional Survey		
Srhc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

5

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

4

Number of Water Source Exceptions requested per Rule 609.c.

5

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

0

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

An evaluation of water sources located within 1/2 mile of drill pad GM 34-4 identified 5 springs for potential sampling; during broad field reconnaissance, no springs were located. Please see attached documentation for details. This sundry applies to API numbers:

05-045-22645
05-045-22646
05-045-22647
05-045-22648
05-045-22649
05-045-22650
05-045-22651
05-045-22652
05-045-22653
05-045-22655
05-045-22656

Operator Comments:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Jessie Pahler
Title: Project Scientist Email: jpahler@westernwaterandland.com Date: 2/21/2017

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 2/22/2017

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental Data	The number of water sources determined to unsuitable was changed from 4 to 5 with the operators consent. Please see the attachments for more information.	02/22/2017
Environmental Data	A review of information available on COGIS maps indicates that all water feature that meets the 100 series definition of a water source within 1/2 mile of the oil/gas well(s) that have been properly addressed by the operator.	02/22/2017

Total: 2 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
401215747	SUNDRY NOTICE APPROVED-GW
401215753	OTHER
401216778	CORRESPONDENCE
401216828	FORM 4 SUBMITTED

Total Attach: 4 Files