

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401209792

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: ILA BEALE

Phone: (720) 929-6408

Fax:

Email: ila.beale@anadarko.com

5. API Number 05-123-41490-00

7. Well Name: FEHRN

8. Location: QtrQtr: NENE Section: 32 Township: 2N Range: 66W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 37N-29HZ

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION
Treatment Date: 01/07/2017 End Date: 01/14/2017 Date of First Production this formation: 02/02/2017
Perforations Top: 7737 Bottom: 12833 No. Holes: 615 Hole size: 0.46
Provide a brief summary of the formation treatment: Open Hole: ☐

"PERF AND FRAC FROM 7737-12,833.
519 BBL 7.5% HCL ACID, 5433 BBL PUMP DOWN, 187,170 BBL SLICKWATER, - 193,122 BBL TOTAL FLUID
1,654,704# 40/70 OTTAWA/ST. PETERS, - 1,654,704# TOTAL SAND."

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 193122 Max pressure during treatment (psi): 7720
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: Min frac gradient (psi/ft): 0.84
Total acid used in treatment (bbl): 519 Number of staged intervals: 26
Recycled water used in treatment (bbl): 1350 Flowback volume recovered (bbl): 1583
Fresh water used in treatment (bbl): 191253 Disposition method for flowback: RECYCLE
Total proppant used (lbs): 1654704 Rule 805 green completion techniques were utilized: ☒
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 02/14/2017 Hours: 24 Bbl oil: 91 Mcf Gas: 120 Bbl H2O: 233
Calculated 24 hour rate: Bbl oil: 91 Mcf Gas: 120 Bbl H2O: 233 GOR: 1319
Test Method: FLOWING Casing PSI: 1800 Tubing PSI: Choke Size: 14
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1309 API Gravity Oil: 53
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

THIS WELL HAD A DELAYED COMPLETION. THE TPZ FOOTAGES ON FORM 5 SHOULD BE REVISED TO 52 FSL; 1086 FEL SEC 29.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: ILA BEALE
Title: STAFF REG. SPECIALIST Date: Email: ila.beale@anadarko.com

Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)