

Great Western 26-14  
 Surface Loc: Sec26 T6N R67W  
 1526'FSL 1243'FWL  
 Weld, Co.  
**CURRENT WELLBORE SCHEMATIC**  
 Date

API: 05-123-24053

GL Elev: 4750'

KB Elev: 4758'

Spud: 9/4/2006

**Surface Casing :**

8-5/8" 24# 10 jts set @ 448'

Cmt w/ 225 sx

Tops:	
GREELEY SAND	2388
PARKMAN	3503
SUSSEX	4126
SHANNON	4634
NIOBRARA	6892
FORT HAYS	7200
CODELL	7222

**Tubing Detail:**


2-3/8" w/ 221 jnts set @ 7193'

**Bottom Hole Loc: Sec. 26 T6N R67W**  
 662' FSL 621' FWL

**Production Casing :**

4-1/2", 11.6# 177jts set @ 7357'

Cmt'd w/ 175 sx



CICR @ 3110 sqz 150sx - leave 3 sx on CICR

Perf csg @ 3200

CICR @ 4088 sqz 158sx - leave 3 sx on CICR

Perf csg @ 4180

CICR @ 4614 sqz 65sx - leave 7 sx on CICR

Hole in csg @ 4647-4712

TOC @ 6270'

CIBP @ 6,804 - leave 2 sx on CIBP