

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 401242304			
Date Received: 03/24/2017			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 100322 Contact Name Julie Webb
 Name of Operator: NOBLE ENERGY INC Phone: (720) 587-2223
 Address: 1625 BROADWAY STE 2200 Fax: ()
 City: DENVER State: CO Zip: 80202 Email: jwebb@progressivepcs.net

Complete the Attachment
Checklist

OP OGCC

API Number : 05- 123 42804 00 OGCC Facility ID Number: 444911
 Well/Facility Name: Freedom Federal Well/Facility Number: LC21-640
 Location QtrQtr: NWSW Section: 22 Township: 9N Range: 59W Meridian: 6
 County: WELD Field Name: WILDCAT
 Federal, Indian or State Lease Number: _____

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.(3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
 - 2 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
 - 3 Number of Water Source Exceptions requested per Rule 609.c.
 - 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
 - 1 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Noble requests an exception to Rule 609 for the LC22-12 well pad. Post cards requesting access to sample 2 water wells within a 1/2 mile of this location were mailed to the landowner(s) on 10/28/2016. Noble was able to successfully sample water well 3669579. Noble has not received access to sample water well 9066003 at this time. If Noble receives permission, a voluntary sample will be submitted after the water well had been sampled.

This exception request applies to the following wells on the pad:

FREEDOM FEDERAL LC21-640 123-42804
 FREEDOM FEDERAL LC21-635 123-42805
 FREEDOM FEDERAL LC21-630 123-42803
 MINUTEMEN FEDERAL LC21-625 123-42788
 MINUTEMEN FEDERAL LC21-620 123-42789
 MINUTEMEN FEDERAL LC21-615 123-42787

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Julie Webb
 Title: Senior Regulatory Analyst Email: jwebb@progressivepcs.net Date: 3/24/2017

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSELL, ARTHUR Date: 3/24/2017

CONDITIONS OF APPROVAL, IF ANY:

<u>COA Type</u>	<u>Description</u>

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental Data	A review of information available on COGIS maps indicates that all water feature that meets the 100 series definition of a water source within 1/2 mile of the oil/gas well(s) that have been properly addressed by the operator.	03/24/2017

Total: 1 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
401242304	SUNDRY NOTICE APPROVED-GW
401242473	FORM 4 SUBMITTED

Total Attach: 2 Files