



March 24, 2017

VIA ELECTRONIC TRANSMITTAL

Colorado Oil and Gas Conservation Commission
Attn: Matt Lepore, Director
1120 Lincoln Street, Suite 801
Denver, CO 80203

RE: Rule 306.e. Meetings with Building Unit Owners within a Buffer Zone Setback.

Beebe 3-34 Pad: NWNE 34-6N-66W

Beebe 10N-29B-L	NWNE	34-6N-66W	324	FNL	2620	FEL
Beebe 10N-29C-L	NWNE	34-6N-66W	304	FNL	2620	FEL
Beebe 11C-26-M	NENW	34-6N-66W	322	FNL	2275	FWL
Beebe 11N-26A-M	NENW	34-6N-66W	302	FNL	2275	FWL
Beebe 11N-26C-M	NENW	34-6N-66W	282	FNL	2275	FWL
Beebe 14C-26-M	NENW	34-6N-66W	402	FNL	2275	FWL
Beebe 14N-26B-M	NENW	34-6N-66W	382	FNL	2275	FWL
Beebe 15C-29-L	NWNE	34-6N-66W	404	FNL	2620	FEL
Beebe 15N-29B-L	NWNE	34-6N-66W	384	FNL	2620	FEL
Beebe 23C-26-M	NENW	34-6N-66W	362	FNL	2275	FWL
Beebe 23C-29-L	NWNE	34-6N-66W	344	FNL	2620	FEL
Beebe 23N-26C-M	NENW	34-6N-66W	342	FNL	2275	FWL
Beebe 23N-29A-L	NWNE	34-6N-66W	364	FNL	2620	FEL
Beebe 25C-26-M	NENW	34-6N-66W	262	FNL	2276	FWL
Beebe 25C-29-L	NWNE	34-6N-66W	244	FNL	2620	FEL
Beebe 25N-26B-M	NENW	34-6N-66W	242	FNL	2276	FWL
Beebe 25N-29A-L	NWNE	34-6N-66W	284	FNL	2620	FEL
Beebe 25N-29C-L	NWNE	34-6N-66W	264	FNL	2620	FEL
Beebe 36C-26-M	NENW	34-6N-66W	442	FNL	2274	FWL
Beebe 36C-29-L	NWNE	34-6N-66W	464	FNL	2621	FEL
Beebe 36N-26B-M	NENW	34-6N-66W	422	FNL	2275	FWL
Beebe 36N-26C-M	NENW	34-6N-66W	462	FNL	2274	FWL
Beebe 36N-29B-L	NWNE	34-6N-66W	444	FNL	2621	FEL
Beebe 36N-29C-L	NWNE	34-6N-66W	424	FNL	2621	FEL

Dear Mr. Lepore,

Synergy Resources Corporation (Synergy) hereby certifies that it has complied with Rule 306.e, which states that an Operator shall be available to meet with building unit owners who received an OGLA notice or a buffer zone notice pursuant to Rule 305.c. and requested a meeting regarding the proposed oil and gas location. The operator sent notices pursuant to Rule 305.c, and Synergy owns the closest Building Unit. The second Building Unit further away, Synergy Mr. Ray Tennyson on February 7, 2017 regarding Synergy's planned operations. Mr. Tennyson's comment/concern was regarding sound walls. We advised him that Synergy plans to place sound walls on both the north and west side of the disturbance area during operations. Mr. Tennyson had no further questions regarding the operations



and/or other mitigation measures, and received no request for a meeting. Synergy respectfully requests that the Director approve the wells.

Thank you,

Erin Ekblad

Erin Ekblad | Manager of Regulatory Affairs

Synergy Resources Corporation

1625 Broadway; Suite 500

Denver, CO 80202

Direct: 720.616.4319

Cell: 303.550.2375

