

PROPOSED HORIZONTAL WELL(S)					
	Surface Location		Surface Location		Surface Location
Well Name and Number	QQ-Section-Twp-Range	Well Name and Number	QQ-Section-Twp-Range	Well Name and Number	QQ-Section-Twp-Range
SIMPSON FD 15-019HNX	SENE 15-6N-67W	SIMPSON FD 16-179HN	SENE 15-6N-67W	SIMPSON FD 16-299HNX	SENE 15-6N-67W
SIMPSON FD 16-022HN	SENE 15-6N-67W	SIMPSON FD 16-182HC	SENE 15-6N-67W	SIMPSON FD 16-302HC	SENE 15-6N-67W
SIMPSON FD 16-062HNX	SENE 15-6N-67W	SIMPSON FD 16-219HN	SENE 15-6N-67W	SIMPSON FD 16-302HN	SENE 15-6N-67W
SIMPSON FD 16-019HN	SENE 15-6N-67W	SIMPSON FD 16-222HN	SENE 15-6N-67W	SIMPSON FD 16-339HN	SENE 15-6N-67W
SIMPSON FD 16-099HN	SENE 15-6N-67W	SIMPSON FD 16-222HNX	SENE 15-6N-67W	SIMPSON FD 16-342HNX	SENE 15-6N-67W
SIMPSON FD 16-139HN	SENE 15-6N-67W	SIMPSON FD 16-259HC	SENE 15-6N-67W	SIMPSON FD 16-379HC	SENE 15-6N-67W
SIMPSON FD 16-142HC	SENE 15-6N-67W	SIMPSON FD 16-262HN	SENE 15-6N-67W	SIMPSON FD 16-379HN	SENE 15-6N-67W
SIMPSON FD 16-179HNX	SENE 15-6N-67W	SIMPSON FD 16-299HN	SENE 15-6N-67W	SIMPSON FD 16-382HN	SENE 15-6N-67W
Operator's Wellbore Integrity Contact		DeAnna Baird - dbaird@gwogco.com			

OFFSET WELL EVALUATIONS												
Offset Well API #	Offset Well Name	Nearest Proposed Horizontal Well Name	Shortest Horizontal Distance from Offset Well to any Proposed HZ Well	Offset Well Operator	Offset Well Spud Date	Offset Well Status	Offset Well Surface Casing Setting Depth	Base of Fox Hills (DJ) or Depth of Deepest Water Well (Statewide)	Historical Remedial Work to Provide Fox Hills Coverage (DJ Only)	Offset Well Objective Formation Top	Offset Well Top of Production Casing Cement	Comments (Optional)
05-123-21571	BENSON 15-13			PETRO-CANADA RESOURCES		AL						No requirement. Abandoned location
05-123-36733	BOWER 15-10			BAYSWATER		AL						No requirement. Abandoned location
05-123-36761	BOWER 16-10			BAYSWATER		AL						No requirement. Abandoned location
05-123-36762	BOWER 20-10			BAYSWATER		AL						No requirement. Abandoned location
05-123-41172	DETIENNE FD 10-399HN			GWOG		AL						No requirement. Abandoned location
05-123-41102	DETIENNE FD 16-059HN			GWOG		AL						No requirement. Abandoned location
05-123-36509	GREENSPIRE FD 22-23H			GWOG		AL						No requirement. Abandoned location
05-123-36499	GREENSPIRE FD 22-H			GWOG		AL						No requirement. Abandoned location
05-123-36498	GREENSPIRE FD 23-24H			GWOG		AL						No requirement. Abandoned location
05-123-36504	GREENSPIRE FD 23-H			GWOG		AL						No requirement. Abandoned location
05-123-36503	GREENSPIRE FD 24-25H			GWOG		AL						No requirement. Abandoned location
05-123-36497	GREENSPIRE FD 24-H			GWOG		AL						No requirement. Abandoned location
05-123-36501	GREENSPIRE FD 25-H			GWOG		AL						No requirement. Abandoned location
05-123-22131	WINTER FARMS 15-23			PETRO-CANADA RESOURCES		AL						No requirement. Abandoned location
05-123-22114	WINTER FARMS 15-24			PETRO-CANADA RESOURCES		AL						No requirement. Abandoned location
05-123-22130	WINTER FARMS 15-31			PETRO-CANADA RESOURCES		AL						No requirement. Abandoned location
05-123-22132	WINTER FARMS 15-32			PETRO-CANADA RESOURCES		AL						No requirement. Abandoned location
05-123-34140	392 VENTURES 22MD			HIGHPOINT ENERGY LLC		XX						No requirement. Well not drilled
05-123-34138	392 VENTURES 22RD			HIGHPOINT ENERGY LLC		XX						No requirement. Well not drilled
05-123-42806	BOWER FD 11-319HN			GWOG		XX						No requirement. Well not drilled
05-123-42754	BOWER FD 11-322HC			GWOG		XX						No requirement. Well not drilled
05-123-42808	BOWER FD 11-322HN			GWOG		XX						No requirement. Well not drilled
05-123-42809	BOWER FD 11-359HN			GWOG		XX						No requirement. Well not drilled
05-123-42810	BOWER FD 11-362HC			GWOG		XX						No requirement. Well not drilled
05-123-42807	BOWER FD 11-362HN			GWOG		XX						No requirement. Well not drilled
05-123-40427	BRENIMAN 10			EXTRACTION		XX						No requirement. Well not drilled
05-123-40425	BRENIMAN 11			EXTRACTION		XX						No requirement. Well not drilled
05-123-40422	BRENIMAN 3			EXTRACTION		XX						No requirement. Well not drilled
05-123-40423	BRENIMAN 4			EXTRACTION		XX						No requirement. Well not drilled
05-123-40428	BRENIMAN 5			EXTRACTION		XX						No requirement. Well not drilled
05-123-40420	BRENIMAN 6			EXTRACTION		XX						No requirement. Well not drilled

Offset Well API #	Offset Well Name	Nearest Proposed Horizontal Well Name	Shortest Horizontal Distance from Offset Well to any Proposed HZ Well	Offset Well Operator	Offset Well Spud Date	Offset Well Status	Offset Well Surface Casing Setting Depth	Base of Fox Hills (DJ) or Depth of Deepest Water Well (Statewide)	Historical Remedial Work to Provide Fox Hills Coverage (DJ Only)	Offset Well Objective Formation Top	Offset Well Top of Production Casing Cement	Comments (Optional)
05-123-40419	BRENIMAN 7			EXTRACTION		XX						No requirement. Well not drilled
05-123-40421	BRENIMAN 8			EXTRACTION		XX						No requirement. Well not drilled
05-123-40429	BRENIMAN 9			EXTRACTION		XX						No requirement. Well not drilled
05-123-41173	DETIENNE FD 10-319HN			GWOG		XX						No requirement. Well not drilled
05-123-41176	DETIENNE FD 10-322HC			GWOG		XX						No requirement. Well not drilled
05-123-41183	DETIENNE FD 10-322HN			GWOG		XX						No requirement. Well not drilled
05-123-41182	DETIENNE FD 10-359HN			GWOG		XX						No requirement. Well not drilled
05-123-41175	DETIENNE FD 10-362HC			GWOG		XX						No requirement. Well not drilled
05-123-41178	DETIENNE FD 10-362HN			GWOG		XX						No requirement. Well not drilled
05-123-41094	DETIENNE FD 16-019HN			GWOG		XX						No requirement. Well not drilled
05-123-41101	DETIENNE FD 16-022HN			GWOG		XX						No requirement. Well not drilled
05-123-38616	TAILHOLT FD 11-380HN			GWOG		XX						No requirement. Well not drilled
05-123-40426	BRENIMAN 1			EXTRACTION		XX						No requirement. Well not drilled
05-123-40424	BRENIMAN 2			EXTRACTION		XX						No requirement. Well not drilled
05-123-11307	WINTER 1	SIMPSON FD 16-142HC	1129	BILL BARRETT	8/11/1983	AB	253	56		6882	6500	No requirement. Pler and sqz 4499 w/ 45 sx CIGR 4707', csg plug 5 sx 4704-4641', perf and sqz 4490 w/ 45 sx CIGR 4400, 5 sx csg plug 4400-4334', 12 sx csg plug 205-50', 12 sx @ surf.
05-123-39053	WINDSOR LV A-14H	SIMPSON FD 16-019HNX	937	EXTRACTION	12/22/2014	PR	731	56		7135	1876	Best practices
05-123-38168	WINDSOR LV B-14H	SIMPSON FD 16-022HN	977	EXTRACTION	12/15/2014	DG	731	56		7024	1630	Best practices
05-123-38167	WINDSOR LV C-14H	SIMPSON FD 16-062HNX	937	EXTRACTION	12/7/2014	DG	766	56		7063	912	Best practices
05-123-38173	WINDSOR LV D-14H	SIMPSON FD 16-099HN	990	EXTRACTION	12/2/2014	DG	729	56		6991	1848	Best practices
05-123-33999	392 VENTURES 21-22D	SIMPSON FD 16-382HN	737	HIGHPOINT ENERG	12/21/2011	PR	458	56		6991	1465	Best practices
05-123-34002	392 VENTURES 22AD	SIMPSON FD 16-382HN	1445	HIGHPOINT ENERG	1/27/2012	PR	461	56		6967	1780	Best practices
05-123-34000	392 VENTURES 22CD	SIMPSON FD 16-382HN	1390	HIGHPOINT ENERG	11/22/2011	PR	457	56		7098	1060	Best practices
05-123-34137	392 VENTURES 22JD	SIMPSON FD 16-382HN	12	HIGHPOINT ENERG	12/30/2011	PR	454	56		7190	1500	Best practices
05-123-34139	392 VENTURES 22ND	SIMPSON FD 16-382HN	1450	HIGHPOINT ENERG	12/6/2011	PR	456	56		6942	1708	Best practices
05-123-34006	392 VENTURES 31-22D	SIMPSON FD 16-382HN	757	HIGHPOINT ENERG	12/13/2011	PR	458	56		7018	1380	Best practices
05-123-34008	392 VENTURES 41-22D	SIMPSON FD 16-382HN	847	HIGHPOINT ENERG	11/28/2011	PR	457	56		7278	2870	Best practices
05-123-29688	BOWER 10-24	SIMPSON FD 15-019HNX	683	GWOG	12/31/2011	PR	521	56		6959	2380	Best practices
05-123-29689	BOWER 10-53	SIMPSON FD 15-019HNX	1360	GWOG	12/27/2011	PR	562	56		6970	2220	Best practices
05-123-39630	DETIENNE FD 16-022HC	SIMPSON FD 16-022HN	7	GWOG	7/10/2014	PR	1041	56		7545	1590	Best practices
05-123-11564	HAAS 1	SIMPSON FD 16-262HN	15	EXTRACTION	12/6/1983	PR	254	56		7178	6462	Best practices Surf is approx 1365' from existing wellbore, the entry point of the production is more than 2500'
05-123-32254	RBF 11-22D	SIMPSON FD 16-302HN	656	HIGHPOINT ENERG	11/25/2010	PR	461	56		7186	2325	Best practices. The surface location of the existing well is within 1500', but the bottomhole is outside of 1500'.
05-123-32323	RBF 13-15D	SIMPSON FD 16-259HC	40	HIGHPOINT ENERG	10/21/2010	PR	698	56		7000	2650	Best practices
05-123-32061	RBF 14-15D	SIMPSON FD 16-379HC	2	HIGHPOINT ENERG	11/30/2010	PR	446	56		7280	2080	Best practices

Offset Well API #	Offset Well Name	Nearest Proposed Horizontal Well Name	Shortest Horizontal Distance from Offset Well to any Proposed HZ Well	Offset Well Operator	Offset Well Spud Date	Offset Well Status	Offset Well Surface Casing Setting Depth	Base of Fox Hills (DJ) or Depth of Deepest Water Well (Statewide)	Historical Remedial Work to Provide Fox Hills Coverage (DJ Only)	Offset Well Objective Formation Top	Offset Well Top of Production Casing Cement	Comments (Optional)
05-123-31988	RBF 15B	SIMPSON FD 16-302HN	45	HIGHPOINT ENERGY	11/8/2010	PR	450	56		7176	2150	Best practices
05-123-32324	RBF 23-15D	SIMPSON FD 16-259HC	43	HIGHPOINT ENERGY	11/1/2010	PR	461	56		6973	2060	Best practices
05-123-32060	RBF 24-15D	SIMPSON FD 16-379HC	3	HIGHPOINT ENERGY	8/29/2011	PR	461	56		7264	2100	Best practices
05-123-11328	SIMPSON 1	SIMPSON FD 15-062HNX	174	GWOG	8/20/1983	PR	253	56		6920	6427	Best practices 174' existing well from proposed entry point.
05-123-27330	SIMPSON 31-15	SIMPSON FD 16-022HN	80	GWOG	10/29/2006	PR	441	56		6942	6410	Best practices
05-123-38578	TAILHOLT FD 11-378HC	SIMPSON FD 15-019HNX	1272	GWOG	1/28/2014	PR	1044	56		7016	1450	Best practices
05-123-38582	TAILHOLT FD 11-379HN	SIMPSON FD 15-019HNX	1134	GWOG	12/31/2014	PR	1036	56		7004	890	Best practices
05-123-11836	WINDER 1	SIMPSON FD 16-022HN	105	GWOG	5/29/1984	PR	348	56		6925	6408	Best practices
05-123-43419	WINDER SOUTH 10	SIMPSON FD 16-019HN	856	EXTRACTION	8/17/2016	DG						Best practices. Status as of 2-16-17 is DG, but Extraction is frac'ing this location as of this date.
05-123-43548	WINDER SOUTH 11	SIMPSON FD 16-019HN	691	EXTRACTION	9/13/2016	DG						Best practices. Status as of 2-16-17 is DG, but Extraction is frac'ing this location as of this date.
05-123-43549	WINDER SOUTH 12	SIMPSON FD 16-019HN	526	EXTRACTION	9/14/2016	DG						Best practices. Status as of 2-16-17 is DG, but Extraction is frac'ing this location as of this date.
05-123-43405	WINDER SOUTH 8	SIMPSON FD 16-019HN	1351	EXTRACTION	8/15/2016	DG						Best practices. Status as of 2-16-17 is DG, but Extraction is frac'ing this location as of this date.
05-123-43406	WINDER SOUTH 9	SIMPSON FD 16-019HN	1186	EXTRACTION	8/16/2016	DG						Best practices. Status as of 2-16-17 is DG, but Extraction is frac'ing this location as of this date.
05-123-26149	WINDER 11-15	SIMPSON FD 16-022HN	114	GWOG	8/31/2007	SI	418	56		7042	2942	Best practices