

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
401245421
Date Received:
03/28/2017

FIR RESOLUTION FORM

CA Summary:
3 of 3 CAs from the FIR responded to on this Form
3 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 46290
Name of Operator: K P KAUFFMAN COMPANY INC
Address: 1675 BROADWAY, STE 2800
City: DENVER State: CO Zip: 80202
Contact Name and Telephone:
Name:
Phone: () Fax: ()
Email:

Additional Operator Contact:

Contact Name Phone Email
Susana Lara-Mesa 303-825-4822 slaramesa@kpk.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 684902981
Inspection Date: 01/25/2017 FIR Submit Date: 01/25/2017 FIR Status:

Inspected Operator Information:

Company Name: K P KAUFFMAN COMPANY INC Company Number: 46290
Address: 1675 BROADWAY, STE 2800
City: DENVER State: CO Zip: 80202

LOCATION - Location ID: 318601

Location Name: ELKHORN COMPANY B-62N67W Number: 21SENE County:
Qtrqtr: SENE Sec: 21 Twp: 2N Range: 67W Meridian: 6
Latitude: 40.125850 Longitude: -104.887880

FACILITY - API Number: 05-123-00 Facility ID: 318601

Facility Name: ELKHORN COMPANY B-62N67W Number: 21SENE
Qtrqtr: SENE Sec: 21 Twp: 2N Range: 67W Meridian: 6
Latitude: 40.125850 Longitude: -104.887880

CORRECTIVE ACTIIONS:

1 CA# 63292

Corrective Action: Control and contain spills/releases and clean up per Rule 906.a. Contact COGCC EPS staff. Remove free fluids and contact COGCC EPS staff per Rule 906.b. (24 hours free fluids, 24 hours noification, 72 hours form 19, 30 days stained soil) Date: 01/26/2017

Response: CA COMPLETED Date of Completion: 02/08/2017

Spill is cleaned up. Free fluids removed

Operator
Comment:

COGCC Decision: Approved pending re-inspection

COGCC
Representative:

2 CA# 63293

Corrective Action: Mark deadmen

Date: 02/06/2017

Response: CA COMPLETED

Date of Completion: 02/08/2017

Operator
Comment: Deadmen marked

COGCC Decision: Approved pending re-inspection

COGCC
Representative:

3 CA# 63294

Corrective Action: Control and contain spills/releases and clean up per Rule 906.a. Contact COGCC EPS staff. Remove free fluids and contact COGCC EPS staff per Rule 906.b. (24 hours free fluids, 24 hours noification, 72 hours form 19, 30 days stained soil)

Date: 01/26/2017

Response: CA COMPLETED

Date of Completion: 02/08/2017

Operator
Comment: Spill cleaned up. Free fluids removed

COGCC Decision: Approved pending re-inspection

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment:

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Susana Lara-Mesa

Signed: _____

Title: VP of Engineering

Date: 3/28/2017 2:02:33 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
401245421	FIR RESOLUTION SUBMITTED

Total Attach: 1 Files