# MSSU 30-4 (P/A Diagram)

| | | | | | |
|---|---|---|---|---|---|
| COMPANY | Prospect Energy | County | Larimer | State | Colorado |
| WELL | MSSU 30-4 | Legals | 30-T8N-R68W | | |
| API | 05-069-06082-00 | | | | |
| K.B. | | | | | |

**Edited** **04/17/17 - J Brumley**

**Original Casing**

| Surface Casing | |
|---|---|
| Hole Size | |
| Casing Size | 8 5/8 |
| Weight | 24 |
| Grade | |
| Thread | |
| Set Depth | 284' |

| Production Casing | |
|---|---|
| Hole Size | |
| Casing Size | 5 1/2 |
| Weight | 15.5 |
| Grade | |
| Thread | |
| Set Depth | 4852' |

Open Hole TD 4882'

| | |
|---|---|
| Drilled Depths | 4882 |
| Total Depth (MD) | |
| Total Depth (TVD) | |



**Dig up well head, cut 6' BGL, weld plate**
**TOP off CMT 10 sxs 15.8 ppg @ 40' MD**

**CMT Plug 330 sxs 15.8ppg**
**570' MD to 40' MD**

**Casing Cut 3000' MD**
**CMT Plug 50 sxs 15.8 ppg @ 3067'MD**

**TOC CBL 3/22/17**
**3872' MD**

**CMT Plug 10 sxs 15.8ppg**
**at 3902' MD**

**CIBP 2 sx CMT: 4802' MD**

**Muddy Formation**