

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>401267497</div>			
Date Received: <div>04/28/2017</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10629	Contact Name: Sydney Smith	<div>Complete the Attachment Checklist</div> <div>OP OGCC</div>
Name of Operator: FIFTH CREEK ENERGY OPERATING COMPANY LLC	Phone: (303) 910-4511	
Address: 5251 DTC PKWY STE 420	Fax: ()	
City: GREENWOOD WILLAGE State: CO Zip: 80111 Email: ssmith@fifthcreekenergy.com		
API Number : 05- 123 42510 00	OGCC Facility ID Number: 444168	Survey Plat
Well/Facility Name: Critter Creek	Well/Facility Number: 511-1510H	Directional Survey
Location QtrQtr: SWSE Section: 15 Township: 11N Range: 63W Meridian: 6		Srvc Eqpmt Diagram
County: WELD Field Name: HEREFORD		Technical Info Page
Federal, Indian or State Lease Number:		Other

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).
NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

0

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

4

Number of Water Source Exceptions requested per Rule 609.c.

0

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

0

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

This sundry is being submitted to request an exception from Rule 609 STATEWIDE GROUNDWATER BASELINE SAMPLING AND MONITORING.
Fifth Creek has determined that there are no water wells within a half mile radius of the subject pad or the individual wells on location.

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Sydney Smith
Title: Regulatory Analyst Email: ssmith@fifthcreekenergy.com Date: 4/28/2017

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 4/28/2017

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

<u>COA Type</u>	<u>Description</u>

General Comments**User Group****Comment****Comment Date**

Environmental Data	The requested corrections have been made by the operator. A review of information on COGIS Maps indicate that there are no water features within 1/2 mile of the oil and gas location the meet the 100 series definition of a water source.	04/28/2017
Environmental Data	Returned to Draft for operator correction.	04/27/2017

Total: 2 comment(s)

Attachment Check List**Att Doc Num****Name**

401267497	SUNDRY NOTICE APPROVED-GW
401267502	REFERENCE AREA MAP
401269378	FORM 4 SUBMITTED

Total Attach: 3 Files