

Well / Battery	Location	County, ST	Field
Scheetz #2	C NW SW Sec 23-T3S-R52W	Washington Co., CO	Kachina
API #	Well Type/Class	Date	Producing Formation
05-121-08901	Oil / SI	5/5/2017	J Sand

WELLBORE SCHEMATIC - P&A Proposed

General Information

GL elev: 4832
 KB elev: 4840
 Spud: 5/20/1974
 Compl: 6/15/1974
 TD: 4348
 PBTd: 4302


TOPS:

Niobrara 3320
 Fort Hays 3786
 Carlile 3850
 Greenhorn 3932
 Bentonite Marker 4141
 Dakota D 4230
 Dakota J 4290

Plug 3: Pump 85 sx cmt through perfs at 260' circulate cmt to surface, spot cmt in casing to surface

Plug 2: Pump 20 sx csg plug from 3370 to 3198' est TOC.

Plug 1: Set CIBP @ 4240', dump 2 sx on top TOC = 4222'



Hole: None

Conductor Casing
None

Hole: 12-3/4"

Surface Casing
8-5/8 24# set at 126', cmtd w/ 120 sx to surf

Hole: 7-7/8"

Production Casing
5-1/2" 15.5# set at 4347', cmtd w/ 125 sx 2% gel & 10% salt, TOC 418', Calc TOC = 3580'

TOC: 3200' (est)

Niobrara top

Fort Hays top

Carlile top

Greenhorn top

Perforations

4290'-4298'
4 jspf (J-sand)

PBTd 4302'
TD 4348'