



Well Details: TR 12-28-597

GL 8481.4' & RKB 24' @ 8505.40usft
+N/-S 0.00 +E/-W 0.00 Northing 1650716.10 Easting 2216042.70 Latitude 39.5870500 Longitude -108.2820487 Slot B7

T M Azimuths to True North
Magnetic North: 9.80°
Magnetic Field Strength: 51635.9snT
Dip Angle: 65.90°
Date: 5/2/2017
Model: HDGM



FORMATION TOP DETAILS

TVDPath	MDPath	Formation
3112.00	3433.50	Wasatch
4146.00	4608.03	Top G Sand
4270.00	4744.72	Base G Sand
4425.00	4912.63	Fort Union
5538.00	6058.05	Ohio Creek
5815.00	6335.29	Mesaverde
6445.00	6965.29	Top Gas
8094.00	8614.29	Cameo Coals
8524.00	9044.29	Rollins Ss
8711.00	9231.29	Cozzette
8939.00	9459.29	Corcoran
9105.00	9625.29	Sego
9405.00	9925.29	TD

Plan: Plan #1 2May2017 jcsdi

21:06, May 03 2017
Created By: Janie Collins

PROJECT DETAILS: Garfield County, CO NAD83

Geodetic System: US State Plane 1983
Datum: North American Datum 1983
Ellipsoid: GRS 1980
Zone: Colorado Central Zone

System Datum: Mean Sea Level

CASING DETAILS

TVD	MD	Name	Size
3199.88	3533.90	5/8" Surface @ 3533' MD	9.62

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	Vsect	Target
1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
2	150.00	0.00	0.00	150.00	0.00	0.00	0.00	0.00	0.00	
3	1100.04	28.50	279.55	1061.34	38.40	-228.25	3.00	279.55	231.46	
4	4435.22	28.50	279.55	3992.32	302.45	-1797.66	0.00	0.00	1822.93	
5	6335.29	0.00	0.00	5815.00	379.26	-2254.17	1.50	180.00	2285.85	TR 12-28-597 MVRD
6	9925.29	0.00	0.00	9405.00	379.26	-2254.17	0.00	0.00	2285.85	TR 12-28-597 PBHL

DESIGN TARGET DETAILS

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
TR 12-28-597 MVRD	5815.00	379.26	-2254.17	1651164.20	2213801.20	39.5880909	-108.2900470	Circle (Radius: 50.00)
- plan hits target center								
TR 12-28-597 PBHL	9405.00	379.26	-2254.17	1651164.20	2213801.20	39.5880909	-108.2900470	Point
- plan hits target center								



TEP Rocky Mountain LLC

Garfield County, CO NAD83

TR 32-28-597 Pad

TR 12-28-597 - Slot B7

OH

Plan: Plan #1 2May2017 jcsdi

Standard Planning Report

03 May, 2017



Database:	Grand Junction District	Local Co-ordinate Reference:	Well TR 12-28-597 - Slot B7
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 8481.4' & RKB 24' @ 8505.40usft
Project:	Garfield County, CO NAD83	MD Reference:	GL 8481.4' & RKB 24' @ 8505.40usft
Site:	TR 32-28-597 Pad	North Reference:	True
Well:	TR 12-28-597	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 2May2017 jcsdi		

Project	Garfield County, CO NAD83		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Central Zone		

Site	TR 32-28-597 Pad			
Site Position:		Northing:	1,650,686.80 usft	Latitude: 39.5869706
From:	Map	Easting:	2,216,054.60 usft	Longitude: -108.2820034
Position Uncertainty:	0.00 usft	Slot Radius:	13.20 in	Grid Convergence: -1.75 °

Well	TR 12-28-597 - Slot B7			
Well Position	+N/-S	28.92 usft	Northing:	1,650,716.10 usft
	+E/-W	-12.79 usft	Easting:	2,216,042.70 usft
Position Uncertainty	0.00 usft		Wellhead Elevation:	0.00 usft
			Ground Level:	8,481.40 usft

Wellbore	OH				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM	5/2/2017	9.80	65.90	51,636

Design	Plan #1 2May2017 jcsdi			
Audit Notes:				
Version:	Phase:	PLAN	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.00	0.00	0.00	279.55

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
150.00	0.00	0.00	150.00	0.00	0.00	0.00	0.00	0.00	0.00	
1,100.04	28.50	279.55	1,061.34	38.40	-228.25	3.00	3.00	0.00	279.55	
4,435.22	28.50	279.55	3,992.32	302.45	-1,797.66	0.00	0.00	0.00	0.00	
6,335.29	0.00	0.00	5,815.00	379.26	-2,254.17	1.50	-1.50	0.00	180.00	TR 12-28-597 MVRD
9,925.29	0.00	0.00	9,405.00	379.26	-2,254.17	0.00	0.00	0.00	0.00	TR 12-28-597 PBHL

Database:	Grand Junction District	Local Co-ordinate Reference:	Well TR 12-28-597 - Slot B7
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 8481.4' & RKB 24' @ 8505.40usft
Project:	Garfield County, CO NAD83	MD Reference:	GL 8481.4' & RKB 24' @ 8505.40usft
Site:	TR 32-28-597 Pad	North Reference:	True
Well:	TR 12-28-597	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 2May2017 jcsdi		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
150.00	0.00	0.00	150.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	1.50	279.55	199.99	0.11	-0.65	0.65	3.00	3.00	0.00
300.00	4.50	279.55	299.85	0.98	-5.81	5.89	3.00	3.00	0.00
400.00	7.50	279.55	399.29	2.71	-16.11	16.34	3.00	3.00	0.00
500.00	10.50	279.55	498.04	5.31	-31.54	31.98	3.00	3.00	0.00
600.00	13.50	279.55	595.85	8.76	-52.04	52.77	3.00	3.00	0.00
700.00	16.50	279.55	692.43	13.05	-77.56	78.65	3.00	3.00	0.00
800.00	19.50	279.55	787.52	18.18	-108.03	109.55	3.00	3.00	0.00
900.00	22.50	279.55	880.87	24.12	-143.36	145.38	3.00	3.00	0.00
1,000.00	25.50	279.55	972.22	30.87	-183.47	186.05	3.00	3.00	0.00
1,100.00	28.50	279.55	1,061.31	38.40	-228.23	231.44	3.00	3.00	0.00
1,100.04	28.50	279.55	1,061.34	38.40	-228.25	231.46	3.00	3.00	0.00
1,200.00	28.50	279.55	1,149.19	46.32	-275.29	279.16	0.00	0.00	0.00
1,300.00	28.50	279.55	1,237.07	54.23	-322.35	326.88	0.00	0.00	0.00
1,400.00	28.50	279.55	1,324.95	62.15	-369.40	374.60	0.00	0.00	0.00
1,500.00	28.50	279.55	1,412.83	70.07	-416.46	422.31	0.00	0.00	0.00
1,600.00	28.50	279.55	1,500.71	77.99	-463.52	470.03	0.00	0.00	0.00
1,700.00	28.50	279.55	1,588.59	85.90	-510.57	517.75	0.00	0.00	0.00
1,800.00	28.50	279.55	1,676.47	93.82	-557.63	565.47	0.00	0.00	0.00
1,900.00	28.50	279.55	1,764.35	101.74	-604.68	613.18	0.00	0.00	0.00
2,000.00	28.50	279.55	1,852.23	109.65	-651.74	660.90	0.00	0.00	0.00
2,100.00	28.50	279.55	1,940.11	117.57	-698.80	708.62	0.00	0.00	0.00
2,200.00	28.50	279.55	2,027.99	125.49	-745.85	756.34	0.00	0.00	0.00
2,300.00	28.50	279.55	2,115.88	133.40	-792.91	804.05	0.00	0.00	0.00
2,400.00	28.50	279.55	2,203.76	141.32	-839.97	851.77	0.00	0.00	0.00
2,500.00	28.50	279.55	2,291.64	149.24	-887.02	899.49	0.00	0.00	0.00
2,600.00	28.50	279.55	2,379.52	157.16	-934.08	947.21	0.00	0.00	0.00
2,700.00	28.50	279.55	2,467.40	165.07	-981.14	994.92	0.00	0.00	0.00
2,800.00	28.50	279.55	2,555.28	172.99	-1,028.19	1,042.64	0.00	0.00	0.00
2,900.00	28.50	279.55	2,643.16	180.91	-1,075.25	1,090.36	0.00	0.00	0.00
3,000.00	28.50	279.55	2,731.04	188.82	-1,122.30	1,138.08	0.00	0.00	0.00
3,100.00	28.50	279.55	2,818.92	196.74	-1,169.36	1,185.80	0.00	0.00	0.00
3,200.00	28.50	279.55	2,906.80	204.66	-1,216.42	1,233.51	0.00	0.00	0.00
3,300.00	28.50	279.55	2,994.68	212.58	-1,263.47	1,281.23	0.00	0.00	0.00
3,400.00	28.50	279.55	3,082.56	220.49	-1,310.53	1,328.95	0.00	0.00	0.00
3,433.50	28.50	279.55	3,112.00	223.14	-1,326.29	1,344.93	0.00	0.00	0.00
Wasatch									
3,500.00	28.50	279.55	3,170.44	228.41	-1,357.59	1,376.67	0.00	0.00	0.00
3,533.50	28.50	279.55	3,199.88	231.06	-1,373.35	1,392.65	0.00	0.00	0.00
9 5/8" Surface @ 3533' MD									
3,600.00	28.50	279.55	3,258.32	236.33	-1,404.64	1,424.38	0.00	0.00	0.00
3,700.00	28.50	279.55	3,346.21	244.24	-1,451.70	1,472.10	0.00	0.00	0.00
3,800.00	28.50	279.55	3,434.09	252.16	-1,498.75	1,519.82	0.00	0.00	0.00
3,900.00	28.50	279.55	3,521.97	260.08	-1,545.81	1,567.54	0.00	0.00	0.00
4,000.00	28.50	279.55	3,609.85	268.00	-1,592.87	1,615.25	0.00	0.00	0.00
4,100.00	28.50	279.55	3,697.73	275.91	-1,639.92	1,662.97	0.00	0.00	0.00
4,200.00	28.50	279.55	3,785.61	283.83	-1,686.98	1,710.69	0.00	0.00	0.00
4,300.00	28.50	279.55	3,873.49	291.75	-1,734.04	1,758.41	0.00	0.00	0.00
4,400.00	28.50	279.55	3,961.37	299.66	-1,781.09	1,806.12	0.00	0.00	0.00
4,435.22	28.50	279.55	3,992.32	302.45	-1,797.66	1,822.93	0.00	0.00	0.00
4,500.00	27.53	279.55	4,049.51	307.50	-1,827.67	1,853.36	1.50	-1.50	0.00
4,600.00	26.03	279.55	4,138.78	314.98	-1,872.10	1,898.41	1.50	-1.50	0.00

Database:	Grand Junction District	Local Co-ordinate Reference:	Well TR 12-28-597 - Slot B7
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 8481.4' & RKB 24' @ 8505.40usft
Project:	Garfield County, CO NAD83	MD Reference:	GL 8481.4' & RKB 24' @ 8505.40usft
Site:	TR 32-28-597 Pad	North Reference:	True
Well:	TR 12-28-597	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 2May2017 jcsdi		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,608.03	25.91	279.55	4,146.00	315.56	-1,875.57	1,901.93	1.50	-1.50	0.00
Top G Sand									
4,700.00	24.53	279.55	4,229.20	322.06	-1,914.21	1,941.11	1.50	-1.50	0.00
4,744.72	23.86	279.55	4,270.00	325.10	-1,932.29	1,959.44	1.50	-1.50	0.00
Base G Sand									
4,800.00	23.03	279.55	4,320.71	328.75	-1,953.97	1,981.44	1.50	-1.50	0.00
4,900.00	21.53	279.55	4,413.24	335.04	-1,991.36	2,019.35	1.50	-1.50	0.00
4,912.63	21.34	279.55	4,425.00	335.81	-1,995.91	2,023.96	1.50	-1.50	0.00
Fort Union									
5,000.00	20.03	279.55	4,506.74	340.93	-2,026.34	2,054.82	1.50	-1.50	0.00
5,100.00	18.53	279.55	4,601.13	346.40	-2,058.90	2,087.84	1.50	-1.50	0.00
5,200.00	17.03	279.55	4,696.35	351.47	-2,089.01	2,118.37	1.50	-1.50	0.00
5,300.00	15.53	279.55	4,792.33	356.12	-2,116.66	2,146.41	1.50	-1.50	0.00
5,400.00	14.03	279.55	4,889.02	360.35	-2,141.81	2,171.91	1.50	-1.50	0.00
5,500.00	12.53	279.55	4,986.35	364.16	-2,164.46	2,194.88	1.50	-1.50	0.00
5,600.00	11.03	279.55	5,084.24	367.55	-2,184.59	2,215.30	1.50	-1.50	0.00
5,700.00	9.53	279.55	5,182.63	370.51	-2,202.19	2,233.14	1.50	-1.50	0.00
5,800.00	8.03	279.55	5,281.46	373.04	-2,217.24	2,248.40	1.50	-1.50	0.00
5,900.00	6.53	279.55	5,380.65	375.15	-2,229.74	2,261.08	1.50	-1.50	0.00
6,000.00	5.03	279.55	5,480.14	376.82	-2,239.67	2,271.14	1.50	-1.50	0.00
6,058.05	4.16	279.55	5,538.00	377.59	-2,244.25	2,275.79	1.50	-1.50	0.00
Ohio Creek									
6,100.00	3.53	279.55	5,579.85	378.06	-2,247.03	2,278.61	1.50	-1.50	0.00
6,200.00	2.03	279.55	5,679.73	378.86	-2,251.81	2,283.46	1.50	-1.50	0.00
6,300.00	0.53	279.55	5,779.71	379.23	-2,254.01	2,285.69	1.50	-1.50	0.00
6,335.29	0.00	0.00	5,815.00	379.26	-2,254.17	2,285.85	1.50	-1.50	0.00
Mesaverde - TR 12-28-597 MVRD									
6,400.00	0.00	0.00	5,879.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
6,500.00	0.00	0.00	5,979.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
6,600.00	0.00	0.00	6,079.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
6,700.00	0.00	0.00	6,179.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
6,800.00	0.00	0.00	6,279.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
6,900.00	0.00	0.00	6,379.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
6,965.29	0.00	0.00	6,445.00	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
Top Gas									
7,000.00	0.00	0.00	6,479.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
7,100.00	0.00	0.00	6,579.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
7,200.00	0.00	0.00	6,679.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
7,300.00	0.00	0.00	6,779.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
7,400.00	0.00	0.00	6,879.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
7,500.00	0.00	0.00	6,979.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
7,600.00	0.00	0.00	7,079.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
7,700.00	0.00	0.00	7,179.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
7,800.00	0.00	0.00	7,279.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
7,900.00	0.00	0.00	7,379.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
8,000.00	0.00	0.00	7,479.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
8,100.00	0.00	0.00	7,579.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
8,200.00	0.00	0.00	7,679.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
8,300.00	0.00	0.00	7,779.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
8,400.00	0.00	0.00	7,879.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
8,500.00	0.00	0.00	7,979.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
8,600.00	0.00	0.00	8,079.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
8,614.29	0.00	0.00	8,094.00	379.26	-2,254.17	2,285.85	0.00	0.00	0.00

Database:	Grand Junction District	Local Co-ordinate Reference:	Well TR 12-28-597 - Slot B7
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 8481.4' & RKB 24' @ 8505.40usft
Project:	Garfield County, CO NAD83	MD Reference:	GL 8481.4' & RKB 24' @ 8505.40usft
Site:	TR 12-28-597 Pad	North Reference:	True
Well:	TR 12-28-597	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 2May2017 jcsdi		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
Cameo Coals									
8,700.00	0.00	0.00	8,179.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
8,800.00	0.00	0.00	8,279.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
8,900.00	0.00	0.00	8,379.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
9,000.00	0.00	0.00	8,479.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
9,044.29	0.00	0.00	8,524.00	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
Rollins Ss									
9,100.00	0.00	0.00	8,579.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
9,200.00	0.00	0.00	8,679.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
9,231.29	0.00	0.00	8,711.00	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
Cozzette									
9,300.00	0.00	0.00	8,779.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
9,400.00	0.00	0.00	8,879.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
9,459.29	0.00	0.00	8,939.00	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
Corcoran									
9,500.00	0.00	0.00	8,979.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
9,600.00	0.00	0.00	9,079.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
9,625.29	0.00	0.00	9,105.00	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
Sego									
9,700.00	0.00	0.00	9,179.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
9,800.00	0.00	0.00	9,279.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
9,900.00	0.00	0.00	9,379.71	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
9,925.29	0.00	0.00	9,405.00	379.26	-2,254.17	2,285.85	0.00	0.00	0.00
TD - TR 12-28-597 PBHL									

Design Targets									
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- hit/miss target									
- Shape									
TR 12-28-597 MVRD	0.00	0.00	5,815.00	379.26	-2,254.17	1,651,164.20	2,213,801.20	39.5880910	-108.2900471
- plan hits target center									
- Circle (radius 50.00)									
TR 12-28-597 PBHL	0.00	0.00	9,405.00	379.26	-2,254.17	1,651,164.20	2,213,801.20	39.5880910	-108.2900471
- plan hits target center									
- Point									

Casing Points					
Measured Depth (usft)	Vertical Depth (usft)	Name	Casing Diameter (in)	Hole Diameter (in)	
3,533.50	3,199.88	9 5/8" Surface @ 3533' MD	9.62	9.62	

Database:	Grand Junction District	Local Co-ordinate Reference:	Well TR 12-28-597 - Slot B7
Company:	TEP Rocky Mountain LLC	TVD Reference:	GL 8481.4' & RKB 24' @ 8505.40usft
Project:	Garfield County, CO NAD83	MD Reference:	GL 8481.4' & RKB 24' @ 8505.40usft
Site:	TR 32-28-597 Pad	North Reference:	True
Well:	TR 12-28-597	Survey Calculation Method:	Minimum Curvature
Wellbore:	OH		
Design:	Plan #1 2May2017 jcsdi		

Formations						
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)	
3,433.50	3,112.00	Wasatch		0.00	0.00	
4,608.03	4,146.00	Top G Sand		0.00	0.00	
4,744.72	4,270.00	Base G Sand		0.00	0.00	
4,912.63	4,425.00	Fort Union		0.00	0.00	
6,058.05	5,538.00	Ohio Creek		0.00	0.00	
6,335.29	5,815.00	Mesaverde		0.00	0.00	
6,965.29	6,445.00	Top Gas		0.00	0.00	
8,614.29	8,094.00	Cameo Coals		0.00	0.00	
9,044.29	8,524.00	Rollins Ss		0.00	0.00	
9,231.29	8,711.00	Cozzette		0.00	0.00	
9,459.29	8,939.00	Corcoran		0.00	0.00	
9,625.29	9,105.00	Sego		0.00	0.00	
9,925.29	9,405.00	TD		0.00	0.00	