

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|----|----|----|----|
| DE | ET | OE | ES |
|----|----|----|----|

Document Number:

401307626

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 47120

2. Name of Operator: KERR MCGEE OIL & GAS ONSHORE LP

3. Address: P O BOX 173779

City: DENVER State: CO Zip: 80217-

4. Contact Name: ILA BEALE

Phone: (720) 929-6408

Fax:

Email: ila.beale@anadarko.com

5. API Number 05-123-41313-00

7. Well Name: WHISPER ROCK

8. Location: QtrQtr: NESE Section: 26 Township: 4N Range: 68W Meridian: 6

9. Field Name: WATTENBERG Field Code: 90750

6. County: WELD

Well Number: 6N-25HZ

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION
Treatment Date: 04/19/2017 End Date: 04/29/2017 Date of First Production this formation: 05/28/2017
Perforations Top: 7848 Bottom: 13345 No. Holes: 1284 Hole size: 0.44
Provide a brief summary of the formation treatment: Open Hole: ☐

"PERF AND FRAC FROM 7848-13345.
1033 BBL 7.5% HCL ACID, 10,508 BBL PUMP DOWN, 191,309 BBL SLICKWATER, - 202,851 TOTAL FLUID
9,506,930# 40/70 OTTAWA/ST. PETERS, - 9,506,930# TOTAL SAND."

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 202851 Max pressure during treatment (psi): 8071
Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30
Type of gas used in treatment: Min frac gradient (psi/ft): 0.93
Total acid used in treatment (bbl): 1033 Number of staged intervals: 52
Recycled water used in treatment (bbl): 14889 Flowback volume recovered (bbl): 5266
Fresh water used in treatment (bbl): 186928 Disposition method for flowback: RECYCLE
Total proppant used (lbs): 9506930 Rule 805 green completion techniques were utilized: ☒
Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 06/18/2017 Hours: 24 Bbl oil: 70 Mcf Gas: 183 Bbl H2O: 973
Calculated 24 hour rate: Bbl oil: 70 Mcf Gas: 183 Bbl H2O: 973 GOR: 2614
Test Method: FLOWING Casing PSI: 2125 Tubing PSI: Choke Size: 14/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1327 API Gravity Oil: 48
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:
Reason for Non-Production:
Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt
** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

THIS WELL HAD A DELAYED COMPLETION. THE ESTIMATED TPZ FOOTAGES ON FORM 5 SHOULD BE REVISED TO 2544 FSL, 853 FEL SEC 26.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: ILA BEALE
Title: STAFF REG. SPECIALIST Date: Email: ila.beale@anadarko.com

Attachment Check List

Att Doc Num Name

Total Attach: 0 Files

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|-------------------|----------------|---------------------|
| | | Stamp Upon Approval |

Total: 0 comment(s)