

**FORM
INSP**Rev
X/15**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

07/17/2017

Submitted Date:

07/17/2017

Document Number:

681902241**FIELD INSPECTION FORM**
 Loc ID 434375 Inspector Name: HELGELAND, GARY On-Site Inspection ☐ 2A Doc Num: _____
Operator Information:OGCC Operator Number: 10633Name of Operator: CRESTONE PEAK RESOURCES OPERATING LLCAddress: 1801 CALIFORNIA STREET #2500City: DENVER State: CO Zip: 80202**Status Summary:**

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED

Findings:1 Number of Comments0 Number of Corrective Actions☐ Corrective Action Response Requested**Contact Information:**

Contact Name	Phone	Email	Comment
Adamczyk, Megan		megan.adamczyk@state.co.us	
,		Cogcc.inspections@crestonepr.com	

Inspected Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status
434369	WELL	DG	04/25/2017	LO	123-38121	Waste Connections 3B-29H-M168	DG

General Comment:

Inspected FacilitiesFacility ID: 434369 Type: WELL API Number: 123-38121 Status: DG Insp. Status: DG**Complaint**

Comment: On 7/17/2017, I was informed of a complaint received by the COGCC concerning odor occurring on 7/15/2017 in the area south of the Crestone Peak Resources, Waste Connection drilling location.

On 7/17/2017, I performed an inspection of the drilling location indicated by the complainant and observed Ensign drilling rig 153 performing drilling operation for Crestone Peak Resources. I reviewed location records which did not show any abnormal drilling conditions at the time of the complaints. Records indicated normal drilling operations were underway at time indicated in complaint. I advised Crestone Company personnel that COGCC had received complaints of odors off location. As part of my inspection I performed two separate one hour sweeps of the area associated with the complaint in an attempt to locate any odors off location. At the time of inspection no odors were detected.

All information reviewed and site inspection information were submitted to the complaint specialist for further review.

Corrective Action:

Date: