

FORM 5A Rev 06/12	State of Colorado Oil and Gas Conservation Commission 1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:25%;">DE</td> <td style="width:25%;">ET</td> <td style="width:25%;">OE</td> <td style="width:25%;">ES</td> </tr> </table>	DE	ET	OE	ES
DE	ET	OE	ES				
COMPLETED INTERVAL REPORT			Document Number: <p style="text-align: center;">401327777</p> Date Received:				
The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.							

1. OGCC Operator Number: <u>47120</u> 2. Name of Operator: <u>KERR MCGEE OIL & GAS ONSHORE LP</u> 3. Address: <u>P O BOX 173779</u> City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80217-</u>	4. Contact Name: <u>ILA BEALE</u> Phone: <u>(720) 929-6408</u> Fax: _____ Email: <u>ila.beale@anadarko.com</u>
--	---

5. API Number <u>05-123-41052-00</u> 7. Well Name: <u>WILSON RANCH</u> 8. Location: QtrQtr: <u>SESE</u> Section: <u>26</u> Township: <u>4N</u> 9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	6. County: <u>WELD</u> Well Number: <u>33C-27HZ</u> Range: <u>68W</u> Meridian: <u>6</u>
---	--

Completed Interval

FORMATION: <u>CARLILE</u>	Status: <u>COMMINGLED</u>	Treatment Type: _____
Treatment Date: _____	End Date: _____	Date of First Production this formation: _____
Perforations Top: <u>7899</u>	Bottom: <u>14719</u>	No. Holes: <u>510</u> Hole size: <u>0.44</u>
Provide a brief summary of the formation treatment:		Open Hole: <input type="checkbox"/>
<u>CARLILE: 7899-8070; 14,298-14,719;</u>		

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____	Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____	Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____	Number of staged intervals: _____
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: _____
Total proppant used (lbs): _____	Rule 805 green completion techniques were utilized: <input type="checkbox"/>

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	
Reason for Non-Production: 				
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____		

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: CODELL Status: COMMINGLED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 8070 Bottom: 16781 No. Holes: 510 Hole size: 0.44

Provide a brief summary of the formation treatment: _____ Open Hole:

CODELL: 8070-11,929; 12,128-14,298; 14,719-15,514; 16,702-16,781;

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: FORT HAYS Status: COMMINGLED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 12049 Bottom: 16702 No. Holes: 510 Hole size: 0.44

Provide a brief summary of the formation treatment: _____ Open Hole:

FORT HAYS: 12,049-12,128; 16,489-16,702;

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: _____

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 11929 Bottom: 16489 No. Holes: 510 Hole size: 0.44

Provide a brief summary of the formation treatment: _____ Open Hole:

NIOBRARA: 11,929-12,049; 15,514-16,489;

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: Yes No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-FORT HAYS-CODELL-CARLILE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/28/2017 End Date: 06/02/2017 Date of First Production this formation: 06/22/2017
Perforations Top: 7899 Bottom: 16781 No. Holes: 510 Hole size: 0.44

Provide a brief summary of the formation treatment: Open Hole:

"PERF AND FRAC FROM 7899-16781.
124 BBL 7.5% HCL ACID, 5,924 BBL PUMP DOWN, 161,461 BBL SLICKWATER, -,167,509 TOTAL FLUID
4,918,650# 40/70 OTTAWA/ST. PETERS, - 4,918,650# TOTAL SAND."

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): 167509 Max pressure during treatment (psi): 7523

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal): 8.30

Type of gas used in treatment: Min frac gradient (psi/ft): 0.84

Total acid used in treatment (bbl): 124 Number of staged intervals: 22

Recycled water used in treatment (bbl): 14679 Flowback volume recovered (bbl): 3264

Fresh water used in treatment (bbl): 152706 Disposition method for flowback: RECYCLE

Total proppant used (lbs): 4918650 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 06/29/2017 Hours: 24 Bbl oil: 81 Mcf Gas: 95 Bbl H2O: 691
Calculated 24 hour rate: Bbl oil: 81 Mcf Gas: 95 Bbl H2O: 691 GOR: 1173
Test Method: FLOWING Casing PSI: 1975 Tubing PSI: Choke Size: 16/64
Gas Disposition: SOLD Gas Type: WET Btu Gas: 1319 API Gravity Oil: 52
Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: Yes No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

THIS WELL HAD A DELAYED COMPLETION. THE ESTIMATED TPZ FOOTAGES ON FORM 5 ARE CORRECT AND DO NOT NEED REVISION.
SEE ATTACHMENT FOR COPY OF WELL PATH THROUGH FORMATIONS.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: ILA BEALE
Title: STAFF REG. SPECIALIST Date: Email: ila.beale@anadarko.com

Attachment Check List

Att Doc Num	Name
401328183	OTHER

Total Attach: 1 Files

General Comments

User Group

Comment

Comment Date

Stamp Upon
Approval

Total: 0 comment(s)