

FORM  
5A

Rev  
06/12

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400638635

Date Received:

07/24/2014

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96155  
2. Name of Operator: WHITING OIL & GAS CORPORATION  
3. Address: 1700 BROADWAY STE 2300  
City: DENVER State: CO Zip: 80290  
4. Contact Name: Pauleen Tobin  
Phone: (303) 837-1661  
Fax: (303) 495-6780  
Email: pollyt@whiting.com

5. API Number 05-123-37766-00  
6. County: WELD  
7. Well Name: Razor  
Well Number: 21B-2812B  
8. Location: QtrQtr: NWNE Section: 21 Township: 10N Range: 58W Meridian: 6  
9. Field Name: DJ HORIZONTAL NIOBRARA Field Code: 16950

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION  
Treatment Date: 02/10/2014 End Date: 02/17/2014 Date of First Production this formation: 03/14/2014  
Perforations Top: 6242 Bottom: 12771 No. Holes: 1440 Hole size: 3/8

Provide a brief summary of the formation treatment:

Open Hole: ☐

Cemented Liner, 40 stage YF825LpH, 125845# 40/70, 5781278# 20/40, 481 bbls 15% HCl, 122092 bbls slickwater. See attached wellbore diagram for details.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 122573

Max pressure during treatment (psi): 8003

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.33

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.80

Total acid used in treatment (bbl): 481

Number of staged intervals: 40

Recycled water used in treatment (bbl): 0

Flowback volume recovered (bbl): 31102

Fresh water used in treatment (bbl): 122092

Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 5907123

Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: PIPELINE

Fracture stimulations must be reported on [FracFocus.org](http://FracFocus.org)

Test Information:

Date: 05/19/2014 Hours: 24 Bbl oil: 320 Mcf Gas: 253 Bbl H2O: 491  
Calculated 24 hour rate: Bbl oil: 320 Mcf Gas: 253 Bbl H2O: 491 GOR: 791  
Test Method: Separator Casing PSI: 650 Tubing PSI: 200 Choke Size: 39/64  
Gas Disposition: Gas Type: DRY Btu Gas: 1281 API Gravity Oil: 36  
Tubing Size: 2 + 7/8 Tubing Setting Depth: 5929 Tbg setting date: 02/24/2014 Packer Depth: 5929

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Pauleen Tobin

Title: Engineer Tech Date: 7/24/2014 Email pollyt@whiting.com  
:

### **Attachment Check List**

**Att Doc Num**      **Name**

400638635	FORM 5A SUBMITTED
400638650	WELLBORE DIAGRAM

Total Attach: 2 Files

### **General Comments**

**User Group**      **Comment**

**Comment Date**

		Stamp Upon Approval
--	--	------------------------

Total: 0 comment(s)