

FORM
2A

Rev
08/13

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

401212415

Date Received:

05/11/2017

Oil and Gas Location Assessment

New Location Refile Amend Existing Location Location#: _____

This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

451594

Expiration Date:

07/31/2020

This location assessment is included as part of a permit application.

CONSULTATION

This location is included in a Comprehensive Drilling Plan. CDP # _____

This location is in a sensitive wildlife habitat area.

This location is in a wildlife restricted surface occupancy area.

This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 10000

Name: BP AMERICA PRODUCTION COMPANY

Address: 380 AIRPORT RD

City: DURANGO State: CO Zip: 81303

Contact Information

Name: Naomi Azulai

Phone: (970) 375-7511

Fax: ()

email: naomi.azulai@bp.com

RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20010158 Gas Facility Surety ID: _____

Waste Management Surety ID: _____

LOCATION IDENTIFICATION

Name: Tiffany Number: 4

County: LA PLATA

Quarter: LOT 3 Section: 19 Township: 33N Range: 6W Meridian: N Ground Elevation: 6460

Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1836 feet FSL from North or South section line

1019 feet FWL from East or West section line

Latitude: 37.087305 Longitude: -107.547301

PDOP Reading: 2.1 Date of Measurement: 09/23/2016

Instrument Operator's Name: KENNETH E. REA

DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Method: Recycle/reuse

Cutting Disposal: OFFSITE Cuttings Disposal Method: Commercial Disposal

Other Disposal Description:

Beneficial reuse or land application plan submitted?

Reuse Facility ID: or Document Number:

Centralized E&P Waste Management Facility ID, if applicable:

SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: Charles & Donna Sullivan

Phone: 970-749-0568

Address: 1352 CR 333

Fax:

Address:

Email:

City: Ignacio State: CO Zip: 81137

Surface Owner: Fee State Federal Indian

Check all that apply. The Surface Owner: is the mineral owner

is committed to an oil and Gas Lease

has signed the Oil and Gas Lease

is the applicant

The Mineral Owner beneath this Oil and Gas Location is: Fee State Federal Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: oil and gas lease

Surface damage assurance if no agreement is in place: Surface Surety ID:

Date of Rule 306 surface owner consultation

CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP

Non-Crop Land: Rangeland Timber Recreational Other (describe):

Subdivided: Industrial Commercial Residential

Future Land Use (Check all that apply):

Crop Land: Irrigated Dry land Improved Pasture Hay Meadow CRP

Non-Crop Land: Rangeland Timber Recreational Other (describe):

Subdivided: Industrial Commercial Residential

CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

	From WELL	From PRODUCTION FACILITY
Building:	1074 Feet	1006 Feet
Building Unit:	1074 Feet	1006 Feet
High Occupancy Building Unit:	5280 Feet	5280 Feet
Designated Outside Activity Area:	5280 Feet	5280 Feet
Public Road:	502 Feet	479 Feet
Above Ground Utility:	481 Feet	460 Feet
Railroad:	5280 Feet	5280 Feet
Property Line:	288 Feet	156 Feet

INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.
- For measurement purposes only, Production Facilities should only include those items with an asterisk(*) on the Facilities Tab.

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a:

- Buffer Zone
- Exception Zone
- Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.
- Large UMA Facility – as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: _____

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: _____

FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (onl or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. *(Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.)*

By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 62. Sili clay loam, 1 to 3 percent slopes _____

NRCS Map Unit Name: 81. Zyme clay loam, 3 to 25 percent slopes _____

NRCS Map Unit Name: _____

PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes No

Plant species from: NRCS or, field observation Date of observation: _____

List individual species: _____

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe): _____

WATER RESOURCES

Is this a sensitive area: No Yes

Distance to nearest

downgradient surface water feature: 981 Feet

water well: 1250 Feet

Estimated depth to ground water at Oil and Gas Location 8 Feet

Basis for depth to groundwater and sensitive area determination:

Sensitive area determination based on the shallow ground water determined from COGCC's GIS map data.

Is the location in a riparian area: No Yes

Was an Army Corps of Engineers Section 404 permit filed No Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer No zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: _____

Is the Location within a Floodplain? No Yes Floodplain Data Sources Reviewed (check all that apply)

Federal (FEMA)

State

County

Local

Other _____

GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 608

WILDLIFE

This location is included in a Wildlife Mitigation Plan

This location was subject to a pre-consultation meeting with CPW held on _____

COA Type	Description
	<p>In addition to the notifications required by Rule 316C. COGCC Form 42. FIELD OPERATIONS NOTICE (a. Notice of Intent to Conduct Hydraulic Fracturing Treatment; b. Notice of Spud; and c. Notice of Construction or Major Change); operator shall notify the COGCC 48 hours prior to rig mobilization and pipeline testing (flowlines from wellheads to separators to tanks; and/or any temporary surface lines used for hydraulic stimulation and/or flowback operations) using the Form 42 (as described in Rule 316C.m. Notice of Completion of Form 2/2A Permit Conditions). The appropriate COGCC individuals will automatically be email notified.</p>
	<p>Operator must ensure secondary containment for any volume of fluids contained at the well site during drilling and completion operations (as shown on the Proposed BMPs attachment); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices [BMPs] associated with fluid containment/control as well as stormwater management for the control of run-on and run-off) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals as required by CDPHE (at least every 14 days and after precipitation events), and maintained in good condition. The design/build of any perimeter berm shall be sized, constructed, and compacted sufficiently to contain fluids during drilling operations, as well as all fluids contained in temporary frac tanks during completion operations.</p> <p>Strategically apply fugitive dust control measures, including encouraging established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious (corrugated steel [or equivalent] with an impervious liner) to contain any spilled or released material around permanent produced water storage tanks.</p>
	<p>A closed loop system must be implemented during drilling (as indicated on the Form 2 and Form 2A). The moisture content of all drill cuttings managed onsite shall be kept as low as practicable to prevent accumulation of liquids greater than de minimis amounts. All cuttings generated during drilling with salt-based mud (SBM) must be segregated from water/bentonite based mud-(WBM-) generated drill cuttings and placed separately on the well pad. All SBM-generated drill cuttings must be kept in tanks/containers, or placed on a lined/bermed portion of the well pad; prior to disposition. The operator has indicated that 'Cuttings Disposal' will be "OFFSITE" and that the 'Cuttings Disposal Method' will be "COMMERCIAL DISPOSAL" (as shown in the 'DRILLING WASTE MANAGEMENT PROGRAM SECTION' of the Form 2A). All liners associated with salt-based drilling mud and SBM-generated drill cuttings must be disposed of offsite per CDPHE rules and regulations. Any changes to drill cuttings management and disposal at this location will require submittal (via a Form 4 Sundry Notice) and approval of a Waste Management Plan detailing the changes (specifying cuttings characterization methods, cuttings management, amendment, and onsite disposal location[s]).</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or storage vessel located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Due to public accessibility to the nearby recreational areas within the Forest Service lands, potential odors associated with the completions process and/or with long term production operations must be controlled/mitigated.</p>
	<p>Operator shall pressure test pipelines (flowlines from wellheads to separators to tanks; pipelines from onsite separators to offsite storage tanks, and any temporary surface lines used for hydraulic stimulation and/or flowback operations) in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network, and tested annually, unless agreed to by both parties that the flowlines can be managed under an approved COGCC variance.</p>

Best Management Practices

<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>
1	Wildlife	Covered in the San Juan Basin Wildlife Mitigation Plan (WMP) dated March 2011, with an update expected summer of 2017.
2	Storm Water/Erosion Control	Covered in the Field Wide Storm Water management Plan. Site specific SWMPs have been developed for this location including sediment control logs and rock rundowns. See attached Construction and Reclamation SWMP drawings for details.
3	Interim Reclamation	All of the disturbed areas not used for routine operations will be reclaimed. This will include re-contouring slopes to 3:1 or greater and seeding/mulching. The seed will be drilled or broadcasted where machinery cannot access. Straw mulch will be spread and crimped over the seeded areas to retain moisture and limit erosion. Weeds will be inspected and treated annually, when necessary, by a certified weed control contractor.

Total: 3 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
2108181	CORRESPONDENCE
401212415	FORM 2A SUBMITTED
401260703	LOCATION DRAWING
401260705	HYDROLOGY MAP
401260708	ACCESS ROAD MAP
401260710	NRCS MAP UNIT DESC
401260712	NRCS MAP UNIT DESC
401260713	CONST. LAYOUT DRAWINGS
401260714	CONST. LAYOUT DRAWINGS
401281172	LOCATION PICTURES
401281237	PROPOSED BMPS
401281255	SURFACE AGRMT/SURETY
401281279	WASTE MANAGEMENT PLAN
401281314	PROPOSED BMPS
401281324	FACILITY LAYOUT DRAWING

Total Attach: 15 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Per phone conversation with operator, 7/31/2017, corrected right to construct from SUA to O&G lease. Final Review Completed. No LGD or public comment received.	07/31/2017
OGLA	Initiated/Completed OGLA Form 2A review on 06-22-17 by Dave Kubeczko; requested acknowledgement of notification, fluid containment, spill/release BMPs, dust control access road, flowback to tanks, tank berming, odor control, cuttings low moisture/management, and pipeline testing COAs from operator on 06-22-17 and received verbal concurrence on 06-22-17; received acknowledgement/concurrence of COAs from operator on 06-30-17; passed by CPW on 05-30-17 with location falling within the operator's Wildlife Mitigation Plan being acceptable; passed OGLA Form 2A review on 06-22-17 by Dave Kubeczko; notification, fluid containment, spill/release BMPs, dust control access road, flowback to tanks, tank berming, odor control, cuttings low moisture/management, and pipeline testing COAs.	06/22/2017
DOW	The Operator has agreed to incorporate this well into BPs existing San Juan Basin Colorado Wildlife Mitigation Plan (dated March 2011 and renewed 5/2017 and extended until 2023). The well will be subject to the BMPs specified in the Plan, including pre-construction biological surveys, compliance with raptor nest guidelines, and screening of planned day rig activity for conflicts with known eagle nests and roosts prior to commencing rig work. In addition, any new surface disturbance associated with this well pad, access road, and gathering pipeline will be incorporated into Tables 1 and 2 of the Plan and mitigated off-site per the standards identified in the plan.	05/30/2017
Permit	Passed Completeness.	05/17/2017

Total: 4 comment(s)