

FORM 5A

Rev 06/12

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109

State of Colorado

Oil and Gas Conservation Commission



DE	ET	OE	ES
----	----	----	----

Document Number: 401359727

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850 4. Contact Name: Kellye Garcia  
 2. Name of Operator: TEP ROCKY MOUNTAIN LLC Phone: (832) 726-1159  
 3. Address: PO BOX 370 Fax: \_\_\_\_\_  
 City: PARACHUTE State: CO Zip: 81635 Email: kgarcia@terraep.com

5. API Number 05-045-23344-00 6. County: GARFIELD  
 7. Well Name: Chevron Well Number: TR 413-21-597  
 8. Location: QtrQtr: SESW Section: 21 Township: 5S Range: 97W Meridian: 6  
 9. Field Name: TRAIL RIDGE Field Code: 83825

Completed Interval

FORMATION: COZZETTE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/04/2017 End Date: 06/21/2017 Date of First Production this formation: 07/12/2017

Perforations Top: 8929 Bottom: 9117 No. Holes: 21 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole:

4785 bbls of slickwater; 93625 100/Mesh; 263 gals of biocide

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 4791 Max pressure during treatment (psi): 6921

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: 1

Recycled water used in treatment (bbl): 4785 Flowback volume recovered (bbl): 2541

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: RECYCLE

Total proppant used (lbs): 93625 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: CORCORAN Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/05/2017 End Date: 06/21/2017 Date of First Production this formation: 07/12/2017

Perforations Top: 9137 Bottom: 9296 No. Holes: 18 Hole size: 35/100

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

4096 bbls of slickwater; 77750 100/Mesh; 131 gals of biocide

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 4099 Max pressure during treatment (psi): 6921

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: 2

Recycled water used in treatment (bbl): 4096 Flowback volume recovered (bbl): 2178

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: RECYCLE

Total proppant used (lbs): 77750 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: SEGO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/05/2017 End Date: 06/21/2017 Date of First Production this formation: 07/12/2017

Perforations Top: 9323 Bottom: 9379 No. Holes: 9 Hole size: 35/100

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

2048 bbls of slickwater; 38625 100/Mesh; 56 gals of biocide

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 2049 Max pressure during treatment (psi): 6921

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: 1

Recycled water used in treatment (bbl): 2048 Flowback volume recovered (bbl): 1089

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: RECYCLE

Total proppant used (lbs): 38625 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK-CAMEO-COZZETTE-CORCORAN-SEGO Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/05/2017 End Date: 06/21/2017 Date of First Production this formation: 07/06/2017  
Perforations Top: 6798 Bottom: 9379 No. Holes: 264 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole:

53635 bbls of slickwater; 999000 100/Mesh; 2760 gals of biocide

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 53701 Max pressure during treatment (psi): 6291

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl): Number of staged intervals: 11

Recycled water used in treatment (bbl): 53635 Flowback volume recovered (bbl): 31953

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 999000 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized:

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 07/12/2017 Hours: 24 Bbl oil: 0 Mcf Gas: 2500 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 2500 Bbl H2O: 0 GOR: 0

Test Method: FLOWING Casing PSI: 1815 Tubing PSI: 1685 Choke Size: 20/64

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1074 API Gravity Oil: 0

Tubing Size: 2 + 3/8 Tubing Setting Depth: 9530 Tbg setting date: 06/30/2017 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze:  Yes  No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/05/2017 End Date: 06/21/2017 Date of First Production this formation: 07/12/2017

Perforations Top: 6798 Bottom: 8658 No. Holes: 216 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole:

42706 bbls of slickwater; 789000 100/Mesh; 2310 gals of biocide

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): 42761 Max pressure during treatment (psi): 6291

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl): Number of staged intervals: 9

Recycled water used in treatment (bbl): 42706 Flowback volume recovered (bbl): 26136

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 789000 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze:  Yes  No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

All flowback volumes are estimates based on commingled volume.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Kellye Garcia

Title: Land Tech Date: Email kgarcia@terraep.com

Attachment Check List

Table with 2 columns: Att Doc Num, Name. Row 1: 401363882, WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

Table with 3 columns: User Group, Comment, Comment Date. Row 1: Stamp Upon Approval

Total: 0 comment(s)