

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401360534

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850
2. Name of Operator: TEP ROCKY MOUNTAIN LLC
3. Address: PO BOX 370
City: PARACHUTE State: CO Zip: 81635
4. Contact Name: Kellye Garcia
Phone: (832) 726-1159
Fax:
Email: kgarcia@terraep.com

5. API Number 05-045-23345-00
6. County: GARFIELD
7. Well Name: Chevron
Well Number: TR 513-21-597
8. Location: QtrQtr: SESW Section: 21 Township: 5S Range: 97W Meridian: 6
9. Field Name: TRAIL RIDGE Field Code: 83825

Completed Interval

FORMATION: COZZETTE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/05/2017 End Date: 06/22/2017 Date of First Production this formation: 07/12/2017

Perforations Top: 8903 Bottom: 9053 No. Holes: 21 Hole size: 35/100

Provide a brief summary of the formation treatment:

Open Hole: ☐

3913 bbls of slickwater; 193 gals of biocide; No Proppant

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 3918

Max pressure during treatment (psi): 6829

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl):

Number of staged intervals: 1

Recycled water used in treatment (bbl): 3913

Flowback volume recovered (bbl): 2499

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs):

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: CORCORAN Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/05/2017 End Date: 06/22/2017 Date of First Production this formation: 07/12/2017

Perforations Top: 9084 Bottom: 9223 No. Holes: 18 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: ☐

3656 bbls of slickwater; 78 gals of biocide; No Proppant

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 3658

Max pressure during treatment (psi): 6829

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl):

Number of staged intervals: 2

Recycled water used in treatment (bbl): 3656

Flowback volume recovered (bbl): 2142

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs):

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: SEGO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/05/2017 End Date: 06/22/2017 Date of First Production this formation: 07/12/2017

Perforations Top: 9255 Bottom: 9323 No. Holes: 9 Hole size: 35/100

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

1858 bbls of slickwater; 30 gals of biocide; No Proppant

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 1859

Max pressure during treatment (psi): 6829

Total gas used in treatment (mcf): _____

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: _____

Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl): _____

Number of staged intervals: 1

Recycled water used in treatment (bbl): 1858

Flowback volume recovered (bbl): 1071

Fresh water used in treatment (bbl): _____

Disposition method for flowback: RECYCLE

Total proppant used (lbs): _____

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK-CAMEO-COZZETTE-CORCORAN-SEGO Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/05/2017 End Date: 06/22/2017 Date of First Production this formation: 07/12/2017
Perforations Top: 6786 Bottom: 9383 No. Holes: 264 Hole size: 35/100

Provide a brief summary of the formation treatment:

Open Hole: ☐

48428 bbls of slickwater; 2605 gals of biocide; No Proppant

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 48490

Max pressure during treatment (psi): 6829

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl):

Number of staged intervals: 11

Recycled water used in treatment (bbl): 48428

Flowback volume recovered (bbl): 31393

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs):

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 07/12/2017 Hours: 24 Bbl oil: 0 Mcf Gas: 2800 Bbl H2O: 0
Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 2800 Bbl H2O: 0 GOR: 0
Test Method: FLOWING Casing PSI: 1818 Tubing PSI: 1834 Choke Size: 20/64
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1077 API Gravity Oil: 0
Tubing Size: 2 + 3/8 Tubing Setting Depth: 7853 Tbg setting date: 07/01/2017 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth:

** Sacks cement on top:

** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/05/2017 End Date: 06/22/2017 Date of First Production this formation: 07/12/2017

Perforations Top: 6786 Bottom: 8591 No. Holes: 216 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: ☐

39001 bbls of slickwater; 2205 gals of biocide; No Proppant

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 39054

Max pressure during treatment (psi): 6829

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.55

Total acid used in treatment (bbl):

Number of staged intervals: 9

Recycled water used in treatment (bbl): 39001

Flowback volume recovered (bbl): 25704

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs):

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

All flowback volumes are estimates based on commingled volume.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Kellye Garcia

Title: Land Teck Date: Email kgarcia@terraep.com

Attachment Check List

Att Doc Num Name

401363888 WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

User Group Comment

Comment Date

Stamp Upon Approval

Total: 0 comment(s)