



# Bison Oil Well Cementing Single Cement Surface Pipe

Date: 4/14/2017  
 Invoice #: 666109  
 API#: 05-123-44412  
 Foreman: Nick Vigil

**Customer:** Anadarko Petroleum Corporation  
**Well Name:** Butterball 25C2-34HZ

County: Weld  
 State: Colorado  
 Sec: 10  
 Twp: 2N  
 Range: 67W

Consultant: Brian  
 Rig Name & Number: WMO 252  
 Distance To Location: 27 miles  
 Units On Location: 4023/4019/4030  
 Time Requested: 7:30  
 Time Arrived On Location: 6:50  
 Time Left Location:

WELL DATA	Cement Data
Casing Size OD (in) : 9.625	Cement Name: BFN III
Casing Weight (lb) : 36.00	Cement Density (lb/gal) : 14.2
Casing Depth (ft.) : 1,847	Cement Yield (cuft) : 1.49
Total Depth (ft) : 1856	Gallons Per Sack: 7.48
Open Hole Diameter (in.) : 13.50	% Excess: 15%
Conductor Length (ft) : 80	Displacement Fluid lb/gal: 8.3
Conductor ID : 15.25	BBL to Pit:
Shoe Joint Length (ft) : 44	Fluid Ahead (bbls): 30.0
Landing Joint (ft) : 10	H2O Wash Up (bbls): 20.0
Max Rate:	Spacer Ahead Makeup
Max Pressure:	

Calculated Results	Pressure of cement in annulus
<b>Displacement:</b> 140.16 bbls (Casing ID Squared) X (.0009714) X (Casing Depth + Landing Joint - Shoe Joint)	<b>Hydrostatic Pressure:</b> 1362.53 PSI
<b>cuft of Shoe</b> 19.10 cuft (Casing ID Squared) X (.005454) X (Shoe Joint ft)	<b>Pressure of the fluids inside casing</b>
<b>cuft of Conductor</b> 61.05 cuft (Conductor Width Squared) - (Casing Size OD Squared) X (.005454) X (Conductor Length ft)	<b>Displacement:</b> 777.42 psi
<b>cuft of Casing</b> 993.12 cuft (Open Hole Squared) - (Casing Size Squared) X (.005454) X (Casing Depth - Conductor Length)	<b>Shoe Joint:</b> 32.46 psi
<b>Total Slurry Volume</b> 1073.27 cuft (cuft of Shoe) + (cuft of Conductor) + (cuft of Casing)	<b>Total</b> 809.88 psi
<b>bbls of Slurry</b> 191.15 bbls (Total Slurry Volume) X (.1781)	<b>Differential Pressure:</b> 552.65 psi
<b>Sacks Needed</b> 720 sk (Total Slurry Volume) ÷ (Cement Yield) X (% Excess Cement)	<b>Collapse PSI:</b> 2020.00 psi
<b>Mix Water</b> 128.28 bbls (Sacks Needed) X (Gallons Per Sack) ÷ 42	<b>Burst PSI:</b> 3520.00 psi
	<b>Total Water Needed:</b> 318.44 bbls

X Authorization To Proceed

Customers hereby acknowledges and specifically agrees to the terms and condition on this work order, including, without limitation, the provisions on this work order.



# Butterball 25C2-34HZ

