

FORM  
2A

Rev  
08/13

# State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

401369971

**(SUBMITTED)**

Date Received:

## Oil and Gas Location Assessment

New Location     Refile     Amend Existing Location    Location#: 430226

This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

**430226**

Expiration Date:

This location assessment is included as part of a permit application.

### CONSULTATION

- This location is included in a Comprehensive Drilling Plan. CDP # \_\_\_\_\_
- This location is in a sensitive wildlife habitat area.
- This location is in a wildlife restricted surface occupancy area.
- This location includes a Rule 306.d.(1)A.ii. variance request.

### Operator

Operator Number: 77330  
 Name: SG INTERESTS I LTD  
 Address: 100 WAUGH DR SUITE 400  
 City: HOUSTON      State: TX      Zip: 77007

### Contact Information

Name: Tracy Arnett  
 Phone: (970) 3850696  
 Fax: (970) 3850636  
 email: tarnett@sginterests.com

### RECLAMATION FINANCIAL ASSURANCE

- Plugging and Abandonment Bond Surety ID: 20030098       Gas Facility Surety ID: \_\_\_\_\_
- Waste Management Surety ID: \_\_\_\_\_

### LOCATION IDENTIFICATION

Name: Federal 11-90-9      Number: 3  
 County: GUNNISON  
 Quarter: SWNW    Section: 9    Township: 11S    Range: 90W    Meridian: 6    Ground Elevation: 7679

Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 1764 feet FNL from North or South section line  
1027 feet FWL from East or West section line

Latitude: 39.116830      Longitude: -107.458250

PDOP Reading: 1.5      Date of Measurement: 10/31/2011

Instrument Operator's Name: David Nicewicz

## RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:

LOCATION ID # FORM 2A DOC #

## FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells	<u>3</u>	Oil Tanks*	<u>        </u>	Condensate Tanks*	<u>1</u>	Water Tanks*	<u>6</u>	Buried Produced Water Vaults*	<u>        </u>
Drilling Pits	<u>        </u>	Production Pits*	<u>        </u>	Special Purpose Pits	<u>        </u>	Multi-Well Pits*	<u>        </u>	Modular Large Volume Tanks	<u>        </u>
Pump Jacks	<u>        </u>	Separators*	<u>3</u>	Injection Pumps*	<u>        </u>	Cavity Pumps*	<u>        </u>	Gas Compressors*	<u>        </u>
Gas or Diesel Motors*	<u>        </u>	Electric Motors	<u>        </u>	Electric Generators*	<u>        </u>	Fuel Tanks*	<u>        </u>	LACT Unit*	<u>        </u>
Dehydrator Units*	<u>        </u>	Vapor Recovery Unit*	<u>        </u>	VOC Combustor*	<u>        </u>	Flare*	<u>3</u>	Pigging Station*	<u>        </u>

## OTHER FACILITIES\*

Other Facility Type

Number

Water Transfer Pump

1

\*Those facilities indicated by an asterisk (\*) shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

One (1) 2-4 inch water pipeline and one (1) 3-6 inch gas pipeline will be installed on the pad and tied to existing pipelines off the well pad location. Temporary 12-24 inch poly pipeline may be used on the surface at times to bring completion water to the location from the McIntyre Pits 3 & 4 and/or the McIntyre Tanks 1 & 2. Flowback will return only to the pits via this temporary pipeline system. The temporary poly pipelines would likely be located on the pad, and along other previously disturbed areas such as existing roads and pipeline corridors where feasible.

## CONSTRUCTION

Date planned to commence construction: 04/02/2018

Size of disturbed area during construction in acres: 3.00

Estimated date that interim reclamation will begin: 06/04/2018

Size of location after interim reclamation in acres: 2.60

Estimated post-construction ground elevation: 7680

## DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: Yes

Is H<sub>2</sub>S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? Yes

Will oil based drilling fluids be used? No

## DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE

Drilling Fluids Disposal Method: Commercial Disposal

Cutting Disposal: OFFSITE

Cuttings Disposal Method: Commercial Disposal

Other Disposal Description:

Beneficial reuse or land application plan submitted?         

Reuse Facility ID:          or Document Number:         

Centralized E&P Waste Management Facility ID, if applicable:

## SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: USDA Forest Service

Phone: 970-527-4131

Address: PO Box 1030

Fax: \_\_\_\_\_

Address: 403 N Rio Grande Ave

Email: degray@fs.fed.us

City: Paonia State: CO Zip: 81428

Surface Owner:  Fee  State  Federal  Indian

Check all that apply. The Surface Owner:  is the mineral owner

is committed to an oil and Gas Lease

has signed the Oil and Gas Lease

is the applicant

The Mineral Owner beneath this Oil and Gas Location is:  Fee  State  Federal  Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: oil and gas lease

Surface damage assurance if no agreement is in place: \_\_\_\_\_ Surface Surety ID: \_\_\_\_\_

Date of Rule 306 surface owner consultation 10/12/2011

## CURRENT AND FUTURE LAND USE

### Current Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP

Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_

Subdivided:  Industrial  Commercial  Residential

### Future Land Use (Check all that apply):

Crop Land:  Irrigated  Dry land  Improved Pasture  Hay Meadow  CRP

Non-Crop Land:  Rangeland  Timber  Recreational  Other (describe): \_\_\_\_\_

Subdivided:  Industrial  Commercial  Residential

## CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

	From WELL	From PRODUCTION FACILITY
Building:	5077 Feet	4982 Feet
Building Unit:	5077 Feet	4982 Feet
High Occupancy Building Unit:	5280 Feet	5280 Feet
Designated Outside Activity Area:	5280 Feet	5280 Feet
Public Road:	974 Feet	967 Feet
Above Ground Utility:	5119 Feet	5025 Feet
Railroad:	5280 Feet	5280 Feet
Property Line:	1470 Feet	1539 Feet

### INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.
- For measurement purposes only, Production Facilities should only include those items with an asterisk(\*) on the Facilities Tab.

## DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a:

- Buffer Zone
- Exception Zone
- Urban Mitigation Area

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: \_\_\_\_\_

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: \_\_\_\_\_

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.
- Large UMA Facility - as defined in 100-Series Rules.

## FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

- Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (on or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. (*Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.*)
- By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

## SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 195. Weed-Herm complex, 0-25% slopes

NRCS Map Unit Name: \_\_\_\_\_

NRCS Map Unit Name: \_\_\_\_\_

**PLANT COMMUNITY:**

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes  No

Plant species from:  NRCS or,  field observation Date of observation: 07/24/2017

List individual species: Musk thistle, Canada thistle, big sagebrush, yarrow, serviceberry, snowberry, grasses, asters

Check all plant communities that exist in the disturbed area.

- Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokeycherry)
- Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- Alpine (above timberline)
- Other (describe):

**WATER RESOURCES**

Is this a sensitive area:  No  Yes

Distance to nearest

downgradient surface water feature: 684 Feet

water well: 5060 Feet

Estimated depth to ground water at Oil and Gas Location 30 Feet

Basis for depth to groundwater and sensitive area determination:

Per SEO, the nearest domestic water well is approximately 5060' from the proposed location and has a depth of 30-feet (permit #66084). There are no other domestic water wells within a mile of the proposed location. Based on surrounding soils, topography and vegetation, the presence of shallow ground water is not likely.

Is the location in a riparian area:  No  Yes

Was an Army Corps of Engineers Section 404 permit filed  No  Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer zone: No

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified:

Is the Location within a Floodplain?  No  Yes Floodplain Data Sources Reviewed (check all that apply)

Federal (FEMA)

State

County

Local

Other

**GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING**

Water well sampling required per Rule 609

**WILDLIFE**

This location is included in a Wildlife Mitigation Plan

This location was subject to a pre-consultation meeting with CPW held on \_\_\_\_\_

### Operator Proposed Wildlife BMPs

No	Target Species	BMP Type	Description
1	Deer and Elk	Wildlife - Avoidance	The operator agrees to avoid locating oil and gas operations in sagebrush habitat, as practicable, to avoid impacts to mule deer.
2	Deer and Elk	Wildlife - Minimization	If new oil and gas operations must occur within CPW-identified mule deer critical winter range or elk winter concentration areas), the operator agrees to conduct new oil and gas operations outside the time period from December 1 through April 15.
3	Deer and Elk	Wildlife - Minimization	The operator agrees to preclude the use of aggressive CPW-identified non-native grasses and shrubs in mule deer and elk habitat restoration.
4	Deer and Elk	Wildlife - Minimization	The operator agrees to preclude new oil and gas operations within CPW-identified deer and elk migration corridors.
5	Deer and Elk	Wildlife - Minimization	The operator agrees to preclude new oil and gas operations within CPW-identified elk production areas.

### DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- Rule 604.a.(1)A. Exception Zone (within 500' of a Building Unit) and is in an Urban Mitigation Area
- Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

### RULE 502.b VARIANCE REQUEST

Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number \_\_\_\_\_

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

### OPERATOR COMMENTS AND SUBMITTAL

Comments: The previously approved Form 2A for this location is document #400673696. No changes have been made to the location of this well pad and there have been no changes to the surrounding land use. The location name and number has been updated to reflect the facilities at the site. Distances to cultural features have been updated to reflect current data. Updated Location drawing and Hydrology map have been attached to reflect current requirements. Reference area map and photos are also attached. No other changes have been made.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: \_\_\_\_\_ Email: tarnett@sginterests.com

Print Name: Tracy Arnett Title: Permitting

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Director of COGCC Date: \_\_\_\_\_

### Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

<u>COA Type</u>	<u>Description</u>

### **Best Management Practices**

<u>No</u>	<u>BMP/COA Type</u>	<u>Description</u>
1	Planning	<ul style="list-style-type: none"> <li>• Cuttings will be stored in lined containers. Additional pits may be constructed for the potential of overflow cuttings. Constructed drilling pit(s) used for cuttings will be lined with an impervious liner.</li> <li>• Fluids contained at the well site during drilling and completion operations will have secondary containment.</li> <li>• Project will be constructed and operated in compliance with the terms and stipulations applied to permits by the Colorado Department of Public Health and Environment (CDPHE) - Colorado Air Quality Control Division, Colorado Water Quality Control Division, Colorado Oil and Gas Conservation Commission (COGCC) and the Bureau of Land Management</li> <li>• Impacts to wildlife habitat, agriculture, water resources, recreation, visual resources, and grazing were considered when siting the access road, well pad, pipeline, and other facilities associated with construction of this project. In addition, SGI involved the private landowner in siting the proposed project</li> <li>• Stormwater, vegetation, soil, and visual impacts were considered when planning orientation, and cut and fill slopes.</li> <li>• SGI plans for well pads, facilities, roads and pipelines to be near existing infrastructure, where possible, and to minimize the number, size and distribution of project as practicable. SGI adequately sizes pipelines, well pads, and facilities to accommodate both current and future drilling plans, and expected gas production.</li> <li>• The pipeline right-of-way (ROW) and access road is minimized as much as practicable while also maintaining safe construction and use conditions.</li> <li>• Implement pre-disturbance wildlife and vegetation surveys when necessary; appropriate mitigation measures will be implemented as applicable.</li> <li>• Involve local stakeholders and landowners, as necessary, with the planning process to reduce land-use conflicts.</li> <li>• The Reference Area was chosen to reflect the most representative of pre-construction conditions and an appropriate seed mix was chosen for reclamation activities based on existing vegetation</li> </ul>
2	General Housekeeping	<ul style="list-style-type: none"> <li>• The well pad location, access road, pipeline, and any associated facilities will be kept orderly and as clean as practicable.</li> <li>• Garbage and trash will be stored in a trash container and periodically emptied at an approved disposal facility.</li> <li>• A portable latrine will be provided during drilling and completion operations; wastes will be pumped and hauled to an approved sanitation facility.</li> <li>• SGI maintains an active stormwater permit through the Colorado Division of Public Health and Safety (CDPHE), and an active Spill Prevention, Control and Countermeasure (SPCC) plan.</li> </ul>
3	Wildlife	<ul style="list-style-type: none"> <li>• In the event a proposed project is located in designed Colorado Parks and Wildlife (CPW) Sensitive Wildlife Habitat (SWH), or Restricted Surface Occupancy Areas (RSO), SGI will construct and operate in compliance with COGCC Rule 1203, General Operating Requirements in SWH and RSO, unless the Director has granted a waiver.</li> <li>• SGI will continue educating employees on wildlife protection practices, including driving safe speeds and to be alert to wildlife and livestock on roadways.</li> <li>• When necessary, and when agreed upon by the surface owner, fence livestock and wildlife out of active construction sites and newly reclaimed areas until reclamation standards have been met and plants are capable of sustaining grazing and trampling.</li> </ul>

4	Storm Water/Erosion Control	<p>As part of the requirements to maintain the CDPHE field-wide stormwater permit, SGI will maintain a site-specific stormwater plan for this site. The SGI Master Stormwater Management Plan and the Site Specific Data Sheet (SSDS) identifies all potential sources of pollution which may reasonable be expected to affect the quality of stormwater discharges associated with construction activity from the facility, and describes the stormwater BMPs implemented to reduce the pollutants in stormwater discharges. Upon achieving final stabilization per CDPHE requirements and site closure, stormwater will be maintained per COGCC post-stormwater program rules.</p>
5	Material Handling and Spill Prevention	<ul style="list-style-type: none"> <li>• Drill cuttings from the containers and pit(s), as well as the pit liner will be disposed of at a permitted disposal facility. Pit liners will be removed following removal of the dry cuttings. They will be disposed of at a solid waste disposal facility.</li> <li>• If applicable, soil testing under a removed liner area will be conducted prior to backfilling the pit area according to the COGCC 900-series rules.</li> <li>• Material Safety Data Sheets (MSDS) for all chemicals and hazardous material that are used during drilling, completion, and producing will be maintained as per 29 CFR 1920.1200(g).</li> <li>• Any petroleum product or other spills that is reportable under any regulatory agency will be cleaned up immediately and the material will be hauled to an approved facility. SGI and their contractors will prevent gasoline, diesel fuel, oil, grease, or any other petroleum products and drilling fluids from migrating off the location or from entering any live stream or riparian area. A spill kit will be available on site during drilling and completion operations. Fuels and lubricants will be transported by fuels distributors and will be stored in facilities specifically designed for that purpose.</li> <li>• Drilling fluids will be disposed of at a permitted commercial disposal facility.</li> </ul>
6	Construction	<ul style="list-style-type: none"> <li>• Roads will be maintained by surfacing, crowing, and/or maintaining ditches to prevent runoff from damaging water quality.</li> <li>• Outlet protection will be installed at culvert outlets to prevent scouring. Rock check dams will be installed and maintained where appropriate to slow flowing water and prevent erosion and sedimentation.</li> <li>• Water or other dust suppressant will be applied to roads and other work sites as needed to control fugitive dust.</li> <li>• Limit speeds on access roads and work sites to prevent road damage and dust problems.</li> <li>• Where applicable, schedule stream/river crossings at low water periods to minimize disturbance.</li> <li>• Implement and maintain erosion and sedimentation control devices as described in the SSDS or MSWMP.</li> <li>• Reduce the ROW width as much as practicable, and use equipment matting when crossing wetlands and streams.</li> <li>• Complete waterbody and wetland crossings within 24 hours, if practicable. Use trench breakers when needed to prevent water from flowing from waterbodies into pipeline trenches. Implement other conditions of approval, as defined in the Army Corps of Engineers permit, if applicable.</li> <li>• Construct water bars along pipeline ROW to prevent erosion on hillsides. Install trench breakers around the pipe to prevent water from flowing along the buried pipe causing trench subsidence.</li> <li>• Crown pipeline trenches to allow for soil compaction over time and prevent subsidence.</li> <li>• Construct fences and netting that are appropriately sized and reinforced to function in the environmental conditions and for the species of the region.</li> <li>• Salvage and store topsoil from the surface of all construction areas for use during interim and final reclamation.</li> <li>• Protect soil and spoil piles during storage with sediment barriers, if needed. Use temporary seeding on stock-piled soils.</li> <li>• Educate employees and contractors about weed issues.</li> <li>• When working in water (wetlands, ponds, etc.), SGI will make sure equipment that comes in contact with water, such as water tanks, water trucks, etc. is clean and free of aquatic nuisance species. Cleaning will be accomplished by following the protocol described in COGCC Rule 1204.a.2. SGI will require contractors to follow the same protocol when bringing in equipment to work in water.</li> </ul>

7	Drilling/Completion Operations	<ul style="list-style-type: none"> <li>• Maintain wildlife fencing and netting as needed.</li> <li>• Promptly report spills to agencies as required.</li> <li>• Store emergency spill response equipment at centralized locations so that it is readily available in the event of a spill.</li> <li>• Instruct all contractors and field employees on the aspects of the spill prevention and response plan relevant to their position at the start of their employment.</li> <li>• Limit vehicle and equipment parking to designated parking areas.</li> <li>• Screen water suction hoses to exclude fish and other aquatic life when necessary.</li> <li>• Reduce noise by using effective sound dampening devices and/or techniques, as required.</li> <li>• Use centralized frac'ing facilities where water is stored for reuse between operations. Connect water storage facilities to well sites with buried or temporary pipelines to reduce truck traffic where practicable.</li> <li>• Use recycled flowback fluid where possible in additional frac'ing operations by storing it in a centralized tank or pit facility.</li> <li>• Use produced water as much as practicable in frac'ing operations to reduce use of fresh water.</li> <li>• Whenever a cuttings pit is left open prior to reclamation, it will be fenced and covered with netting or tarps to prevent wildlife and birds from entering the pit. If it necessary to postpone pit closure due to winter conditions, excess water will be removed from the pit and solids in the pit will be fenced and tarped and will exclude wildlife and birds.</li> </ul>
8	Interim Reclamation	<ul style="list-style-type: none"> <li>• Gate access roads, where necessary, to minimize and control access and reduce disturbance.</li> <li>• Control fugitive dust that could result from production and reclamation activities.</li> <li>• Avoid direct discharge of pipeline hydrostatic test water to any lake, wetland, or natural stream or river. Use appropriate erosion and sedimentation devices as specified in the hydrostatic discharge permit/plan.</li> <li>• Locate, design, and paint aboveground facilities to minimize the impact to visual resources.</li> <li>• Control listed Colorado and County noxious weeds.</li> <li>• Use locally adapted seed in reclamation efforts whenever available and approved by the landowner.</li> <li>• Prepare the seedbed appropriately prior to seeding an area. Replace rocks on surface at density of surrounding areas, where applicable.</li> <li>• When practicable, seed at times of the year when germination and success is highest.</li> <li>• Conduct stormwater inspections and document regrowth of vegetation on disturbed areas.</li> <li>• Sample and test surface water and drinking water from select sites (as required by state and local requirements) for comparison to baseline water quality conditions.</li> </ul>
9	Final Reclamation	<ul style="list-style-type: none"> <li>• Whenever practicable, complete final reclamation activities so that seeding occurs during the first optimal season following plugging and abandonment of wells and closure of facilities.</li> <li>• Remediate spills on disturbed areas prior to reclamation.</li> <li>• Remove and properly dispose of degraded or unneeded silt fencing and erosion control materials in a timely fashion.</li> <li>• Remove unneeded fencing (and cattle guards) on project sites. Replace degraded or hazardous fencing as needed.</li> <li>• Remove and properly dispose of pit contents at an approved disposal facility. Dispose of or recycle pit liners at approved facilities.</li> <li>• When necessary, fence livestock and wildlife out of newly reclaimed areas until reclamation standards have been met and plants are capable of sustaining grazing and trampling.</li> <li>• Monitor reclamation efforts as needed and make corrections when necessary.</li> </ul>

Total: 9 comment(s)

## Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
401370667	LOCATION DRAWING
401370681	REFERENCE AREA MAP
401370683	REFERENCE AREA PICTURES
401370986	HYDROLOGY MAP

Total Attach: 4 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval

Total: 0 comment(s)



**Public Comments**

No public comments were received on this application during the comment period.

