

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400646498

Date Received:

12/10/2014

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: <u>96155</u>	4. Contact Name: <u>Elvera Berryman</u>
2. Name of Operator: <u>WHITING OIL & GAS CORPORATION</u>	Phone: <u>(303) 390-4221</u>
3. Address: <u>1700 BROADWAY STE 2300</u>	Fax: <u>(303) 390-1598</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80290</u>	Email: <u>elvera.berryman@whiting.com</u>

5. API Number <u>05-123-38045-00</u>	6. County: <u>WELD</u>
7. Well Name: <u>Razor Federal</u>	Well Number: <u>26J-3512B</u>
8. Location: QtrQtr: <u>NWSE</u> Section: <u>26</u> Township: <u>10N</u> Range: <u>58W</u> Meridian: <u>6</u>	
9. Field Name: <u>DJ HORIZONTAL NIOBRARA</u> Field Code: <u>16950</u>	

Completed Interval

FORMATION: NIOBRARA Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 07/29/2014 End Date: 08/04/2014 Date of First Production this formation: 08/26/2014
Perforations Top: 6218 Bottom: 12252 No. Holes: 1440 Hole size: 3/8

Provide a brief summary of the formation treatment: Open Hole:

40 stage Clearstar 30 XL Gel 71665 bbl; 30# Linear Gel 13487 bbl; Slickwater 25841 bbl; 15% HCl 391 bbl. Proppant: 20/40 White Sand: 5426210 lb; 40/70 White Sand: 137690 lb.

This formation is commingled with another formation: Yes No

Total fluid used in treatment (bbl): 111384 Max pressure during treatment (psi): 7671

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.33

Type of gas used in treatment: Min frac gradient (psi/ft): 0.83

Total acid used in treatment (bbl): 391 Number of staged intervals: 40

Recycled water used in treatment (bbl): 0 Flowback volume recovered (bbl): 15574

Fresh water used in treatment (bbl): 110993 Disposition method for flowback: DISPOSAL

Total proppant used (lbs): 5563900 Rule 805 green completion techniques were utilized:

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 10/08/2014 Hours: 24 Bbl oil: 605 Mcf Gas: 140 Bbl H2O: 368

Calculated 24 hour rate: Bbl oil: 605 Mcf Gas: 140 Bbl H2O: 368 GOR: 231

Test Method: Separator Casing PSI: 925 Tubing PSI: 600 Choke Size: 26/64

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1414 API Gravity Oil: 34

Tubing Size: 2 + 7/8 Tubing Setting Depth: 5743 Tbg setting date: 08/27/2014 Packer Depth: 5743

Reason for Non-Production:

Date formation Abandoned: Squeeze: Yes No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Elvera Berryman

Title: Engineering Technician Date: 12/10/2014 Email: elvera.berryman@whiting.com

Attachment Check List

Att Doc Num	Name
400646498	FORM 5A SUBMITTED
400748868	WELLBORE DIAGRAM

Total Attach: 2 Files

General Comments

User Group

Comment

Comment Date

		Stamp Upon Approval
--	--	---------------------

Total: 0 comment(s)