

FORM
42
Rev
03/15

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



OGCC RECEPTION
Receive Date:
09/15/2017
Document Number:
401404790

FIELD OPERATIONS NOTICE

The Form 42 shall be submitted as required by Rule, Notice to Operators, Policy, or Condition of Approval. A Form 42 Update shall be submitted to revise the scheduled date or time on a previous Form 42 - Advance Notice of Field Operations. A Form 42 Update must be for the same well, location, or facility and for the same Field Operation as a previous Form 42. NOTE: Operator's Contact for Advance Notices of Field Operations should be available 24 hours a day, 7 days a week and should have the most current scheduling information for the operation. Operator's Contact for other notices should be able to respond to questions regarding the reported information.

Update of a previous Form 42 Notice NO

Entity Information

OGCC Operator Number: 47120 Contact Person: KRISTINA GENO
Company Name: KERR MCGEE OIL & GAS ONSHORE LP Phone: (720) 929-6824
Address: P O BOX 173779 Fax: ()
City: DENVER State: CO Zip: 80217-3779 Email: kristina.geno@anadarko.com

API #: 05 - 123 - 20289 - 00 Facility ID: _____ Location ID: _____
Facility Name: FOSTER RIDGE 1-27A (HSR) 1-27A Submit By Other Operator
Sec: 27 Twp: 3N Range: 68W QtrQtr: SWNE Lat: 40.199960 Long: -104.987570

NOTICE OF HIGH BRADENHEAD PRESSURE DURING STIMULATION – Notify within 24 hours when bradenhead pressure increases more than 200 psig during stimulation. This satisfies Rule 341 verbal notification requirements. Submit a follow-up Form 4 within 15 days.

Date of High Bradenhead Pressure: 09/14/2017 Time: 11:45 (HH:MM)
Starting BrHd pressure: 0 psig Highest BrHd pressure: 502 psig Was this well being stimulated?

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct and complete.
Print Name: KRISTINA GENO Email: kristina.geno@anadarko.com
Signature: _____ Title: REGULATORY ANALYST Date: 09/15/2017