

<b>FORM 5A</b> Rev 06/12	<b>State of Colorado</b> <b>Oil and Gas Conservation Commission</b> 1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:25%;">DE</td> <td style="width:25%;">ET</td> <td style="width:25%;">OE</td> <td style="width:25%;">ES</td> </tr> </table>	DE	ET	OE	ES
DE	ET	OE	ES				
<b>COMPLETED INTERVAL REPORT</b>			Document Number: 401381240  Date Received:				
The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.							

1. OGCC Operator Number: <u>10633</u> 2. Name of Operator: <u>CRESTONE PEAK RESOURCES OPERATING LLC</u> 3. Address: <u>1801 CALIFORNIA STREET #2500</u> City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	4. Contact Name: <u>Toby Sachen</u> Phone: <u>(729) 410-8536</u> Fax: _____ Email: <u>toby.sachen@crestonepr.com</u>
---	---

5. API Number <u>05-123-39246-00</u> 7. Well Name: <u>Woolley Sosa</u> 8. Location: QtrQtr: <u>SWNW</u> Section: <u>7</u> Township: <u>1N</u> Range: <u>68W</u> Meridian: <u>6</u> 9. Field Name: <u>WATTENBERG</u> Field Code: <u>90750</u>	6. County: <u>WELD</u> Well Number: <u>2G-7H-E168</u>
---	--

**Completed Interval**

FORMATION: <u>CARLILE</u>	Status: <u>COMMINGLED</u>	Treatment Type: _____
Treatment Date: _____	End Date: _____	Date of First Production this formation: _____
Perforations Top: <u>12783</u>	Bottom: <u>12834</u>	No. Holes: <u>648</u> Hole size: <u>41/100</u>
Provide a brief summary of the formation treatment:		Open Hole: <input type="checkbox"/>

Perfs: 12783-12834

This formation is commingled with another formation:     Yes     No

Total fluid used in treatment (bbl): _____	Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____	Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____	Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____	Number of staged intervals: _____
Recycled water used in treatment (bbl): _____	Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____	Disposition method for flowback: _____
Total proppant used (lbs): _____	Rule 805 green completion techniques were utilized: <input type="checkbox"/>

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____
Calculated 24 hour rate:	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____	
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____	
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____	

Reason for Non-Production:

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes     No    If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_    \*\* Sacks cement on top: \_\_\_\_\_    \*\* Wireline and Cement Job Summary must be attached.

FORMATION: CODELL Status: COMMINGLED Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: 8993 Bottom: 15964 No. Holes: 648 Hole size: 41/100

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

Perfs: 8993-11916, 12520-12734, 12880-15314, 15499-15964

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: FORT HAYS Status: COMMINGLED Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: 8658 Bottom: 15498 No. Holes: 648 Hole size: 41/100

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

Perfs: 8658-8897, 11917-12099, 12183-12467, 15363-15498

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA Status: COMMINGLED Treatment Type: \_\_\_\_\_

Treatment Date: \_\_\_\_\_ End Date: \_\_\_\_\_ Date of First Production this formation: \_\_\_\_\_

Perforations Top: 8180 Bottom: 12182 No. Holes: 648 Hole size: 41/100

Provide a brief summary of the formation treatment: \_\_\_\_\_ Open Hole:

Perfs: 8180-8312, 12100-12182

This formation is commingled with another formation:  Yes  No

Total fluid used in treatment (bbl): \_\_\_\_\_ Max pressure during treatment (psi): \_\_\_\_\_

Total gas used in treatment (mcf): \_\_\_\_\_ Fluid density at initial fracture (lbs/gal): \_\_\_\_\_

Type of gas used in treatment: \_\_\_\_\_ Min frac gradient (psi/ft): \_\_\_\_\_

Total acid used in treatment (bbl): \_\_\_\_\_ Number of staged intervals: \_\_\_\_\_

Recycled water used in treatment (bbl): \_\_\_\_\_ Flowback volume recovered (bbl): \_\_\_\_\_

Fresh water used in treatment (bbl): \_\_\_\_\_ Disposition method for flowback: \_\_\_\_\_

Total proppant used (lbs): \_\_\_\_\_ Rule 805 green completion techniques were utilized:

Reason why green completion not utilized: \_\_\_\_\_

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: \_\_\_\_\_ Hours: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_

Calculated 24 hour rate: \_\_\_\_\_ Bbl oil: \_\_\_\_\_ Mcf Gas: \_\_\_\_\_ Bbl H2O: \_\_\_\_\_ GOR: \_\_\_\_\_

Test Method: \_\_\_\_\_ Casing PSI: \_\_\_\_\_ Tubing PSI: \_\_\_\_\_ Choke Size: \_\_\_\_\_

Gas Disposition: \_\_\_\_\_ Gas Type: \_\_\_\_\_ Btu Gas: \_\_\_\_\_ API Gravity Oil: \_\_\_\_\_

Tubing Size: \_\_\_\_\_ Tubing Setting Depth: \_\_\_\_\_ Tbg setting date: \_\_\_\_\_ Packer Depth: \_\_\_\_\_

Reason for Non-Production: \_\_\_\_\_

Date formation Abandoned: \_\_\_\_\_ Squeeze:  Yes  No If yes, number of sacks cmt \_\_\_\_\_

\*\* Bridge Plug Depth: \_\_\_\_\_ \*\* Sacks cement on top: \_\_\_\_\_ \*\* Wireline and Cement Job Summary must be attached.

FORMATION: NIOBRARA-FORT HAYS-CODELL-CARLILE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 05/07/2017 End Date: 06/04/2017 Date of First Production this formation: 07/27/2017  
Perforations Top: 8180 Bottom: 15964 No. Holes: 648 Hole size: 41/100

Provide a brief summary of the formation treatment: Open Hole:   
180034 bbl water, 178 bbl additives (FRP-4K, ACI-97 and ASF-67) and 60 bbl HCl in a 28 stage frac with 4442940 lb of silica quartz proppant

This formation is commingled with another formation:  Yes  No  
Total fluid used in treatment (bbl): 180272 Max pressure during treatment (psi): 8589  
Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.30  
Type of gas used in treatment: Min frac gradient (psi/ft): 0.83  
Total acid used in treatment (bbl): 60 Number of staged intervals: 28  
Recycled water used in treatment (bbl): Flowback volume recovered (bbl): 15071  
Fresh water used in treatment (bbl): 180212 Disposition method for flowback: DISPOSAL  
Total proppant used (lbs): 4442940 Rule 805 green completion techniques were utilized:   
Reason why green completion not utilized:

**Fracture stimulations must be reported on FracFocus.org**

**Test Information:**

Date: 07/31/2017 Hours: 24 Bbl oil: 20 Mcf Gas: 63 Bbl H2O: 21  
Calculated 24 hour rate: Bbl oil: 20 Mcf Gas: 63 Bbl H2O: 21 GOR: 3150  
Test Method: flowing Casing PSI: 2250 Tubing PSI: Choke Size: 12/64  
Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1298 API Gravity Oil: 50  
Tubing Size: 2 + 3/8 Tubing Setting Depth: 8004 Tbg setting date: 08/06/2017 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze:  Yes  No If yes, number of sacks cmt

\*\* Bridge Plug Depth: \*\* Sacks cement on top: \*\* Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Toby Sachen  
Title: contractor Date: Email toby.sachen@crestonepr.com

**Attachment Check List**

Att Doc Num	Name

Total Attach: 0 Files

**General Comments**

User Group	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)