

**Fwd: Supplemental Spill Report #451653**

1 message

Hughes - DNR, Jim <jimo.hughes@state.co.us>

Mon, Sep 18, 2017 at 11:13 AM

To: OGCC EnviroScan - DNR <dnr_ogcc.enviroscan@state.co.us>, Alex Fischer - DNR <alex.fischer@state.co.us>

Scanning Work Request:

Please upload this e mail as follows:

Document Name(s)	Spill #451653 operator correspondence	
Document Number	(leave blank if not already assigned)	
Date Received	9/18/17	
Is data entry needed?	N	
Indexing Information	Unique ID Type	Unique ID Number
First	API	067-08293
Second	Location ID	325074
Third	Spill ID	451653
Additional Instructions	Please upload e mail to referenced IDs	

Thanks!

Jim Hughes

Environmental Protection Specialist

**COLORADO**Oil & Gas Conservation
Commission

Department of Natural Resources

P 970.884.0491 C 970.903.4072

P.O. Box 4453 Durango, Colorado 81302

jimo.hughes@state.co.us | www.colorado.gov/cogcc

----- Forwarded message -----

From: **Moskal, Steven** <Steven.Moskal@bp.com>

Date: Mon, Sep 18, 2017 at 9:35 AM

Subject: RE: Supplemental Spill Report #451653

To: "Hughes - DNR, Jim" <jimo.hughes@state.co.us>

Cc: Alex Fischer - DNR <alex.fischer@state.co.us>, "Hawk, Andrew G" <Andrew.Hawk@bp.com>

Jim,

BP will collect another sample for arsenic further off pad. I believe the background sample with low arsenic could have been from imported material. I will update once the results become available.

Thank you,

Steve Moskal

BP Lower 48 – San Juan

Field Environmental Coordinator

Phone: (505) 330-9179



This email and any attachments are intended only for the addressee(s) listed above and may contain confidential, proprietary, and/or privileged information. If you are not an intended recipient, please immediately advise the sender by return email, delete this email and any attachments, and destroy any copies of same. Any unauthorized review, use, copying disclosure or distribution of this email and any attachments is prohibited.

From: Hughes - DNR, Jim [<mailto:jimo.hughes@state.co.us>]

Sent: Friday, September 15, 2017 3:01 PM

To: Moskal, Steven

Cc: Alex Fischer - DNR

Subject: Supplemental Spill Report #451653

Steven,

I have returned this document (401402171) to draft because the arsenic level of the stockpiled material is in exceedance of Table 910-1 standards and the background level is below detection limits.

BP will either need to collect additional background samples to be analyzed for arsenic, or defend their closure request with Table 910-1 exceedances.

Thanks,

Jim Hughes

Environmental Protection Specialist

[Redacted Signature]

P 970.884.0491 C 970.903.4072

P.O. Box 4453 Durango, Colorado 81302

jimo.hughes@state.co.us | www.colorado.gov/cogcc