

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>401421287</b>			
Date Received:			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10459 Contact Name Alyssa Andrews  
 Name of Operator: EXTRACTION OIL & GAS INC Phone: (720) 481-2379  
 Address: 370 17TH STREET SUITE 5300 Fax: ( )  
 City: DENVER State: CO Zip: 80202 Email: aandrews@extractionog.com

Complete the Attachment  
Checklist  
  
OP OGCC

API Number : 05- 001 10013 00 OGCC Facility ID Number: 449929  
 Well/Facility Name: ALMA 1S-66-2524 Well/Facility Number: 5NH  
 Location QtrQtr: SWSE Section: 25 Township: 1S Range: 66W Meridian: 6  
 County: ADAMS Field Name: WATTENBERG  
 Federal, Indian or State Lease Number: \_\_\_\_\_

Survey Plat		
Directional Survey		
Srfc Eqpmt Diagram		
Technical Info Page		
Other		

**CHANGE OF LOCATION OR AS BUILT GPS REPORT**

- Change of Location \*       As-Built GPS Location Report       As-Built GPS Location Report with Survey

\* Well location change requires new plat. A substantive surface location change may require new Form 2A.

**SURFACE LOCATION GPS DATA** Data must be provided for Change of Surface Location and As Built Reports.

Latitude 39.929910 PDOP Reading 2.4 Date of Measurement 07/14/2017  
 Longitude -104.721450 GPS Instrument Operator's Name D. BRANDON

**LOCATION CHANGE (all measurements in Feet)**

Well will be: HORIZONTAL (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From** Exterior Section Lines:

Change of **Surface** Footage **To** Exterior Section Lines:

Current **Surface** Location **From** QtrQtr SWSE Sec 25

New **Surface** Location **To** QtrQtr SWSE Sec 25

Change of **Top of Productive Zone** Footage **From** Exterior Section Lines:

Change of **Top of Productive Zone** Footage **To** Exterior Section Lines:

Current **Top of Productive Zone** Location **From** Sec 25

New **Top of Productive Zone** Location **To** Sec 25

Change of **Bottomhole** Footage **From** Exterior Section Lines:

Change of **Bottomhole** Footage **To** Exterior Section Lines:

Current **Bottomhole** Location Sec 24 Twp 1S

New **Bottomhole** Location Sec 24 Twp 1S

Is location in High Density Area? \_\_\_\_\_

Distance, in feet, to nearest building 1536, public road: 376, above ground utility: 350, railroad: 5280,

property line: 347, lease line: 0, well in same formation: \_\_\_\_\_

Ground Elevation 5180 feet Surface owner consultation date \_\_\_\_\_

FNL/FSL		FEL/FWL	
<u>337</u>	<u>FSL</u>	<u>1904</u>	<u>FEL</u>
<u>387</u>	<u>FSL</u>	<u>1926</u>	<u>FEL</u>
Twp <u>1S</u>	Range <u>66W</u>	Meridian <u>6</u>	
Twp <u>1S</u>	Range <u>66W</u>	Meridian <u>6</u>	
<u>70</u>	<u>FSL</u>	<u>1215</u>	<u>FEL</u>
<u>70</u>	<u>FSL</u>	<u>770</u>	<u>FEL</u> **
Twp <u>1S</u>	Range <u>66W</u>		
Twp <u>1S</u>	Range <u>66W</u>		
<u>2160</u>	<u>FSL</u>	<u>1160</u>	<u>FEL</u>
<u>2160</u>	<u>FSL</u>	<u>770</u>	<u>FEL</u> **

\*\* attach deviated drilling plan

**CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT**

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>
NIOBRARA	NBRR		280	GWA

**OTHER CHANGES**

**REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment

**CHANGE OF WELL, FACILITY OR OIL & GAS LOCATION NAME OR NUMBER**

From: Name ALMA 1S-66-2524 Number 5NH Effective Date: \_\_\_\_\_

To: Name \_\_\_\_\_ Number \_\_\_\_\_

**ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**

WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.

PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 905)

CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 908)

OIL & GAS LOCATION ID Number: \_\_\_\_\_

Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

**REQUEST FOR CONFIDENTIAL STATUS**

**DIGITAL WELL LOG UPLOAD**

**DOCUMENTS SUBMITTED** Purpose of Submission: \_\_\_\_\_

**RECLAMATION**

**INTERIM RECLAMATION**

Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

**FINAL RECLAMATION**

Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

**ENGINEERING AND ENVIRONMENTAL WORK**

NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below or provide as an attachment, as required by Rule 319.b.(3).

Date well temporarily abandoned \_\_\_\_\_ Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required if shut in longer than 2 years. Date of last MIT \_\_\_\_\_

SPUD DATE: \_\_\_\_\_

**TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK**

Details of work must be described in full in the COMMENTS below or provided as an attachment.

NOTICE OF INTENT Approximate Start Date 01/01/2018

REPORT OF WORK DONE Date Work Completed \_\_\_\_\_

<input type="checkbox"/> Intent to Recomplete (Form 2 also required)	<input type="checkbox"/> Request to Vent or Flare	<input type="checkbox"/> E&P Waste Mangement Plan
<input checked="" type="checkbox"/> Change Drilling Plan	<input type="checkbox"/> Repair Well	<input type="checkbox"/> Beneficial Reuse of E&P Waste
<input type="checkbox"/> Gross Interval Change	<input type="checkbox"/> Rule 502 variance requested. Must provide detailed info regarding request.	
<input type="checkbox"/> Other _____	<input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases	

**COMMENTS:**

- The SHL has moved 50' south and 22' west to allow more room for the drilling rig and to consolidate the pad after dropping wells
- Top of production & BHL footages changing
- Casing program changed to monobore casing. No wells are within 150'.
- All wells were previously evaluated and the new configuration does not change that evaluation

**CASING AND CEMENTING CHANGES**

Casing Type	Size	Of	/	Hole	Size	Of	/	Casing	Wt/Ft	Csg/LinTop	Setting Depth	Sacks of Cement	Cement Bottom	Cement Top
Conductor Casing	24				16				42	0	80	100	80	0
Surface String	12	1		4	9	5		8	36	0	1500	400	1500	0
First String	8	1		2	5	1		2	20	0	15364	2020	15364	1500

**H2S REPORTING**

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

### **Best Management Practices**

<b>No</b>	<b>BMP/COA Type</b>	<b>Description</b>
5	Drilling/Completion Operations	317.p One of the first wells drilled on the pad will be logged with open-hole Resistivity Log and Gamma Ray Log from the kick-off point into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs shall clearly state "No open-hole logs were run" and shall clearly identify (by API#, well name & number) the well in which open-hole logs were run.
5	Drilling/Completion Operations	Anti-collision: Operator will perform an anti-collision evaluation of all active (producing, shut in, or temporarily abandoned) offset wellbores that have the potential of being within 150 feet of a proposed well prior to drilling operations for the proposed well. Notice shall be given to all offset operators prior to drilling.
5	Drilling/Completion Operations	Operator acknowledges and will comply with COGCC policy for Bradenhead Monitoring during Hydraulic Fracturing treatments in the Greater Wattenberg Area dated May 29, 2012.

Total: 3 comment(s)

**Operator Comments:**

- The SHL has moved 50' south and 22' west to allow more room for the drilling rig and to consolidate the pad after dropping wells
- Top of production & BHL footages changing
- Casing program changed to monobore casing. No wells are within 150'.
- All wells were previously evaluated and the new configuration does not change that evaluation
- The PSU has changed. 30 days have passed and one objection was received from Grizzly Petroleum Company LLC and was withdrawn on 10/5/2017. New PSU:  
 Sec. 24-1S-66W: E/2SE/4  
 Sec. 25-1S-66W: E/2E/2  
 Sec. 36-1S-66W: NE/4NE/4

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Alyssa Andrews  
 Title: Regulatory Analyst Email: aandrews@extractionog.com Date: \_\_\_\_\_

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

**CONDITIONS OF APPROVAL, IF ANY:**

<b><u>COA Type</u></b>	<b><u>Description</u></b>

**General Comments**

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
		Stamp Upon Approval

Total: 0 comment(s)

**Attachment Check List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
401421288	DIRECTIONAL DATA
401421292	WELL LOCATION PLAT
401421293	DEVIATED DRILLING PLAN
401422621	PROPOSED SPACING UNIT

Total Attach: 4 Files