

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203

Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>401429074</div>			
Date Received:			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 100322	Contact Name Julie Webb	Complete the Attachment Checklist
Name of Operator: NOBLE ENERGY INC	Phone: (720) 587-2223	
Address: 1625 BROADWAY STE 2200	Fax: ()	
City: DENVER State: CO Zip: 80202	Email: jwebb@progressivepcs.net	
API Number : 05- 123 44839 00	OGCC Facility ID Number: 450617	Survey Plat
Well/Facility Name: Waste Management	Well/Facility Number: Y23-784	Directional Survey
Location QtrQtr: NWNW Section: 11 Township: 2N Range: 64W Meridian: 6		Srvc Eqpmt Diagram
County: WELD Field Name: WATTENBERG		Technical Info Page
Federal, Indian or State Lease Number:		Other

OP OGCC

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Number of Water Source Exceptions requested per Rule 609.c.
- Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
- The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Noble requests an exception to Rule 318.e(4) for the Waste Management Y11-29 well pad. Post cards requesting access to sample 2 qualified water wells within quarter sections within a 1/2 mile of this location were mailed to the landowner(s) on 8/10/2017. Noble has not received access to sample the water wells at this time. If Noble receives permission, a voluntary sample will be submitted after the water well had been sampled.

This exception request applies to the following wells on the pad:

WASTE MANAGEMENT Y23-784
WASTE MANAGEMENT Y23-776
WASTE MANAGEMENT Y23-768

This exception request applies to the following wells on the pad:

Operator Comments:

Signed: _____ Print Name: Julie Webb _____
Title: Senior Regulatory Analyst Email: jwebb@progressivepcs.net Date: _____

COGCC Approved: _____ Date: _____

CONDITIONS OF APPROVAL, IF ANY:	
COA Type	Description

<u>General Comments</u>		
<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
		Stamp Upon Approval
Total: 0 comment(s)		

<u>Attachment Check List</u>	
<u>Att Doc Num</u>	<u>Name</u>
401429097	OTHER
Total Attach: 1 Files	