

LEGEND:

- = 90° SYMBOL
- = PROPOSED WELLHEAD.
- = TARGET BOTTOM HOLE.
- ◇ = PRODUCTION INTERVAL.
- ▲ = SECTION CORNERS LOCATED. (NAD 83)




T3S, R65W, 6th P.M.

ConocoPhillips Company

BEAR #3-65 22-23 3AH, 3BH, 3CH & 3DH
NW 1/4 SW 1/4, SECTION 22, T3S, R65W, 6th P.M.
ADAMS COUNTY, COLORADO

BASIS OF BEARINGS
 BASIS OF BEARINGS IS A G.P.S. OBSERVATION
BASIS OF ELEVATION

BENCHMARK 374 LOCATED ON THE SECTION LINE BETWEEN SECTIONS 12 & 13, T5S, R64W, 6th. P.M., TAKEN FROM 1988 PUBLISHED DATUM BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY AS BEING 6054.61 FEET.



CERTIFICATE OF SURVEY
 THIS IS TO CERTIFY THAT THE ABOVE MAP WAS PREPARED FROM THE NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.



REV: 1 09-25-17 K.B. (SL, BPI, EPI & TBH CHANGE)

LINE TABLE

LINE	DIRECTION	LENGTH
L1	N06°24'35"W	1017.76'
L2	S88°57'25"E	135.01'
L3	N09°05'29"W	735.69'
L4	S88°57'25"E	135.01'
L5	N15°04'01"W	457.15'
L6	S88°57'25"E	135.01'
L7	N37°50'14"W	198.12'
L8	S88°57'25"E	135.01'

WELL	SURFACE LOCATION	BEGINNING PRODUCTION INTERVAL	ENDING PRODUCTION INTERVAL	TARGET BOTTOM HOLE
3AH	*1 1472' FSL 583' FWL	*2 2483' FSL 460' FWL	*3 2483' FSL 460' FEL	*4 2483' FSL 325' FEL
3BH	*5 1440' FSL 583' FWL	*6 2166' FSL 460' FWL	*7 2166' FSL 460' FEL	*8 2166' FSL 325' FEL
3CH	*9 1408' FSL 583' FWL	*10 1849' FSL 460' FWL	*11 1849' FSL 460' FEL	*12 1849' FSL 325' FEL
3DH	*13 1376' FSL 583' FWL	*14 1532' FSL 460' FWL	*15 1532' FSL 460' FEL	*16 1532' FSL 325' FEL

UINTEAH
 ENGINEERING & LAND SURVEYING

UELS, LLC
 Corporate Office * 85 South 200 East
 Vernal, UT 84078 * (435) 789-1017

SURVEYED BY	CHAD MEIERS	09-21-17	SCALE
DRAWN BY	L.C.S.	08-30-16	1" = 1000'

SECTION BREAKDOWN