KLX
Energy Services

GAMMA RAY C.C.L.
CEMENT BOND V.D.L.

Company	CRESTONE PEAK RESOURCES
Well	SHELEY 13-4
Field	WATTENBERG
County	WELD
State	COLORADO
Country	USA

Company CRESTONE PEAK RESOURCES
Well SHELEY 13-4
Field WATTENBERG
County WELD
State COLORADO Country USA

Location: API # : 05-123-20384
2180' FSL X 460' FSL
SEC 4 TWP 2N RGE 67W

Other Services
N/A

Permanent Datum	GL	Elevation 4889'	Elevation
Log Measured From	KB		K.B.
Drilling Measured From	KB		D.F.
			G.L. 4889'

Date	10-JUNE-2017
Run Number	ONE
Depth Driller	7995'
Depth Logger	7144'
Bottom Logged Interval	7132'
Top Log Interval	SURFACE
Open Hole Size	7-7/8"
Type Fluid	WATER
Density / Viscosity	8.34PPG
Max. Recorded Temp.	N/A
Estimated Cement Top	N/A
Time Well Ready	14:00
Time Logger on Bottom	17:35
Equipment Number	411468
Location	STERLING, CO
Recorded By	RANDY AZEVEDO
Witnessed By	D. SODERSTROM

Borehole Record				Tubing Record		
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String	8-5/8"	24#	SURFACE	408'
Prot. String				
Production String	4.5"	11.6#	SURFACE	7979'
Liner				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

LOG RAN AS PER CUSTOMER REQUEST
DEPTH REFERENCE TO SQUEEZE HOLES AT 4000'
LOG RAN FROM 7144' TO SURFACE
LOG RAN UNDER 0 PSI SURFACE INDUCED PRESSURE
NO DEBRIS ON TOOL UPON RETREIVAL OUT OF WELL

THANK YOU FOR CHOOSING KLX ENERGY SERVICES

KLX
Energy Services

4.5" MAIN PASS

LOG RAN WITH 0 PSI SURFACE INDUCED PRESSURE

Database File: sheley 13-4 cbl 6-10-17.db
Dataset Pathname: pass2
Presentation Format: cbldig
Dataset Creation: Sat Jun 10 17:37:58 2017 by Log Std Casedhole 10081
Charted by: Depth in Feet scaled 1:240

4.5" REPEAT SECTION

LOG RAN WITH 0 PSI SURFACE INDUCED PRESSURE

Database File: sheley 13-4 cbl 6-10-17.db
Dataset Pathname: pass1
Presentation Format: cbldig
Dataset Creation: Sat Jun 10 17:33:58 2017 by Log Std Casedhole 10081
Charted by: Depth in Feet scaled 1:240



Sensor	Offset (ft)	Schematic	Description	Len (ft)	OD (in)	Wt (lb)
			STNDRD Standard Cable Head	1.00	1.69	3.00
			PTS275	2.83	2.75	
			CBL-Digital HT (Probe 275 CBL) (080424 Probe 275 CBL HT	11.28	2.75	130.00
WVF3	13.33					
WVF5	12.33					
			PTS275	2.83	2.75	
CCL	5.42					
GR	3.75		GR-Probe275dig (080220) Probe 2.75 High Temperature	5.00	2.75	57.00
TEMP	0.17		TEMP-1.375TEMP (080714) Temperature Tool	1.25	1.38	30.00

Dataset: sheley 13-4 cbl 6-10-17.db: field/well/run1/pass2
Total Length: 24.20 ft
Total Weight: 220.00 lb
O.D. 2.75 in

Calibration Report

Database File: sheley 13-4 cbl 6-10-17.db
Dataset Pathname: pass2
Dataset Creation: Sat Jun 10 17:37:58 2017 by Log Std Casedhole 10081

Temperature Calibration Report

Serial Number: 080714
Tool Model: 1.375TEMP
Performed: Tue Sep 01 11:41:35 2015

	Reference		Reading	
Low Reference:	0.00	degF	0.00	cps
High Reference:	100.00	degF	1000.00	cps

Gain: 0.33
Offset: 0.00
Delta Spacing 2

Gamma Ray Calibration Report

Gamma Ray Calibration Report

Type / Serial: Probe275dig / 080220

SHOP CALIBRATION

Sat Jun 10 17:41:43 2017

	Counts/Sec.	Gain	Offset	Jig	Units
Background	0.0				cps
Calibrator	1.0				cps
		1.0000			GAPI/cps

PRIMARY VERIFICATION

Background	0.0				cps
Calibrator	0.0				cps
Difference				0.0	GAPI

BEFORE SURVEY VERIFICATION

Background	0.0				cps
Calibrator	0.0				cps
Difference				0.0	GAPI

AFTER SURVEY VERIFICATION

Background	0.0				cps
Calibrator	0.0				cps
Difference				0.0	GAPI

Cement Bond Log Calibration Report

Serial Number: 080424
Tool Model: Digital HT (Probe 275 CBL)
Performed: Sat Jun 10 17:31:00 2017

Depth:	5178.9	ft
Casing Diameter:	4.5	in

	3' Spacing	5' Spacing	
Signal Zero:	0.8	0.8	mV
Calibrated Amplitude:	81.1961	81.1961	mV
Reading at Signal Zero:	-0.00993652	0.00324707	V
Reading in Free Pipe:	0.984009	0.947607	V
Gain:	80.8858	85.1329	
Offset:	1.60372	0.523568	

KLX Energy Services

Company	CRESTONE PEAK RESOURCES		
Well	SHELEY 13-4		
Field	WATTENBERG		
County	WELD		
State	COLORADO	Country	USA