



October 25, 2017

Matt Lepore
Director, Colorado Oil and Gas Conservation Commission
Department of Natural Resources
The Chancery Building
1120 Lincoln Street, Suite 801
Denver, CO 80203

Re: Request for Exception to Rule 317.p

Boomerang Pad

1. Boomerang 25N-3B-L - Sec. 5-T5N-R66W NENW Doc# 401255412
2. Boomerang 25N-3A-L - Sec. 5-T5N-R66W NENW Doc# 401255441
3. Boomerang 32N-6B-M - Sec. 5-T5N-R66W NENW Doc# 401255446
4. Boomerang 32C-6-M - Sec. 5-T5N-R66W NENW Doc# 401255452
5. Boomerang 32N-6C-M - Sec. 5-T5N-R66W NENW Doc# 401255460
6. Boomerang 12N-6B-M - Sec. 5-T5N-R66W NENW Doc# 401245647
7. Boomerang 12C-6-M - Sec. 5-T5N-R66W NENW Doc# 401245609
8. Boomerang 33N-6C-M - Sec. 5-T5N-R66W NENW Doc# 401255494
9. Boomerang 33C-6-M - Sec. 5-T5N-R66W NENW Doc# 401255508
10. Boomerang 13N-6B-M - Sec. 5-T5N-R66W NENW Doc# 401255483
11. Boomerang 13C-6-M - Sec. 5-T5N-R66W NENW Doc# 401245723
12. Boomerang 34N-6A-M - Sec. 5-T5N-R66W NENW Doc# 401253408
13. Boomerang 34C-6-M - Sec. 5-T5N-R66W NENW Doc# 401255190
14. Boomerang 34N-6C-M - Sec. 5-T5N-R66W NENW Doc# 401255283
15. Boomerang 28N-3A-L - Sec. 5-T5N-R66W NENW Doc# 401255325
16. Boomerang 28C-3-L - Sec. 5-T5N-R66W NENW Doc# 401255395

Boomerang 21-5 Pad: NENW Section 5, Township 5 North, Range 66 West
Weld County, Colorado

Dear Director Lepore:

SRC Energy Inc.(SRC) respectfully requests approval for an Open Hole Logging Exception to Rule 317.p. The above-named wells are requested to be exempt from this requirement due to the proximity of existing well(s) with acceptable petrophysical logs that adequately describes the stratigraphy of the wellbore, adequately verifies surface casing setting depth, and adequately verifies any aquifer coverage. The existing wells listed in the table below have log(s) which meet the offsetting well surface-hole distance and bearing requirements.

Well Name	Well Number	API Number	Distance From Well(s)	Azimuth (Degrees)	Log Type/Types	Log Type Document Number
Wiedeman	6-5	05.123.32052	942'	276°	Dual Induction/GR	1291455

Wiedeman	A-5-3-NBHZ	05.123.40064	505'	90°	Dual Induction/GR	401347571
----------	------------	--------------	------	-----	-------------------	-----------

One of the first wells drilled on this multi-well location will be logged with a cased-hole pulsed neutron, gamma ray, and cement bond log from kick-off point into the surface casing. The other wells on this multi-well location will be logged with only a cement bond and cased-hole gamma ray log from the kick-off point into the surface casing. The Drilling Completion Report (Form 5) submitted for each well will indicate that no open-hole logs were run. Should you have any question, please feel to contact me at (720) 616-4319.

Sincerely,

SRC Resources Corporation

Erin Ekblad

Erin Ekblad
Manager of Regulatory Affairs