

**From:** [Diane McCoy - DNR](#)  
**To:** [Frantz, Sabrina](#)  
**Cc:** [Cooke, John](#); [Burn, Diana \(Diana.Burn@state.co.us\)](#); [Lutkin, Mike](#); [Jobe, Don](#); [Light, Cheryl](#); [Green, Doreen](#); [Jenkins - DNR, Steve](#)  
**Subject:** Re: Request for Form 6 Extensions 2  
**Date:** Friday, June 23, 2017 2:21:37 PM  
**Attachments:** [image003.jpg](#)  
[image003.jpg](#)  
[image005.jpg](#)  
[image004.jpg](#)  
[image006.png](#)

**CAUTION:** This message originated from a source external to Anadarko. Do not click on any links or open attachments unless you recognize or have verified the sender and trust the content. Report suspicious email to [ITSecurity@anadarko.com](mailto:ITSecurity@anadarko.com).

I've made a note for each well listed below to extend the Form 6 Intent to August 31, 2017. For each conduct another Form 17 prior to plugging. If the beginning pressure is greater than 25 psi, or if pressure remains at the conclusion of the test, or if any liquids were present contact COGCC Engineer for sampling requirements. The Form 17 shall be submitted within 10 days of the test.

The Sarchet 33-10J7 and the Baldwin 1-4A have Form 42s in the file for 48-hour plugging notice. Please update those notices if necessary.

Thanks,

Diane McCoy  
Engineer




1120 Lincoln Street, Suite 801, Denver, CO 80203  
[303.894.2100 x5114](tel:303.894.2100)  
[Diane.McCoy@state.co.us](mailto:Diane.McCoy@state.co.us) | [www.colorado.gov/cogcc](http://www.colorado.gov/cogcc)

On Wed, Jun 21, 2017 at 3:24 PM, Frantz, Sabrina <[Sabrina.Frantz@anadarko.com](mailto:Sabrina.Frantz@anadarko.com)> wrote:

Good Afternoon Diane, I would like to request Form 6 extensions on the following wells till the end of August.

I have been working them through the internal approval process and some surface land constraints which is the cause of the delay in completing the P&A prior to the expiration.

Thank you very much for your help.



*Sabrina Frantz*

*Staff Engineering Tech.*

*Platteville, CO Office*

☎ [\(970\) 388-1139](tel:9703881139) (Cell)

☎ [\(970\) 515-1141](tel:9705151141) (Office)

☎ [X41141](tel:X41141) (Direct)

Email: [Sabrina.Frantz@anadarko.com](mailto:Sabrina.Frantz@anadarko.com)



**GWA VWP Logo**



[Click here for Anadarko's Electronic Mail Disclaimer](#)