



September 28, 2017

Noble Energy
 1625 Broadway Suite 2200
 Denver, CO 80202

RECEIVED
 SEP 28 2017

RE: Rule 317.r. & 317.s.
 Troudt 18-27 Pad: NENW Sec 27 -T6N-R66W
 Weld County, Colorado

1. Troudt 21N-29A-L
2. Troudt 2N-29B-L
3. Troudt 2N-29C-L
4. Troudt 7C-29-L
5. Troudt 7N-29B-L

Ladies and Gentlemen,

SRC Energy Inc. (SRC) is applying for the above permits to drill the captioned horizontal wells. Pursuant to Rule 317.r, you are provided notice of a wellbore lying within one hundred fifty (150) feet of the existing active well cited below. An operator will perform an anti-collision evaluation of all active (producing, shut in, or temporarily abandoned) offset wellbores that have the potential of being within 150 feet of a proposed well prior to drilling operations for the proposed well. Notice shall be given to all offset operators prior to drilling.

Additionally, pursuant to Rule 317.s, no portion of a proposed wellbore's treated interval shall be located within one hundred fifty (150) feet of an existing (producing, shut-in, or temporarily abandoned) or permitted oil and gas wellbore's treated interval belonging to another operator without the signed written consent of the operator of the encroached upon wellbore. As currently planned, the following well(s) operated by Noble Energy have treated intervals that lie within one hundred fifty (150) feet of the horizontal lateral of the captioned wells that SRC is proposing.

Well Name	Offset Well Name	Operator	DIR TPZ	Closest Distance (Productive Interval)	at MD	Closest Distance (Entire Well)	at MD
Troudt 21N-29A-L	Swanson 28-23	Noble	7230	143	13239	143	13239
	Knaus 28-8	Noble	7230	128	8907	128	8907
Troudt 2N-29B-L	Swanson 28-21	Noble	7467	79	11967	79	11967
	Swanson 28-22	Noble	7467	105	13429	105	13429
	Croissant 27-4G6	Noble	7467	77	8077	77	8077
	Knaus D 1-28	Noble	7467	99	9493	99	9493
Troudt 2N-29C-L	Goetzl I 29-2	Noble	7578	68	16127	68	16127
Troudt 7C-29-L	Swanson 28-24	Noble	7517	76	11870	76	11870
	Swanson 28-23	Noble	7517	107	13524	107	13524
	Knaus 28-	Noble	7517	94	9190	94	9190



SRC ENERGY

	8						
	Croissant						
	1-27	Noble	7517	144	8048	144	8048
	Goetzel 1-						
	29	Noble	7329	46	15858	46	15858
Troudt	Swanson						
7N-29B-L	29-14	Noble	7329	99	14668	99	14668
	Croissant						
	1-27	Noble	7329	75	7857	75	7857

If Noble Energy is in agreement to waive Rule 317.s, please sign this consent form in the space provided below and return one original copy to the undersigned.

Sincerely,

Erin Ekblad

Erin Ekblad
Manager Regulatory Affairs
SRC Energy



SRC ENERGY

RE: Rule 317.r. & 317.s.
Troutd 18-27 Pad: NENW Sec 27 -T6N-R66W
Weld County, Colorado

1. Troutd 21N-29A-L
2. Troutd 2N-29B-L
3. Troutd 2N-29C-L
4. Troutd 7C-29-L
5. Troutd 7N-29B-L

As an Operator of the above referenced well (s) lying within one hundred fifty (150) feet of the treated interval portion of the above captioned well, Noble Energy hereby waives the one hundred fifty (150) foot minimum stimulation setback distance as specified in COGCC Rule 317.s.

Accepted and agreed to this 26 day of October, 2017.

Noble Energy

Mari S. Gillman

3PB

(Please sign above)

By: *Mari S. Gillman*

Title: *Land Manager*

Signed _____ this _____ day of _____,
2017