

STATE OF
COLORADO

Andrews - DNR, Doug <doug.andrews@state.co.us>

COGCC Form 2A review of Bayswater Exploration's G&D Hanks 27-N Pad location - Doc #401417790

2 messages

Andrews - DNR, Doug <doug.andrews@state.co.us>

Wed, Nov 15, 2017 at 1:39 PM

To: "Mark E. Brown" <MBrown@bayswater.us>, Regulatory Team <regulatory@ascentgeomatics.com>

Mark,

I have reviewed the referenced Form 2A Oil & Gas Location Assessment and have the following comments.

- 1) In the Facilities section Bayswater has indicated this proposed new Oil & Gas Location will have 19 wells, 5 water tanks, and 20 separators. The Facility Layout Drawing depicts only 16 wells, 2 water tanks, and 17 separators. Please confirm the number of proposed wells, water tanks, and separators.
- 2) The Siting Rationale provided in the Cultural Setback Distance section includes a statement indicating "*Additional justification is attached as siting rationale.*" However, no additional Siting Rationale justification was attached to the Form 2A. Please send me this attachment and I will add it to the Form 2A.

Please respond to this correspondence by December 15, 2017. If you have any questions, please contact me. Thank you.

Doug Andrews

Oil & Gas Location Assessment Specialist - Northeast Colorado

**COLORADO**
Oil & Gas Conservation
Commission
Department of Natural Resources

303.894.2100 Ext. 5180

1120 Lincoln St., Suite 801, Denver, CO 80203

doug.andrews@state.co.us | <http://cogcc.state.co.us/>**Ann Feldman** <afeldman@ascentgeomatics.com>

Wed, Nov 15, 2017 at 1:54 PM

To: "Andrews - DNR, Doug" <doug.andrews@state.co.us>, "Mark E. Brown" <MBrown@bayswater.us>, Ann Feldman <afeldman@ascentgeomatics.com>, Justin Garrett <jgarrett@ascentgeomatics.com>, Kristi McRedmond <kmcredmond@ascentgeomatics.com>

Hi Doug,

Our apologies for the confusion on the equipment counts; we inadvertently included the existing facilities on the 2A. The Facility Layout is correct: 16 wells, 18 oil tanks, 2 water tanks, 17 separators.

Attached please find the Siting Rationale titled Justification, to be added to the Form 2A.

Many thanks for your guidance.

Best,

a

Ann Feldman

Regulatory Manager

Ascent Geomatics Solutions (Formerly PFS)

7535 Hilltop Circle

Denver, Colorado 80221

Office: 303-928-7128

Fax: 303-218-5678

TBPLS Firm Registration No. 10194000



Please follow us on Social Media!



Confidentiality Notice: This e-mail message and attachments are only for the use of the intended recipient and may contain information that is privileged, confidential or exempt from disclosure under applicable law. If you are not the intended recipient, any disclosure, distribution or other use of this e-mail message or attachments is prohibited. If you have received this e-mail in error, please delete and notify the sender immediately. In addition, please be aware that any messages addressed to our domain are subject to archiving and review by persons other than the intended recipient.

From: Andrews - DNR, Doug [mailto:doug.andrews@state.co.us]

Sent: Wednesday, November 15, 2017 1:39 PM

To: Mark E. Brown; Regulatory

Subject: COGCC Form 2A review of Bayswater Exploration's G&D Hanks 27-N Pad location - Doc #401417790

[Quoted text hidden]

 **G&D Hanks Pad Justification.pdf**
119K