



**dig**  
Dolan Integration Group

## Geochemistry for Energy

1317 West 121<sup>st</sup> Ave  
Westminster, CO 80234  
p: 303.531.2030

facility 755652  
project 10243

### **Water Stable Isotopes Data and Interpretation**

**Job #:** 17060967  
**Lab #:** DIG-011356  
**Client:** ALS  
**Project Name:** 755652 Coalview

The analytical results, opinions, or interpretations contained in this report are based upon information and material supplied by the client for whose exclusive and confidential use this report has been made. The analytical results, opinions, or interpretations expressed represent the best judgment of Dolan Integration Group based on its experience, but any interpretation of test or other data, and any recommendation(s) based upon such interpretations, are opinions based upon inferences from measurements and empirical relationships and assumptions which are not infallible, and with respect to which professional engineers and analysts may differ. Accordingly, Dolan Integration Group makes no warranty or representation, expressed or implied, of any type, and expressly disclaims same as to the productivity, proper operations, or profitability of any oil, gas, coal, or other mineral, property, well, or sand in connection with which such report is used or relied upon for any reason whatsoever. This report shall not be reproduced, in whole or in part, without the written approval of Dolan Integration Group.

Dolan Integration Group shall use commercially reasonable efforts to maintain the Samples it receives from Customer in the condition in which same were initially received, and shall store, free of charge, any portion(s) of the Sample(s) not consumed or altered in the course of testing and analysis for a period of 90 days after their initial receipt, after which time the Samples will be destroyed. At Customer's written request and expense, Dolan Integration Group shall return unused Samples to Customer. At Customer's written request, Dolan Integration Group will also store and maintain Customer's Samples beyond the Free Storage Period for a monthly fee in accordance with Dolan Integration Group's the current storage rates. If Customer fails to timely pay any applicable storage charges, Dolan Integration Group shall



Client/Well Name: ALS / 755652 Coalview  
 Job #: 17060967  
 Lab #: DIG-011356

SAMPLE INFORMATION							STABLE ISOTOPE ANALYSIS			
Job Number	Client Sample ID	Lab Number	Sample Type	Sample Date	Sample Time	Date Received	$\delta^{18}\text{O}$ ‰ VSMOW	$\delta\text{D}$ ‰ VSMOW	Deuterium Excess	$\delta^{13}\text{C}$ DIC ‰ VPDB
17060967	755652 Coalview	DIG-011356	Water	06/13/17	10:16	6/16/17	-4.3	-51	-16	10.5

RUN CALIBRATION DATA			
Internal checks	$\text{d}^2\text{H}$ per mil	$\text{d}^{18}\text{O}$ per mil	$\delta^{13}\text{C}$ per mil
1 SD	1.00	0.10	0.25

Standards	
DIC	
-7.3	
-7.0	
-6.8	
-7.3	
-7.3	
-7.3	
-7.2	Mean
0.2	SD





