



Ursa Operating Company, LLC

Rio Blanco County, Colorado

Jimmy Gulch 3G Pad

Jimmy Gulch 3G 12C-3-3-97

Wellbore #1

Plan: Design #1

Standard Planning Report

25 July, 2017



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Jimmy Gulch 3G 12C-3-3-97
Company:	Ursa Operating Company, LLC	TVD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Project:	Rio Blanco County, Colorado	MD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Site:	Jimmy Gulch 3G Pad	North Reference:	True
Well:	Jimmy Gulch 3G 12C-3-3-97	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Project	Rio Blanco County, Colorado		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		Using geodetic scale factor

Site	Jimmy Gulch 3G Pad				
Site Position:		Northing:	1,189,455.95 usft	Latitude:	39.820187318
From:	Lat/Long	Easting:	2,223,396.68 usft	Longitude:	-108.265221184
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	-1.79 °

Well	Jimmy Gulch 3G 12C-3-3-97, SHL: Lat 39.820116318 Long -108.265305083					
Well Position	+N/-S	-25.9 usft	Northing:	1,189,430.83 usft	Latitude:	39.820116318
	+E/-W	-23.6 usft	Easting:	2,223,372.32 usft	Longitude:	-108.265305083
Position Uncertainty		0.0 usft	Wellhead Elevation:	6,681.0 usft	Ground Level:	6,660.0 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	7/21/2017	9.85	65.80	51,653

Design	Design #1			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	268.30

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,564.9	19.77	268.30	1,553.7	-2.9	-96.5	3.50	3.50	0.00	268.30	
7,029.5	19.77	268.30	6,696.3	-57.6	-1,944.1	0.00	0.00	0.00	0.00	
7,594.4	0.00	0.00	7,250.0	-60.5	-2,040.5	3.50	-3.50	0.00	180.00	JG 3G 12C-3-3-97 TC
13,274.4	0.00	0.00	12,930.0	-60.5	-2,040.5	0.00	0.00	0.00	0.00	

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Jimmy Gulch 3G 12C-3-3-97
Company:	Ursa Operating Company, LLC	TVD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Project:	Rio Blanco County, Colorado	MD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Site:	Jimmy Gulch 3G Pad	North Reference:	True
Well:	Jimmy Gulch 3G 12C-3-3-97	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
0.1	0.00	0.00	0.1	0.0	0.0	0.0	0.00	0.00	0.00	0.00
SHL 39.820116318, -108.265305083										
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00	0.00
Start Build 3.50										
1,061.0	2.14	268.30	1,061.0	0.0	-1.1	1.1	3.50	3.50	0.00	0.00
Green River Fm - Mahogany Bench										
1,100.0	3.50	268.30	1,099.9	-0.1	-3.1	3.1	3.50	3.50	0.00	0.00
1,118.1	4.13	268.30	1,118.0	-0.1	-4.3	4.3	3.50	3.50	0.00	0.00
Dissolution Surface										
1,200.0	7.00	268.30	1,199.5	-0.4	-12.2	12.2	3.50	3.50	0.00	0.00
1,300.0	10.50	268.30	1,298.3	-0.8	-27.4	27.4	3.50	3.50	0.00	0.00
1,400.0	14.00	268.30	1,396.0	-1.4	-48.6	48.6	3.50	3.50	0.00	0.00
1,500.0	17.50	268.30	1,492.3	-2.2	-75.7	75.8	3.50	3.50	0.00	0.00
1,564.9	19.77	268.30	1,553.7	-2.9	-96.5	96.5	3.50	3.50	0.00	0.00
Start 5464.7 hold at 1564.9 MD										
1,600.0	19.77	268.30	1,586.8	-3.2	-108.3	108.4	0.00	0.00	0.00	0.00
1,700.0	19.77	268.30	1,680.9	-4.2	-142.1	142.2	0.00	0.00	0.00	0.00
1,800.0	19.77	268.30	1,775.0	-5.2	-175.9	176.0	0.00	0.00	0.00	0.00
1,900.0	19.77	268.30	1,869.1	-6.2	-209.8	209.9	0.00	0.00	0.00	0.00
2,000.0	19.77	268.30	1,963.2	-7.2	-243.6	243.7	0.00	0.00	0.00	0.00
2,100.0	19.77	268.30	2,057.3	-8.2	-277.4	277.5	0.00	0.00	0.00	0.00
2,200.0	19.77	268.30	2,151.4	-9.2	-311.2	311.3	0.00	0.00	0.00	0.00
2,300.0	19.77	268.30	2,245.5	-10.2	-345.0	345.2	0.00	0.00	0.00	0.00
2,304.8	19.77	268.30	2,250.0	-10.3	-346.6	346.8	0.00	0.00	0.00	0.00
Green River Fm - Garden Gulch Mbr										
2,400.0	19.77	268.30	2,339.6	-11.2	-378.8	379.0	0.00	0.00	0.00	0.00
2,500.0	19.77	268.30	2,433.7	-12.2	-412.6	412.8	0.00	0.00	0.00	0.00
2,542.8	19.77	268.30	2,474.0	-12.7	-427.1	427.3	0.00	0.00	0.00	0.00
Wasatch Fm										
2,600.0	19.77	268.30	2,527.8	-13.2	-446.4	446.6	0.00	0.00	0.00	0.00
2,700.0	19.77	268.30	2,621.9	-14.2	-480.2	480.5	0.00	0.00	0.00	0.00
2,800.0	19.77	268.30	2,716.1	-15.2	-514.1	514.3	0.00	0.00	0.00	0.00
2,900.0	19.77	268.30	2,810.2	-16.2	-547.9	548.1	0.00	0.00	0.00	0.00
3,000.0	19.77	268.30	2,904.3	-17.2	-581.7	581.9	0.00	0.00	0.00	0.00
3,100.0	19.77	268.30	2,998.4	-18.2	-615.5	615.8	0.00	0.00	0.00	0.00
3,200.0	19.77	268.30	3,092.5	-19.3	-649.3	649.6	0.00	0.00	0.00	0.00
3,300.0	19.77	268.30	3,186.6	-20.3	-683.1	683.4	0.00	0.00	0.00	0.00
3,400.0	19.77	268.30	3,280.7	-21.3	-716.9	717.2	0.00	0.00	0.00	0.00
3,500.0	19.77	268.30	3,374.8	-22.3	-750.7	751.1	0.00	0.00	0.00	0.00
3,600.0	19.77	268.30	3,468.9	-23.3	-784.5	784.9	0.00	0.00	0.00	0.00
3,700.0	19.77	268.30	3,563.0	-24.3	-818.3	818.7	0.00	0.00	0.00	0.00
3,800.0	19.77	268.30	3,657.1	-25.3	-852.2	852.5	0.00	0.00	0.00	0.00

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Jimmy Gulch 3G 12C-3-3-97
Company:	Ursa Operating Company, LLC	TVD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Project:	Rio Blanco County, Colorado	MD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Site:	Jimmy Gulch 3G Pad	North Reference:	True
Well:	Jimmy Gulch 3G 12C-3-3-97	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
3,900.0	19.77	268.30	3,751.2	-26.3	-886.0	886.4	0.00	0.00	0.00	
4,000.0	19.77	268.30	3,845.3	-27.3	-919.8	920.2	0.00	0.00	0.00	
4,100.0	19.77	268.30	3,939.4	-28.3	-953.6	954.0	0.00	0.00	0.00	
4,164.4	19.77	268.30	4,000.0	-28.9	-975.4	975.8	0.00	0.00	0.00	
Surface Casing										
4,200.0	19.77	268.30	4,033.5	-29.3	-987.4	987.8	0.00	0.00	0.00	
4,300.0	19.77	268.30	4,127.6	-30.3	-1,021.2	1,021.7	0.00	0.00	0.00	
4,400.0	19.77	268.30	4,221.7	-31.3	-1,055.0	1,055.5	0.00	0.00	0.00	
4,500.0	19.77	268.30	4,315.8	-32.3	-1,088.8	1,089.3	0.00	0.00	0.00	
4,600.0	19.77	268.30	4,410.0	-33.3	-1,122.6	1,123.1	0.00	0.00	0.00	
4,700.0	19.77	268.30	4,504.1	-34.3	-1,156.5	1,157.0	0.00	0.00	0.00	
4,800.0	19.77	268.30	4,598.2	-35.3	-1,190.3	1,190.8	0.00	0.00	0.00	
4,900.0	19.77	268.30	4,692.3	-36.3	-1,224.1	1,224.6	0.00	0.00	0.00	
5,000.0	19.77	268.30	4,786.4	-37.3	-1,257.9	1,258.4	0.00	0.00	0.00	
5,100.0	19.77	268.30	4,880.5	-38.3	-1,291.7	1,292.3	0.00	0.00	0.00	
5,136.7	19.77	268.30	4,915.0	-38.7	-1,304.1	1,304.7	0.00	0.00	0.00	
Ft Union										
5,200.0	19.77	268.30	4,974.6	-39.3	-1,325.5	1,326.1	0.00	0.00	0.00	
5,300.0	19.77	268.30	5,068.7	-40.3	-1,359.3	1,359.9	0.00	0.00	0.00	
5,400.0	19.77	268.30	5,162.8	-41.3	-1,393.1	1,393.7	0.00	0.00	0.00	
5,500.0	19.77	268.30	5,256.9	-42.3	-1,426.9	1,427.6	0.00	0.00	0.00	
5,600.0	19.77	268.30	5,351.0	-43.3	-1,460.7	1,461.4	0.00	0.00	0.00	
5,700.0	19.77	268.30	5,445.1	-44.3	-1,494.6	1,495.2	0.00	0.00	0.00	
5,800.0	19.77	268.30	5,539.2	-45.3	-1,528.4	1,529.0	0.00	0.00	0.00	
5,900.0	19.77	268.30	5,633.3	-46.3	-1,562.2	1,562.9	0.00	0.00	0.00	
6,000.0	19.77	268.30	5,727.4	-47.3	-1,596.0	1,596.7	0.00	0.00	0.00	
6,100.0	19.77	268.30	5,821.5	-48.3	-1,629.8	1,630.5	0.00	0.00	0.00	
6,200.0	19.77	268.30	5,915.6	-49.3	-1,663.6	1,664.3	0.00	0.00	0.00	
6,300.0	19.77	268.30	6,009.7	-50.3	-1,697.4	1,698.2	0.00	0.00	0.00	
6,400.0	19.77	268.30	6,103.9	-51.3	-1,731.2	1,732.0	0.00	0.00	0.00	
6,500.0	19.77	268.30	6,198.0	-52.3	-1,765.0	1,765.8	0.00	0.00	0.00	
6,600.0	19.77	268.30	6,292.1	-53.3	-1,798.9	1,799.6	0.00	0.00	0.00	
6,700.0	19.77	268.30	6,386.2	-54.3	-1,832.7	1,833.5	0.00	0.00	0.00	
6,800.0	19.77	268.30	6,480.3	-55.3	-1,866.5	1,867.3	0.00	0.00	0.00	
6,900.0	19.77	268.30	6,574.4	-56.3	-1,900.3	1,901.1	0.00	0.00	0.00	
7,000.0	19.77	268.30	6,668.5	-57.3	-1,934.1	1,934.9	0.00	0.00	0.00	
7,029.5	19.77	268.30	6,696.3	-57.6	-1,944.1	1,944.9	0.00	0.00	0.00	
Start Drop -3.50										
7,100.0	17.30	268.30	6,763.1	-58.3	-1,966.5	1,967.3	3.50	-3.50	0.00	
7,200.0	13.80	268.30	6,859.4	-59.1	-1,993.3	1,994.1	3.50	-3.50	0.00	
7,300.0	10.30	268.30	6,957.2	-59.7	-2,014.1	2,015.0	3.50	-3.50	0.00	
7,400.0	6.80	268.30	7,056.1	-60.2	-2,029.0	2,029.9	3.50	-3.50	0.00	
7,500.0	3.30	268.30	7,155.7	-60.4	-2,037.8	2,038.7	3.50	-3.50	0.00	
7,588.4	0.21	268.30	7,244.0	-60.5	-2,040.5	2,041.4	3.50	-3.50	0.00	
Ohio Creek										
7,594.4	0.00	0.00	7,250.0	-60.5	-2,040.5	2,041.4	3.50	-3.50	0.00	
Start 5680.0 hold at 7594.4 MD - Back to Vertical - Top of Gas - JG 3G 12C-3-3-97 TGT										
7,600.0	0.00	0.00	7,255.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
7,700.0	0.00	0.00	7,355.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
7,754.4	0.00	0.00	7,410.0	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
Williams Fork										

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Jimmy Gulch 3G 12C-3-3-97
Company:	Ursa Operating Company, LLC	TVD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Project:	Rio Blanco County, Colorado	MD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Site:	Jimmy Gulch 3G Pad	North Reference:	True
Well:	Jimmy Gulch 3G 12C-3-3-97	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
7,800.0	0.00	0.00	7,455.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
7,900.0	0.00	0.00	7,555.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
8,000.0	0.00	0.00	7,655.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
8,100.0	0.00	0.00	7,755.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
8,200.0	0.00	0.00	7,855.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
8,300.0	0.00	0.00	7,955.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
8,400.0	0.00	0.00	8,055.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
8,500.0	0.00	0.00	8,155.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
8,600.0	0.00	0.00	8,255.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
8,700.0	0.00	0.00	8,355.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
8,800.0	0.00	0.00	8,455.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
8,900.0	0.00	0.00	8,555.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
9,000.0	0.00	0.00	8,655.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
9,100.0	0.00	0.00	8,755.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
9,200.0	0.00	0.00	8,855.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
9,300.0	0.00	0.00	8,955.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
9,400.0	0.00	0.00	9,055.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
9,500.0	0.00	0.00	9,155.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
9,600.0	0.00	0.00	9,255.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
9,700.0	0.00	0.00	9,355.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
9,800.0	0.00	0.00	9,455.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
9,900.0	0.00	0.00	9,555.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
10,000.0	0.00	0.00	9,655.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
10,100.0	0.00	0.00	9,755.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
10,200.0	0.00	0.00	9,855.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
10,300.0	0.00	0.00	9,955.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
10,400.0	0.00	0.00	10,055.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
10,500.0	0.00	0.00	10,155.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
10,600.0	0.00	0.00	10,255.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
10,700.0	0.00	0.00	10,355.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
10,800.0	0.00	0.00	10,455.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
10,900.0	0.00	0.00	10,555.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
11,000.0	0.00	0.00	10,655.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
11,100.0	0.00	0.00	10,755.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
11,200.0	0.00	0.00	10,855.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
11,224.4	0.00	0.00	10,880.0	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
Cameo										
11,300.0	0.00	0.00	10,955.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
11,400.0	0.00	0.00	11,055.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
11,500.0	0.00	0.00	11,155.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
11,600.0	0.00	0.00	11,255.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
11,700.0	0.00	0.00	11,355.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
11,724.4	0.00	0.00	11,380.0	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
Rollins										
11,800.0	0.00	0.00	11,455.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
11,891.4	0.00	0.00	11,547.0	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
Cozette Fm										
11,900.0	0.00	0.00	11,555.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
12,000.0	0.00	0.00	11,655.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
12,100.0	0.00	0.00	11,755.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
12,200.0	0.00	0.00	11,855.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
12,248.4	0.00	0.00	11,904.0	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Jimmy Gulch 3G 12C-3-3-97
Company:	Ursa Operating Company, LLC	TVD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Project:	Rio Blanco County, Colorado	MD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Site:	Jimmy Gulch 3G Pad	North Reference:	True
Well:	Jimmy Gulch 3G 12C-3-3-97	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Planned Survey										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	
Corcoran										
12,300.0	0.00	0.00	11,955.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
12,400.0	0.00	0.00	12,055.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
12,500.0	0.00	0.00	12,155.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
12,600.0	0.00	0.00	12,255.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
12,700.0	0.00	0.00	12,355.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
12,800.0	0.00	0.00	12,455.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
12,900.0	0.00	0.00	12,555.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
13,000.0	0.00	0.00	12,655.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
13,100.0	0.00	0.00	12,755.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
13,200.0	0.00	0.00	12,855.6	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
13,274.4	0.00	0.00	12,930.0	-60.5	-2,040.5	2,041.4	0.00	0.00	0.00	
TD at 13274.4 - BHL 39.8199500, -108.2725694										

Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude	
JG 3G 12C-3-3-97 TGT	0.00	0.00	7,250.0	-60.5	-2,040.5	1,189,433.98	2,221,330.92	39.819950000	-108.272569400	
- hit/miss target										
- Shape										
- plan hits target center										
- Rectangle (sides W100.0 H40.0 D5,680.0)										

Formations						
Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)	
1,061.0	1,061.0	Green River Fm - Mahogany Bench		0.00		
1,118.1	1,118.0	Dissolution Surface		0.00		
2,304.8	2,250.0	Green River Fm - Garden Gulch Mbr		0.00		
2,542.8	2,474.0	Wasatch Fm		0.00		
5,136.7	4,915.0	Ft Union		0.00		
7,588.4	7,244.0	Ohio Creek		0.00		
7,594.4	7,250.0	Top of Gas		0.00		
7,754.4	7,410.0	Williams Fork		0.00		
11,224.4	10,880.0	Cameo		0.00		
11,724.4	11,380.0	Rollins		0.00		
11,891.4	11,547.0	Cozzette Fm		0.00		
12,248.4	11,904.0	Corcoran		0.00		

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Jimmy Gulch 3G 12C-3-3-97
Company:	Ursa Operating Company, LLC	TVD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Project:	Rio Blanco County, Colorado	MD Reference:	Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)
Site:	Jimmy Gulch 3G Pad	North Reference:	True
Well:	Jimmy Gulch 3G 12C-3-3-97	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Plan Annotations				
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
0.1	0.1	0.0	0.0	SHL 39.820116318, -108.265305083
1,000.0	1,000.0	0.0	0.0	Start Build 3.50
1,564.9	1,553.7	-2.9	-96.5	Start 5464.7 hold at 1564.9 MD
4,164.4	4,000.0	-28.9	-975.4	Surface Casing
7,029.5	6,696.3	-57.6	-1,944.1	Start Drop -3.50
7,594.4	7,250.0	-60.5	-2,040.5	Start 5680.0 hold at 7594.4 MD
7,594.4	7,250.0	-60.5	-2,040.5	Back to Vertical
13,274.4	12,930.0	-60.5	-2,040.5	TD at 13274.4
13,274.4	12,930.0	-60.5	-2,040.5	BHL 39.8199500, -108.2725694



Well Name: Jimmy Gulch 3G 12C-3-3-97
 Surface Location: Jimmy Gulch 3G Pad
 North American Datum 1983 US State Plane 1983 Colorado Northern Zone
 Ground Elevation: 6660.0
 +N/-S 0.0 +E/-W 0.0 Northing 1189430.84 Easting 2223372.32 Latitude 39.820116318 Longitude -108.265305083
 Est KB Jimmy Gulch 3G 12C-3-3-97 @ 6681.0usft (Est KB)



Azimuths to True North
 Magnetic North: 9.85°
 Magnetic Field
 Strength: 51652.6snT
 Dip Angle: 65.80°
 Date: 7/21/2017
 Model: IGRF2015

Jimmy Gulch 3G Pad
 Jimmy Gulch 3G 12C-3-3-97
 Design #1
 21:05, July 25 2017

WELLBORE TARGET DETAILS (MAP CO-ORDINATES AND LAT/LONG)

Name	TVD	+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Shape
JG 3G 12C-3-3-97 TGT	7250.0	-60.5	-2040.5	1189433.99	2221330.92	39.819950000	-108.272569400	Rectangle (Sides: L40.0 W100.0)

SECTION DETAILS

Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	Dleg	TFace	VSec	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	1000.0	0.00	0.00	1000.0	0.0	0.0	0.00	0.00	0.0	
3	1564.9	19.77	268.30	1553.7	-2.9	-96.5	3.50	268.30	96.5	
4	7029.5	19.77	268.30	6696.3	-57.6	-1944.1	0.00	0.00	1944.9	
5	7594.4	0.00	0.00	7250.0	-60.5	-2040.5	3.50	180.00	2041.4	JG 3G 12C-3-3-97 TGT
6	13274.4	0.00	0.00	12930.0	-60.5	-2040.5	0.00	0.00	2041.4	

ANNOTATIONS

TVD	MD	Annotation
0.1	0.1	SHL 39.820116318, -108.265305083
1000.0	1000.0	Start Build 3.50
1553.7	1564.9	Start 5464.7 hold at 1564.9 MD
4000.0	4164.4	Surface Casing
6696.3	7029.5	Start Drop -3.50
7250.0	7594.4	Start 5680.0 hold at 7594.4 MD
7250.0	7594.4	Back to Vertical
12930.0	13274.4	TD at 13274.4
12930.0	13274.4	BHL 39.8199500, -108.2725694

FORMATION TOP DETAILS

TVDPath	MDPath	Formation	DipAngle	DipDir
1061.0	1061.0	Mahogany Bench	0.00	
1118.0	1118.1	Dissolution Surface	0.00	
2250.0	2304.8	Garden Gulch Mbr	0.00	
2474.0	2542.8	Wasatch Fm	0.00	
4915.0	5136.7	Ft Union	0.00	
7244.0	7588.4	Ohio Creek	0.00	
7250.0	7594.4	Top of Gas	0.00	
7410.0	7754.4	Williams Fork	0.00	
10880.0	11224.4	Cameo	0.00	
11380.0	11724.4	Rollins	0.00	
11547.0	11891.4	Cozzette Fm	0.00	
11904.0	12248.4	Corcoran	0.00	

