



DE	ET	OE	ES
Document Number: <div>401464615</div>			
Date Received:			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number:	10071	Contact Name	Nikki Graber
Name of Operator:	BARRETT CORPORATION* BILL		Phone: (970) 673-8611
Address:	1099 18TH ST STE 2300		Fax: ( )
City:	DENVER	State:	CO Zip: 80202 Email: ngrab@olssonassociates.com

API Number :	05-1234572600	OGCC Facility ID Number:	452721
Well/Facility Name:	Anschutz-Williams		Well/Facility Number: 5-61-27-6457BSB
Location QtrQtr:	SWSW	Section:	27 Township: 5N Range: 61W Meridian: 6
County:	WELD	Field Name:	WATTENBERG
Federal, Indian or State Lease Number:			

Complete the Attachment Checklist  
  
OP OGCC

Survey Plat		
Directional Survey		
Srfc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).  
**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

**COMMENTS**

A review of the data on the COGCC website and contact with landowners in the area indicates there are no available water sources for sampling.  
There are three water wells located within the sampling range. However, one of these wells is abandoned, the second is a monitoring well, and the third well Receipt # 3667195 is mapped incorrectly by the DWR.  
There are also two previous sample locations nearby, one of which is where the incorrectly mapped water well Receipt #3667195 is actually located, but these are outside of the sampling range. Please see attached maps for reference.  
This sundry is for all wells on location #452726  
API #'s: 123-45726, 123-45727, 123-45729

**Operator Comments:**

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Nikki Graber  
Title: Project Geologist Email: ngrab@olssonassociates.com Date: \_\_\_\_\_

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

------	------

**General Comments****User Group****Comment****Comment Date**

 	 	 Stamp Upon Approval
------	------	----------------------------

Total: 0 comment(s)

**Attachment Check List****Att Doc Num****Name**

401469998	LOCATION DRAWING
401469999	LOCATION PICTURES

Total Attach: 2 Files