

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|--------------------------------------|----|----|----|
| DE | ET | OE | ES |
| Document Number: 401477187 | | | |
| Date Received: 12/05/2017 | | | |

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 96850 Contact Name Jessie Pahler
 Name of Operator: TEP ROCKY MOUNTAIN LLC Phone: (970) 242-0170
 Address: PO BOX 370 Fax: ()
 City: PARACHUTE State: CO Zip: 81635 Email: jpahler@westernwaterandland.com

Complete the Attachment
Checklist

OP OGCC

API Number : 05- 045 23560 00 OGCC Facility ID Number: 451135
 Well/Facility Name: CHEVRON Well/Facility Number: TR 31-28-597
 Location QtrQtr: SWNE Section: 28 Township: 5S Range: 97W Meridian: 6
 County: GARFIELD Field Name: TRAIL RIDGE
 Federal, Indian or State Lease Number: _____

| | | |
|---------------------|--|--|
| Survey Plat | | |
| Directional Survey | | |
| Srvc Eqpmt Diagram | | |
| Technical Info Page | | |
| Other | | |

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
 - 1 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
 - 3 Number of Water Source Exceptions requested per Rule 609.c.
 - 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
 - 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

_____ Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

| Sample ID | Facility ID | Sample Date | Sample Purpose |
|-----------|-------------|-------------|----------------|
| | | | |
| | | | |
| | | | |
| | | | |

COMMENTS

A water source evaluation identified one spring (Getty spring 12C, Facility ID 755917) within a 1/2 mile radius of well pad TR 32-28-597 (Facility ID 324040) for Rule 609 sampling. Please see attached document for details. This sundry applies to API numbers:

05-045-23560
 05-045-23561
 05-045-23562
 05-045-23563
 05-045-23564
 05-045-23565
 05-045-23566
 05-045-23567
 05-045-23568
 05-045-23569
 05-045-23570
 05-045-23571
 05-045-23572
 05-045-23573
 05-045-23574
 05-045-23575
 05-045-23619

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Jessie Pahler
 Title: Project Scientist Email: jpahler@westernwaterandland.com Date: 12/5/2017

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 12/6/2017

CONDITIONS OF APPROVAL, IF ANY:

| <u>COA Type</u> | <u>Description</u> |
|------------------------|---------------------------|
| | |

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|--------------------------|--|----------------------------|
| Environmental | A review of information available on COGIS maps indicates that there is no water feature that meets the 100 series definition of a water source within 1/2 mile of the oil/gas well(s) that has not been properly addressed by the operator. | 12/06/2017 |

Total: 1 comment(s)

Attachment Check List

| <u>Att Doc Num</u> | <u>Name</u> |
|---------------------------|---------------------------|
| 401477187 | SUNDRY NOTICE APPROVED-GW |
| 401477198 | OTHER |
| 401477630 | FORM 4 SUBMITTED |

Total Attach: 3 Files