

REPEAT PASS - Ran with 0 PSI

6 in / 100 ft

Database File:	2017-09-21_extraction_cscott c2-1-13_cbl2017-09-21_extraction_cscott c2-1-13_cbl.db
Dataset Pathname:	pass1
Presentation Format:	cbl_8x
Dataset Creation:	Thu Sep 21 15:51:19 2017
Charted by:	Depth in Feet scaled 1:240



Calibration Report

Database File	d:\warrior\data\2017-09-21_extraction_cscott c2-1-13_cbl2017-09-21_extraction_cscott c2-1-13_cbl.db
Dataset Pathname	pass1.1
Dataset Creation	Thu Sep 21 15:48:00 2017

Gamma Ray Calibration Report

Serial Number:	ISHV2-03
Tool Model:	2 3/4" TeleCo
Performed:	Tue Dec 13 00:23:06 2016
Calibrator Value:	194.0 GAPI
Background Reading:	58.9 cps
Calibrator Reading:	300.8 cps
Sensitivity:	0.8020 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number:	IPPO2-01
Tool Model:	2 3/4" RIB Analog
Calibration Casing Diameter:	5.500 in
Calibration Depth:	0.000 ft

Master Calibration, performed (Derived):

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	-0.000	1.359	0.000	72.000	52.979	0.023
CAL	-0.000	0.750	0.000			
1'	-0.005	2.035	0.000	72.000	35.309	0.164
SUM			0.8020			
S1	0.015	1.177	0.000	72.000	61.957	-0.945
S2	0.016	1.215	0.000	72.000	60.060	-0.952
S3	0.020	1.350	0.000	72.000	54.149	-1.089
S4	0.021	1.326	0.000	72.000	55.193	-1.168
S5	0.020	1.336	0.000	72.000	54.698	-1.080
S6	0.016	1.248	0.000	72.000	58.422	-0.925
S7	0.016	1.248	0.000	72.000	58.422	-0.925
S8	0.015	1.164	0.000	72.000	62.645	-0.945

Internal Reference Calibration, performed Fri Aug 25 16:15:12 2017:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.750	0.000	0.750	1.000	0.000

Air Zero Calibration, performed Fri Aug 25 16:15:12 2017:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
1'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Temperature Calibration Report

Serial Number:	IPPO2-01
Tool Model:	2 3/4" RIB Analog
Performed:	Fri Aug 26 11:07:15 2016

	Reference	Reading	
Low Reference:	0.00	degF	usec
High Reference:	1.00	degF	usec
Gain:	0.33		
Offset:	1.00		
Delta Spacing	1'		

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			CableHead-1TanCone1type2	1.03	1.44	3.60
CCL	18.96		CCL_Log-2 3/4" TekCo (IPSN7-03) ASI Cfg: CCL	1.83	2.75	33.00
			TekCo-275_Tekco 2 3/4" Tekco Adjustable SPRING Centralizer	2.73	2.75	25.00
TEMP	12.78					
WVFS8	11.49					
WVFS7	11.49		RBTA-2 3/4" RIB Analog (IPPO2-01) Radial Incremental Bond Tool with Temp	9.13	2.75	102.00
WVFS6	11.49					
WVFS5	11.49					
WVFS4	11.49					
WVFS3	11.49					
WVFS2	11.49					
WVFS1	11.49					
WVF3FT	10.74					
WVF5FT	9.74					
WVFSYNC	6.41					
WWTEMP	6.41					
WVFCAL	6.41					
			TekCo-275_Tekco 2 3/4" Tekco Adjustable SPRING Centralizer	2.73	2.75	25.00
			GR_Log-2 3/4" TekCo (ISHV2-03) ASI Cfg: Gamma Ray	3.68	2.75	47.00
GR	1.04					
LOCTIM	0.00					
UTCTIM	0.00					

Dataset:	2017-09-21_extraction_cscott c2-1-13_cbl.db: field/wellrun1/pass5.1
Total length:	21.13 ft
Total weight:	235.60 lb
O.D.	2.75 in

Company	Extraction Oil and Gas
Well	CS Scott C2-1-13
Field	Wattenberg
County	Weld
State	Colorado
Country	U.S.A.