

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

401484118

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 96850
2. Name of Operator: TEP ROCKY MOUNTAIN LLC
3. Address: PO BOX 370
City: PARACHUTE State: CO Zip: 81635
4. Contact Name: Kellye Garcia
Phone: (832) 726-1159
Fax:
Email: kgarcia@terraep.com

5. API Number 05-045-23463-00
6. County: GARFIELD
7. Well Name: CHEVRON
Well Number: TR 321-23-597
8. Location: QtrQtr: SWNE Section: 23 Township: 5S Range: 97W Meridian: 6
9. Field Name: TRAIL RIDGE Field Code: 83825

Completed Interval

FORMATION: COZZETTE Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 10/19/2017 End Date: 10/24/2017 Date of First Production this formation: 12/04/2017

Perforations Top: 10255 Bottom: 10439 No. Holes: 30 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: ☐

10685 bbls of slickwater; 211500 100/Mesh; 248 gals of biocide

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 10691 Max pressure during treatment (psi): 7013

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: Min frac gradient (psi/ft): 0.58

Total acid used in treatment (bbl): Number of staged intervals: 2

Recycled water used in treatment (bbl): 10685 Flowback volume recovered (bbl): 4170

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 211500 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: CORCORAN Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 10/19/2017 End Date: 10/24/2017 Date of First Production this formation: 12/04/2017

Perforations Top: 10462 Bottom: 10588 No. Holes: 18 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: ☐

7136 bbls of slickwater; 141750 100/Mesh; 154 gals of biocide

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 7140

Max pressure during treatment (psi): 7013

Total gas used in treatment (mcf):

Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment:

Min frac gradient (psi/ft): 0.58

Total acid used in treatment (bbl):

Number of staged intervals: 1

Recycled water used in treatment (bbl): 7136

Flowback volume recovered (bbl): 2502

Fresh water used in treatment (bbl):

Disposition method for flowback: RECYCLE

Total proppant used (lbs): 141750

Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK-CAMEO-COZZETTE-CORCORAN Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 10/19/2017 End Date: 10/24/2017 Date of First Production this formation: 12/04/2017
Perforations Top: 7919 Bottom: 10588 No. Holes: 288 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: ☐

117323 bbls of slickwater; 2328750 100/Mesh; 2778 gals of biocide

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 117389 Max pressure during treatment (psi): 7013

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: Min frac gradient (psi/ft): 0.58

Total acid used in treatment (bbl): Number of staged intervals: 12

Recycled water used in treatment (bbl): 117323 Flowback volume recovered (bbl): 40066

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 2328750 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 12/04/2017 Hours: 24 Bbl oil: 0 Mcf Gas: 2000 Bbl H2O: 0

Calculated 24 hour rate: Bbl oil: 0 Mcf Gas: 2000 Bbl H2O: 0 GOR: 0

Test Method: FLOWING Casing PSI: 1302 Tubing PSI: 1430 Choke Size: 48/64

Gas Disposition: SOLD Gas Type: DRY Btu Gas: 1017 API Gravity Oil: 0

Tubing Size: 2 + 3/8 Tubing Setting Depth: 10309 Tbg setting date: 11/02/2017 Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: WILLIAMS FORK - CAMEO Status: PRODUCING Treatment Type: FRACTURE STIMULATION

Treatment Date: 10/19/2017 End Date: 10/24/2017 Date of First Production this formation: 12/04/2017

Perforations Top: 7919 Bottom: 9975 No. Holes: 240 Hole size: 35/100

Provide a brief summary of the formation treatment: Open Hole: ☐

99502 bbls of slickwater; 1975500 100/Mesh; 2378 gals of biocide

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 99559 Max pressure during treatment (psi): 7013

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal): 8.43

Type of gas used in treatment: Min frac gradient (psi/ft): 0.58

Total acid used in treatment (bbl): Number of staged intervals: 10

Recycled water used in treatment (bbl): 99502 Flowback volume recovered (bbl): 33360

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 1975500 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

Comment:

All flowback volumes are estimates based on the commingled volume.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: Print Name: Kellye Garcia

Title: Land & Regulatory Tech Date: Email kgarcia@terraep.com

Attachment Check List

Att Doc Num Name

401484122 WELLBORE DIAGRAM

Total Attach: 1 Files

General Comments

User Group Comment

Comment Date

Stamp Upon Approval

Total: 0 comment(s)